

 **STREAMLINE**[®]



OVA8[®]

www.streamline.systems

STREAMLINE

OVA8[®] Poles & Accessories

The range now consists of glass fibre and full carbon fibre telescopic poles giving different expense, rigidity and strength accordingly.

OVA8[®] | Poles

Pages 6 - 7


The **STREAMLINE[®] OVA8[®]** carbon fibre telescopic poles are designed in an 'oval' profile section, reducing the wear of the sections from the pole clamps.



OVA8[®] | Extensions

Pages 8 - 9

the **STREAMLINE[®] OVA8[®]** waterfed pole becomes even more versatile. Available in a number of bespoke pole sections/lamps.



OVA8[®] | Accessories

Pages 10 - 12

The **STREAMLINE[®] OVA8[®]** carbon fibre telescopic poles are designed in an 'oval' profile section, reducing the wear of the sections from the pole clamps.



OVA8[®] | Brushes

Pages 13

The **STREAMLINE[®] OVA8[®]** carbon fibre telescopic poles are designed in an 'oval' profile section, reducing the wear of the sections from the pole clamps.



OVA8[®] | Clamps

Pages 14

The **STREAMLINE[®] OVA8[®]** carbon fibre telescopic poles are designed in an 'oval' profile section, reducing the wear of the sections from the pole clamps.





STREAMLINE

OVA8[®]

Eliminating the spin,
once and for all

The **STREAMLINE[®] OVA8[®]** carbon fibre telescopic poles are designed with 'oval' profile sections, allowing for zero pole spin and reducing the wear of the sections from the pole clamps. Available in a number of different sizes, with numerous adapters and pole extensions, making the **STREAMLINE[®] OVA8[®]** one of the best waterfed poles on the market to date!



Quick Release System

Superior Clamps

Zero Spin

Why use the **STREAMLINE[®] OVA8[®]** pole?

- Its innovative design ensures that the dreaded pole spin associated with worn waterfed pole sections is a thing of the past.
- Superb pole section clamps ensure the pole sections stay where you want them.
- 100% carbon ensuring it's as light as possible and as strong as possible.
- Its 2 flat sides make the pole easier to hold for long periods of time.
- Available in multiple sizes to suit customers' needs.
- AVAILABLE NOW - a range of accessories to ensure that the **STREAMLINE[®] OVA8[®]** is as versatile as possible.

STREAMLINE
OVA8[®]
With 
Univalves

Holding any item in the hand for long periods can be painful. The OVA8 design combines two flat sides. These sit more comfortably in an operator's hand and allow the tips of their fingers to sit on the flat edge.

The two flat sides of the OVA8 telescopic pole add more stability and therefore more control for the operator, a huge "safety" plus. Any experienced operative will tell you how dangerous and annoying a spinning pole section is.

The benefits of a univalve are that, when you are at a distance from the van, the Univalve prevents you from going back to the van to turn the water off. Therefore, the univalve saves you, the user time and effort which then becomes more time efficient.

Size Guide



<p>OV60-46-E HI-MOD Up to 63ft</p> <p>OV60-40-E Up to 63ft</p>	6 Storeys
<p>OV45-30-E Up to 48ft</p> <p>OV40-30-E Up to 43ft</p>	5 Storeys
<p>OV35-30-E Up to 38ft</p>	4 Storeys
<p>OV30-24-E Up to 33ft</p> <p>OV25-24-E Up to 28ft</p>	3 Storeys
<p>OV22-40-E HI-MOD Up to 20ft</p> <p>OV22-24-E Up to 20ft</p> <p>OV17-24-E Up to 20ft</p>	2 Storeys

Warning: These poles are manufactured from 100% carbon fibre material which is a conductor of electricity. Not to be used near electrical lines!



Did You Know?

All STREAMLINE[®] OVA8[®] poles come complete with our adjustable nylon gooseneck, tubing, a STREAMLINE[®] brush and a hose coupling of your choice!

Poles are available in 10 popular sizes

Part No	No. Of Sections	Min. Length (mm/ft)	Max Length (mm/ft)	Achievable Height	Length Of Tubing	Weight
OV17-24-E	5	1,500mm/5ft	5,100mm/17ft	20ft/6.1m	8 metre	0.99kg
OV22-24-E	6	1,500mm/5ft	6,700mm/22ft	25ft/7.6m	9 metre	1.35kg
OV22-40-E HI-MOD	6	1,500mm/5ft	6,700mm/22ft	25ft/7.6m	9 metre	1.35kg
OV25-24-E	5	1,830mm/6ft	7,700mm/25ft	28ft/8.5m	10 metre	1.35kg
OV30-24-E	6	1,865mm/6ft	9,150mm/30ft	33ft/10.6m	12 metre	1.70kg
OV35-30-E	7	1,900mm/6ft	10,700mm/35ft	38ft/11.6m	12 metre	2.00kg
OV40-30-E	8	2,110mm/7ft	12,400mm/40ft	43ft/13.1m	15 metre	2.50kg
OV45-30-E	9	2,150mm/7ft	13,720mm/45ft	48ft/14.6m	15 metre	2.80kg
OV60-40-E	10	2,270mm/7ft	18,288mm/60ft	63ft/19.2m	20 metre	3.80kg
OV60-40-E HI-MOD	10	2,270mm/7ft	18,288mm/60ft	63ft/19.2m	20 metre	3.80kg

New for 2022

OVA8[®] + Univalves

Part No	No. Of Sections	Min. Length (mm/ft)	Max Length (mm/ft)	Achievable Height	Length Of Tubing	Weight Pole Only
OV17-24-U	5	1,500mm/5ft	5,100mm/17ft	20ft/6.1m	8 metre	0.99kg
OV22-24-U	6	1,500mm/5ft	6,700mm/22ft	25ft/7.6m	9 metre	1.35kg
OV22-40-U	6	1,500mm/5ft	6,700mm/22ft	25ft/7.6m	9 metre	1.35kg
OV25-24-E	5	1,830mm/6ft	7,700mm/25ft	28ft/8.5m	10 metre	1.35kg
OV30-24-U	6	1,865mm/6ft	9,150mm/30ft	33ft/10.6m	12 metre	1.70kg
OV35-30-U	7	1,900mm/6ft	10,700mm/35ft	38ft/11.6m	12 metre	2.00kg



Scan Here
to shop online
for the latest prices

Contact us on
+44 (0)1626 830 830

STREAMLINE[®] OVA8[®] EXTENSIONS

With a range of **STREAMLINE[®] OVA8[®]** pole extensions, the **STREAMLINE[®] OVA8[®]** waterfed pole becomes even more versatile. Available in a number of bespoke pole sections, you can extend the reach of this great waterfed pole with ease.



Extension sections for OV17-24-E

PART NO	DESCRIPTION	ACHIEVABLE HEIGHT WITH EXTENSION
OV06-07-1675	STREAMLINE [®] OVA8 [®] Carbon Sections 6-7 to increase 17 foot to 30 foot	30ft / 9.1m
OV06-08-1675	STREAMLINE [®] OVA8 [®] Carbon Sections 6-8 to increase 17 foot to 35 foot	35ft / 10.6m
OV06-09-1675	STREAMLINE [®] OVA8 Carbon Sections 6-9 to increase 17 foot to 40 foot	40ft / 12.2m
OV06-10-1675	STREAMLINE [®] OVA8 [®] Carbon Sections 6-10 to increase 17 foot to 45 foot	45ft / 13.7m

Extension sections for OV22-24-E

PART NO	DESCRIPTION	ACHIEVABLE HEIGHT WITH EXTENSION
OV07-08-1675	STREAMLINE [®] OVA8 [®] Carbon Sections 7-8 to increase 22 foot to 35 foot	35ft / 10.6m
OV07-09-1675	STREAMLINE [®] OVA8 [®] Carbon Sections 7-9 to increase 22 foot to 40 foot	40ft / 12.2m
OV07-10-1675	STREAMLINE [®] OVA8 [®] Carbon Sections 7-10 to increase 22 foot to 45 foot	45ft / 13.7m

Extension sections for OV25-24-E

PART NO	DESCRIPTION	ACHIEVABLE HEIGHT WITH EXTENSION
OV06-07-1675	STREAMLINE [®] OVA8 [®] Carbon Sections 6-7 to increase 25 foot to 35 foot	35ft / 10.6m
OV06-08-1675	STREAMLINE [®] OVA8 [®] Carbon Sections 6-8 to increase 25 foot to 40 foot	40ft / 12.2m
OV06-09-1675	STREAMLINE [®] OVA8 [®] Carbon Sections 6-9 to increase 25 foot to 45 foot	45ft / 13.7m
OV06-10-1675	STREAMLINE [®] OVA8 [®] Carbon Sections 6-10 to increase 25 foot to 50 foot	50ft / 15.2m

Extension sections for OV30-24-E

PART NO	DESCRIPTION	ACHIEVABLE HEIGHT WITH EXTENSION
OV07-08-1675	STREAMLINE [®] OVA8 [®] Carbon Sections 7-8 to increase 30 foot to 40 foot	40ft / 12.2m
OV07-09-1675	STREAMLINE [®] OVA8 [®] Carbon Sections 7-9 to increase 30 foot to 45 foot	45ft / 13.7m
OV07-10-1675	STREAMLINE [®] OVA8 [®] Carbon Sections 7-10 to increase 30 foot to 50 foot	50ft / 15.2m

Extension sections for OV35-30-E

PART NO	DESCRIPTION	ACHIEVABLE HEIGHT WITH EXTENSION
OV08-09-1675	STREAMLINE [®] OVA8 [®] Carbon Sections 8-9 to increase 35 foot to 45 foot	45ft / 13.7m
OV08-10-1675	STREAMLINE [®] OVA8 [®] Carbon Sections 8-10 to increase 35 foot to 50 foot	50ft / 15.2m

Extension sections for OV40-30-E

PART NO	DESCRIPTION	ACHIEVABLE HEIGHT WITH EXTENSION
OV09-10-1675	STREAMLINE [®] OVA8 [®] Carbon Sections 9-10 to increase 40 foot to 50 foot	50ft / 15.2m



Scan Here
to shop online
for the latest prices

Visit our website
www.streamline.systems



OVA8® Accessories

A growing range of STREAMLINE® OVA8® accessories making this water fed pole one of the most versatile poles on the market.

New for
2022

OVA8® Roof Scraper

A lightweight and compact roof scraper attachment for the OVA8® pole. The design incorporates a quick-change head with a load and lock feature. This feature allows the user to swap out the blades when changing to a new roof tile type or if the blades have worn down. Made from stainless-steel, the roof scraper and blades are rust resistant and extremely durable. Consisting of a variety of different blades to suit the most common roof tiles, the kit allows you to scrape moss and debris off a roof with ease.

PART NO.	ITEM
OV-SCR003	STREAMLINE® OVA8® Roof Scraper with additional 3 blades



OVA8® 150mm Nylon Brush Extension

PART NO.	ITEM
OV-FT150	OVA8® 150mm Nylon Brush Extension



OVA8® 200mm Carbon Brush Extension

PART NO.	ITEM
OV-FT200	OVA8® 200mm Carbon Brush Extension



OVA8® 300mm Carbon Brush Extension

PART NO.	ITEM
OV-FT300	OVA8® 300mm Carbon Brush Extension



OVA8® Brush Swivel Socket - 90 Degree

PART NO.	ITEM
OV-BS0003	OVA8® Brush Swivel Socket - 90 Degree



OVA8® Brush Socket - 90 Degree

PART NO.	ITEM
OV-BS0002	OVA8® Brush Socket 90 Degree



OVA8® Bronze Wool Pad

PART NO.	ITEM
OV-PAD001	STREAMLINE® OVA8® Bronze Wool Pad Adapter complete with 1 x STREAMLINE® Bronze Wool Pad
V549132	Bronze Wool Pad Only



**OVA8®
Dual Angle Adapter**

PART NO.	ITEM
OV-AD20-10	OVA8® Dual Angle Adapter



**OVA8®
Angle Adapter**

PART NO.	ITEM
OV-AD20-15	OVA8® 3" Angle Adapter
OV-AD20-16	OVA8® 6" Angle Adapter



**OVA8®
Angle Adapter with GT Thread**

PART NO.	ITEM
OV-AD20-03	OVA8® 3" Angle Adapter
OV-AD20-06	OVA8® 6" Angle Adapter
OV-AD20-09	OVA8® 9" Angle Adapter
OV-AD20-12	OVA8® 12" Angle Adapter



OVA8® Clamp

PART NO.	ITEM
OV-CLMP01	OVA8® Clamp 1
OV-CLMP02	OVA8® Clamp 2
OV-CLMP03	OVA8® Clamp 3
OV-CLMP04	OVA8® Clamp 4
OV-CLMP05	OVA8® Clamp 5
OV-CLMP06	OVA8® Clamp 6
OV-CLMP07	OVA8® Clamp 7
OV-CLMP08	OVA8® Clamp 8
OV-CLMP09	OVA8® Clamp 9
OV-CLMP10	OVA8® Clamp 10



**OVA8®
Clamp Lever**

PART NO.	ITEM
OV-CL0001	OVA8® Clamp Lever



**10" (260mm)
STREAMLINE® Brush
Medium Dual Bristle, with OVA8® Socket**

Weight	Width
289g	260mm

PART NO.	ITEM
V-SBF26-MD06-001	Brush only
V-SBF26-MD06-010	Pack of 10



**14" (360mm)
STREAMLINE® Brush
Medium Dual Bristle, with OVA8® Socket**

Weight	Width
351g	360mm

PART NO.	ITEM
V-SBF36-MD06-001	Brush only
V-SBF36-MD06-010	Pack of 10



**10" (260mm)
STREAMLINE® Brush - Dual Bristle
Boars' Hair and OVA8® Socket**

Weight	Width
392g	260mm


PART NO.	ITEM
V-SBF26-BD06-001	Brush only
V-SBF26-BD06-010	Pack of 10



**14" (360mm)
STREAMLINE® Brush - Dual Bristle with
Boars' Hair and OVA8® Socket**

Weight	Width
392g	260mm

PART NO.	ITEM
V-SBF36-BD06-001	Brush only
V-SBF36-BD06-010	Pack of 10



STREAMLINE | Nozzle Jets

PART NO.	ITEM
FJ2-02	Fan Jet Kit
FJ2-04	Fan Jet Kit pack of 4
NJ3-02	Pencil Jet Kit
NJ3-04	Pencil Jet Kit pack of 4

The logo features a stylized white 'S' icon on the left, followed by the word 'STREAMLINE' in a bold, italicized, white sans-serif font with a registered trademark symbol. Below it, the word 'OVA8' is written in a similar bold, italicized, white sans-serif font with a registered trademark symbol.

STREAMLINE[®]
OVA8[®]

If you are looking for an item
not featured in this product overview
then give us a call - we may be
able to source it for you.

**Hamilton House, 8 Fairfax Road,
Heathfield Industrial Estate,
Newton Abbot, Devon TQ12 6UD, UK**

**T: +44 (0)1626 830 830
E: sales@streamline.systems
W: www.streamline.systems**