



 **STREAMLINE**[®]

Product Overview

www.streamline.systems



www.streamline.systems



Purpose
Create Safety Through Innovation

Vision
To become a global leader in innovative specialist cleaning equipment
Safely Cleaning at Height.

OUR CORE VALUES

Creative
Always challenging the status quo and nurturing innovative ideas to ensure we remain at the forefront of the high reach cleaning industry.

Passionate
Going the extra mile to show our customers they are the heart of our business. As a family owned company we pride ourselves on our values and ethics in treating both customers and employees with the utmost respect.

Safe
Our employees and our customers safety are our priority. We strive to produce the safest cleaning products whilst ensuring that our employees have a safe and healthy working environment.

Win Together
We build on our successes as a team, celebrate our wins and continue to learn. Valuing respect for each other is central to all we do. We respond to cultural trends and empower our team to engage with the wider community to create a united strategy that brings results.

New For 2022	4-7
About Us	8-9
Our Brands	10-11
STREAMLINE® Packages	12-31

Van Systems

Vehicle Package Solutions	32-39
Ford Vehicles	40
Volkswagen Vehicles	41
Citroen Vehicles	42
Renault Vehicles	43
Vauxhall Vehicles	44
Peugeot Vehicles	45
Vehicle Hire Solutions	46-47

Vehicle Mounted Systems

SMARTANK® Systems	50-55
COMBI™ Systems	56-57
ECOSTREAM™ Systems	58-61
STREAMLINE® Systems	62-65
HEATWAVE™ Systems	66-71
Van Accessories	72-75

Portable Waterfed Systems

1205 Trailer	80-83
TAV Trailers	84-91
STREAMFLO® Barrow Systems	92-93
STREAMFLO® Trolley Systems	94-95
Soft Wash Systems	98-103

Waterfed Poles & Brushes

Pole Brands	105
STREAMLINE® OVA8®	106-107
STREAMLINE® OVA8® Poles	108-109
STREAMLINE® OVA8® Extensions	110-111
STREAMLINE® OVA8® Accessories	112-114
STREAMLINE® OVA8® Brushes	115

ECOLITE™ Poles	116-117
ECOLINE™ Poles	118-119
ULTRALITE™ Carbon Fibre Poles	120-121
STREAMLINE® Carbon Fibre Goosenecks	122
STREAMLINE® Hi-Lo Brushes	124-125
STREAMLINE® Waterfed Brushes	126
STREAMLINE® Boars Hair Brushes	127
Vikan Waterfed Brushes	128
STREAMLINE® Pole Accessories	129-131
STREAMLINE® Clamps	132-133

STREAMVAC™ High Reach Vacuum

External Gutter Kits	138-145
STREAMVAC™ Pole Kits	146
STREAMVAC™ Poles Accessories & Spare Parts	147-148
CCTV Camera & Monitor	149
Internal Dusting Cleaning Kits	150-153
STREAMVAC™ Dusting Poles	154-155
STREAMVAC™ Dusting Pole Kits	156-157
Internal Dusting Accessories	158-159

Pressure Washers

HIGHLINE™ High Pressure Washers	162-165
HIGHLINE™ Hotcube Skids	166-167
Hotcubes	168-169
Barrow Mounted High Pressure Washers	170-171
DENVER™ Trailer Systems	172-173
Telescopic Wands & Accessories	174-177
Flat Surface Cleaners	178-179
Lances Guns & Accessories	180-181
Hose Reels & Accessories	182-187
High Pressure Couplings	188-189
High Pressure Accessories	190-195

Internal Window Cleaning

DRAGONFLY® 4 Kits	197-201
DRAGONFLY® 4 Accessories	202-203
ECOSHINE™ Cleaning Kits	204-207

FILTERPLUS® Filtration & Resin

Direct Flow RO Systems	210
Replacement Filters & Accessories	211-213
FILTERPLUS® & MOBI® Equipment	214-229
Resin Filters Membranes & Accessories	230-233

Waterfed Pole Accessories

Hose Reels & Accessories	236-242
STREAMLINE® Pole Tubing	243-245
Window Cleaning Pumps & Accessories	246-249
STREAMLINE® Controllers	250-251
STREAMLINE® Couplings & Accessories	252-259
STREAMLINE® Switches, Meters & Valves	260-261
Batteries & Accessories	262-263
STREAMLINE® Warning Signs	265

Traditional Cleaning Tools

Telescopic Poles	265
Rubbers & Sleeves	269
Hand Tools	270-273

Other

Terminology & Resin Specs	274
Notes	276

STREAMLINE® NEW FOR 2022

NEW MOBI® Midget Stainless	19/224
NEW MOBI® Maxi Stainless	21/226
NEW Skid Mounted SMARTANK®	54-55
NEW COMBI™ 325	56-57
NEW ECOSTREAM™ Tanks	58-61
NEW STREAMLINE® Van Accessories	72-75
NEW STREAMFLO® Mini	96-97
NEW Softwash Pole Kits & Accessories	98-101
NEW SoftClean™ Injection Box	102
NEW SoftClean™ Softwash Box	103
NEW OVA8® Poles with Univalves	109
NEW OVA8® Roof Scraper	112
NEW Pressure Washer Cage	165
NEW HOTCUBE 350 + 500L Skids	166-167
NEW FILTERPLUS® Mini RO	216-217
NEW FILTERPLUS® Maxi RO	218-219
NEW MOBI® DOSE	228-229
NEW DRAGONFLY® Spray Assembly	203
NEW Powerdrive Hose Reel Stacking Kit	240
NEW SFC16-240 Controller	250



Scan Here to shop online for the latest prices

Contact us on +44 (0)1626 830 830

NEW FOR 2022

MOBI[®] MAXI MOBI[®] MIDGET STAINLESS

Stainless steel is known for its high corrosion resistance, which is why we've engineered our mobile RO systems in a material that's built to last. The **MOBI[®] Midget** and **MOBI[®] Maxi** are designed to produce a strong flow of pure water on demand in hard water areas, wherever you need it.

See Page 18 - 224
See Page 20 - 226



ECOSTREAM[™] 375L DI 500L DI

The new **ECOSTREAM[™]** range of tank systems represent excellent value for money, as they can be fixed into vehicles permanently without the need of a stainless-steel frame. Available as simple water delivery units or on-demand DI systems, the Z-profile frame system allows significant savings to be made without compromising on the professional image that window cleaners always strive for.

See Page 58 - 61



New for 2022



SMARTANK[®]

Skid Mounted Smarttanks

The **SMARTANK[®]** is now available as a self-contained skid-mounted unit, complete with a secondary floor and pre-assembled with hose reels, offering you a window cleaning set-up which can be transferred effortlessly with the use of a forklift. The secondary floor ensures your vehicle load area can still be utilised for a multitude of purposes.

See Page 54 - 55

HIGHLINE[™] 350L 500L Hotcube Skids

The Hotcube skid-mounted system is designed to be one of the most versatile hot water pressure washing systems on the market. Available with a 350L or 500L water tank and stainless steel frame, the galvanised powder coated skid frame allows it to be forklifted with ease before being temporarily fixed or permanently secured into a vehicle of choice.

See Page 166 - 167



New for 2022



FILTERPLUS[®]

MINI & MAXI RO

These state of the art free-standing RO units are manufactured with industrial, high capacity filters, presenting you with one of the easiest ways to produce pure water in high volumes.

See Page 216 - 219

STREAMLINE
NEW FOR 2022

COMBI™ 325

Its compact design makes this unique product suitable for smaller van installations. With ingenuity and innovation combined into one system, the **COMBI™ 325** is the first of its kind. Designed to either incorporate our **STREAMFLO®** 25-litre trolley system as a power unit or supplied as a 5-stage RODI filtration unit with lithium-ion battery technology, the design is totally unique to the window cleaning market.

See Page 56 - 57



New for 2022

Used to spray Algo Clear and other soft wash treatments onto roofs, walls, and K-Rend these portable portable boxes, allow you to clear algae, moss and lichen with maximum efficiency and minimum fuss and waste.

**SoftClean™
Injection Box**



New for 2022

A portable carry box with a Dosatron chemical dosing unit. This product can mix Algo Clear (or similar) accurately with water at a pre set ratio on demand. (Not suitable for use with Sodium Hypochlorite)

See Page 102

**SoftClean™
Softwash Box**



New for 2022

A portable carry box with a lithium battery and chemical resistant pump. Simply connect the unit to a supply of water to feed the injection box or use pre-mixed chemical solution to apply directly to the surface needing treatment. (Not suitable for use with Sodium Hypochlorite)

See Page 103

STREAMFLO® MINI

The **STREAMFLO®** Mini is a compact water delivery unit that makes small window cleaning tasks a whole lot easier. Complete with a powerful pump and rechargeable battery, its 12-litre water tank is removable, allowing the stainless steel frame to fold down for easy transportation and storage.

See Page 96 - 97



New for 2022



New for 2022

MOBI® DOSE

A stainless steel softwash trolley for chemical dosing. This product can mix Algo Clear (or similar) accurately with water at a pre-set ratio on demand. Connect to a water source to produce a chemical mix either via the pump or directly through the Dosatron dosing unit. The **MOBI®** Dose has receptacles for two 5-litre chemical containers. (Not suitable for use with Sodium Hypochlorite)

See Page 228 - 229

HIGHLINE™ CAGE

This high-pressure washer cage is perfect for portable high-pressure washing needs. Once connected to a water source, with its mounted hose reel and lance this unit can be deployed quickly. The durable stainless steel cage protects the pressure washer and makes loading and transportation easy.

See Page 165



New for 2022

The **STREAMLINE**® Team



About Us

With a comprehensive range of over 8,000 products, STREAMLINE® can offer a solution for almost any high reach cleaning challenge. STREAMLINE® is owned and run by VARITECH SYSTEMS®, a family business that has been trading from the South West of England for 18 years.

THE **STREAMLINE**® PROMISE

HIGH QUALITY PRODUCTS

Whilst price is important, quality is remembered long after price is forgotten. Our qualified design engineers use the latest CAD technology to bring our creative ideas and innovation to reality. We insist on reputable quality components being sourced from around the world, bringing them together under the STREAMLINE® name. All our products carry a minimum of one year's warranty, according to our manufacturers' standard terms and conditions of sale.

COMPETITIVE PRICES

We do not aim to be the cheapest. If we did, we would not be able to have the stock on the shelf for when you need it, the service to employ staff to dispatch your order the same day, the no quibble guarantee on all our products. In fact, we probably would not be in business. We aim to supply quality products at competitive prices, a full technical back up, spare parts availability as far as possible on all our equipment, and an after sales service second to none.

ALMOST IMMEDIATE AVAILABILITY

Most items listed on our website are available from stock. Order by 2.00pm for next day delivery on stock items or call to find where the nearest STREAMLINE® dealer is to you. Daily collections by national and international carriers ensure that your goods will be delivered in good time.

WHAT DOES THIS MEAN TO YOU?

Simply, it means you are working with people who are committed to providing an efficient and professional approach to business. STREAMLINE® has a comprehensive range which covers the needs for the 'new era window cleaner', from simple starter kits to full installation into commercial vehicles and 'turn-key' packages.

SERVICE SECOND TO NONE

Simple, honest, 'on time' service is our commitment to you. We have a technical support team, available to specify suitable equipment and to assist in diagnosing and troubleshooting issues that may arise on any product. If we get it wrong, we will put it right. If you are sent a wrong item, we will immediately attend to sending you the correct item and arrange a collection from you of the wrong item without any quibbles.

STREAMLINE®

promotes a culture of continuous improvement within its team, having sound methods and policies, staff KPI's and structures in place to deal with day-to-day issues.

STREAMLINE®

is ISO9001:2015 accredited and maintains health & safety and employment policies with the assistance of Citation.





Section 1

Our Brands

The **STREAMLINE**® brands cover a wealth of products all designed with the customer in mind. From innovative waterfed poles, hot water tank systems, to a complete business in a van.

STREAMLINE® Safely Cleaning at Height

How can **STREAMLINE**® cleaning systems benefit your business?

- Eliminates the use of ladders.
- Simplifies health & safety issues.
- Helps reduce insurance premiums.
- Eases access to 'difficult to reach' areas on buildings.
- Quickens your turnaround time, saving time...saving money.
- The future of cleaning.

How does pure water clean?

The system works by passing tap water through reverse osmosis and/ or de-mineralising bead filters removing limestone, heavy metals, nitrates, chlorine, etc. all of which are normally found in tap water, thus producing pure water.

This pure water naturally wants to return to its impure state, absorbing dirt particles efficiently. When used in cleaning methods the pure water absorbs and removes dirt, without the use of chemicals, and dries leaving a streak-free finish.

Things to consider when buying a pure water system!

- Do you operate in a soft/hard water area?
- For mobile systems, what is your vehicle's payload (carrying capacity)?
- How high do you need to access?

- STREAMFLO**® Reliable Pumps
- SMARTANK**® Innovative Flat Tank Systems
- COMBI**® Trolley Driven Tank Systems
- HEATWAVE**® Hot Water Systems
- DRAGONFLY**® Internal Cleaning System
- STREAMVAC**® Gutter Cleaning Systems
- DENVER**® Skid Tanks & Browsers
- STREAMBOX**® Powerpacks
- ECOLINE**® Telescopic Poles
- LITE-5**® Flexible Pole Tubing
- ECOSHINE**® Internal Cleaning Systems
- ECOSTREAM**® Innovative Tank Systems
- FILTERPLUS**® Filtration Systems
- HIGHLINE**® High Pressure Cleaning Systems
- OVA8**® OVA8 Carbon Poles
- ULTRALITE**® Modular Carbon Poles
- ECOLITE**® Glass Fibre Poles
- MOBI**® Mobile Filtration Units
- LEWI**® Traditional Cleaning Tools



Section 2

Featured Product Packages

STREAMLINE® packages are designed and created to present a complete solution to your cleaning requirement. The range includes domestic window cleaning packages, commercial window cleaning packages, and high pressure packages.


Domestic Window Cleaning Packages Pages 14 - 17

Filled with demineralising resin, these filters produce instant pure water for applications where a spot-free rinse is required, such as cleaning glass, windows, frames, conservatory roofs, solar panels, etc.




Commercial Window Cleaning Packages Pages 18 - 27

These are more portable tank based packages, where the operator can take a bowser of water to the job required. Filtration is completed on-site right where you need it, making it easier for small commercial cleaning tasks.



High Pressure Cleaning Packages Pages 28 - 31

Pressure Washing at height has a key part in all external cleaning regimes and in this current economic climate, with everyone vying for business and trying to draw custom in to their shops, outward appearances is everything. They say, 'you never get a second chance to make a first impression'. Here are some packages to help you.



Vehicle Mounted Systems & Van & Trailer Packages Pages 32 - 47

Here at **STREAMLINE**® we have carried out conversions for many traders and pride ourselves in bespoke fully kitted van solutions to meet the needs of our customers worldwide. If you don't see what you require, contact us!





Scan Here
to shop online
for the latest prices



ECOLITE™
25ft glass fibre
pole (OVA8® or
other poles optional)

GXTEL5200R

See Page 116 - 117

STREAMLINE™
Hi-Lo 25cm brush
complete with
pencil jets

V-SBH25-M

See Page 124 - 125

MOBI CARRY
Carry filter filled
with MB115
demineralising resin

FP-MOBI-C0817-02

See Page 220 - 221



MOBI CARRY
Carry filter filled
with MB115
demineralising resin
FP-MOBI-C0817-02



STREAMLINE™
15mtr of 6mm
Microbore Hose
S06YW-KIT015-0113

AHA-H6 Hoselock
hose connector



TDS METER
Handheld TDS
meter to measure
water quality
TDS1



STREAMLINE™
Hi-Lo 25cm brush
complete with
pencil jets
V-SBH25-M

ECOLITE™
20ft glass fibre
pole (OVA8® or
other poles optional)
GXTEL5200R

Hose kit to
connect filter
to mains tap

FP-MOBI-KIT-014344



Hose kit to
connect pole
to filter

FP-MOBI-KIT-014244



MOBI SK07 Carry Kit

The **MOBI CARRY** filters have a comfy carry handle, which allows them to be carried to point of use, or even fixed to a vertical surface, i.e. Wall-mounted near a tap, or even fixed in a van as part of a system.

Filled with demineralising resin, these filters produce instant pure water for applications where a spot-free rinse is required, such as cleaning glass, windows, frames, conservatory roofs, solar panels, etc.

Recommended for...

The **MOBI CARRY** DI system is recommended for commercial users situated in a soft water area up to 150ppm. Suitable to produce 2,000 litres of pure water at 100ppm.

ADD HOSE REEL TO YOUR KIT

HRM150-8-UA

Metal Hose Reel -
Freestanding - C/W - 50m
of 8mm Ecoline
Hose - unassembled



ADD AN ADDITIONAL 25LTR DI RESIN BAG

MB115



PART NO	ITEM
SK072-252-031	SK07 FILTERPLUS® MOBI® CARRY 8x17 DI Starter Kit with 20ft reach Telescopic Pole and Hi-Lo Brush

Product Packages

 **Scan Here**
to shop online
for the latest prices



MOBI® ROLL
MOBI® ROLL Trolley
filter filled with
demineralising resin

FP-MOBI-T0835-02

See Page 222 - 223

ECOLITE™
25ft glass fibre
pole (OVA8® or
other poles optional)

GXTEL5200R

See Page 116 - 117

STREAMLINE®
Free standing metal
hose reel complete with 100
meter of 6mm or 8mm hose,
coupling included.

HRM200-6-AS-PRO

See Page 237



MOBI® ROLL
MOBI® ROLL Trolley
filter filled with
demineralising resin
FP-MOBI-T0835-02



STREAMLINE®
15mtr of 6mm
Microbore Hose
S06YW-KIT015-0113

AHA-H6 Hoselock
hose connector



TDS METER
Handheld TDS
meter to measure
water quality
TDS1



STREAMLINE®
Hi-Lo 25cm brush
complete with
pencil jets
V-SBH25-M

ECOLITE™
20ft glass fibre
pole (OVA8® or
other poles optional)
GXTEL5200R

Hose kit to
connect filter
to mains tap
FP-MOBI-KIT-014344



Hose kit to
connect pole
to filter
FP-MOBI-KIT-014244



MOBI® SK09 Trolley Kit

The **MOBI® ROLL** Trolley kit is perfect for wheeling around your **MOBI®** vessel with ease, with a handle for pulling and a sturdy frame to keep the vessel in place when stationary.

Filled with demineralising resin, these filters produce instant pure water for applications where a spot-free rinse is required, such as cleaning glass, windows, frames, conservatory roofs, solar panels, etc.

Recommended for...

The **MOBI® ROLL** DI system is recommended for commercial users situated in a soft water area up to 150ppm. Suitable to produce 2,000 litres of pure water at 100ppm.

ADD HOSE REEL TO YOUR KIT

HRM150-8-UA

Metal Hose Reel -
Freestanding - C/W - 50m
of 8mm Ecoline Hose -
unassembled



ADD AN ADDITIONAL 25LTR DI RESIN BAG

MB115



PART NO	ITEM
SK092-252-011	SK09 FILTERPLUS® MOBI® Trolley DI Starter Kit with 20ft reach Telescopic Pole and Hi-Lo Brush

Product Packages



Scan Here
to shop online
for the latest prices



Pole Options

- **ECOLITE™** Pole Complete 3-Section 22 foot Reach (GXTEL5200R)
- **ECOLITE™** Pole Complete 6-Section 34 foot Reach (GXTEL9400R)
- **STREAMLINE® OVA8®** Carbon Pole 7 section, 35 foot long for 38 foot reach, **ECOLINE™** (OV35-30-E)
- **STREAMLINE® OVA8®** Carbon Pole 9 section, 45 foot long for 48 foot reach, **ECOLINE™** (OV45-30-E)



MOBI MIDGET
RODI trolley
filtration system

Lithium Ion Powered:
FP-TR1200L-02-SS

Electric Powered 2000GPD
FP-TR2000-03-SS-EU

Electric Powered 3000GPD
FP-TR3000-03-SS-EU



TDS METER

H M Digital Handheld
TDS/Temperature Meter
With Carrying Case

TDS1

Add a replacement filter

PART NO	ITEM
R-MK600	MOBI® Midget Dual 300GPD Membrane Housing Kit (x2 required)
CF10-F-001	FILTERPLUS® Carbon Block 10" Cartridge
FH2CR-10	ECO 10" Cartridge filled with MB115 resin

ADD HOSE REEL TO YOUR KIT

HRM300-T12-AS

Metal Hose Reel - Wheeled
- HRM3 C/W 100m
of 12mm Extraflex
Hose - assembled



Hi-Lo 25cm brush
complete with
pencil jets
V-SBH25-M

ECOLITE™
20ft glass fibre
pole (OVA8® or
other poles optional)
GXTEL5200R

MOBI Midget Kits

The **MOBI MIDGET** mobile reverse osmosis filtration system, for purifying water on demand in hard water areas.

- Compact stainless steel frame
- Easy change, pre-filtration and final polishing all on board to ensure spot-free cleaning
- Stainless hoselock-type couplings for long life
- Handheld Inline TDS meter for accurate water checks
- Battery powered trolley with charger

Where there is access to both water and mains power, the **MOBI MIDGET** trolley will produce enough water and pressure for a single operator to clean up to 72ft. This unit is capable of producing up to 3.8ltrs per minute. The battery will run for 8-hrs consistently from a full charge and take up to 8-hrs to fully charge.

Recommended For...

The **MOBI MIDGET** RODI trolley system is recommended for commercial users situated in a hard water area up to 500ppm

PART NO.	ITEM
SK822-252-011	MOBI® MIDGET Package Complete with: GXTEL5200R (22ft Reach)
SK822-294-011	MOBI® MIDGET Package Complete with: GXTEL9400R (34ft Reach)
SK822-910-011	MOBI® MIDGET Package Complete with OV35-30-E (38ft Reach)
SK822-914-011	MOBI® MIDGET Package Complete with OV45-30-E (48ft Reach)




 **Scan Here**
to shop online
for the latest prices

Pole Options

- **ECOLITE™** Pole Complete 3-Section 22 foot Reach (GXTEL5200R)
- **ECOLITE™** Pole Complete 6-Section 34 foot Reach (GXTEL9400R)
- **STREAMLINE™ OVA8™** Carbon Pole 7 section, 35 foot long for 38 foot reach, ECOLINE™ (OV35-30-E)
- **STREAMLINE™ OVA8™** Carbon Pole 9 section, 45 foot long for 48 foot reach, ECOLINE™ (OV45-30-E)



MOBI MAXI
Electric Powered RO
System 2000GPD
FP-TR2000-SS-EU




TDS METER
H M Digital Handheld
TDS/Temperature Meter
With Carrying Case
TDS1

ADD HOSE REEL TO YOUR KIT

HRM300-T12-AS

Metal Hose Reel - Wheeled
- HRM3 C/W 100m
of 12mm Extraflex
Hose - assembled



ADD A REPLACEMENT FILTER

FH2CR-10

ECO 10"
Cartridge filled
with MB115 resin

CF10-F-001

FILTERPLUS™
Carbon Block
10" Cartridge



STREAMLINE™
Hi-Lo 25cm brush
complete with
pencil jets
V-SBH25-M

ECOLITE™
20ft glass fibre
pole (OVA8™ or
other poles optional)
GXTEL5200R

MOBI MAXI Kits

The **MOBI MAXI** portable filtration system is the perfect portable system for window cleaning.

- Compact, robust, stainless steel frame
- Large stainless steel membrane housing, with 4040 **FILTERPLUS™** membrane
- Pressure gauge monitors pressure in membrane housing
- Industrial, 120psi, 230V, fan-cooled booster pump
- Inline TDS meter monitors water quality

MOBI MAXI is the perfect solution for on-site building maintenance teams, window cleaners and facilities managers who need to access remote parts of modern buildings. Providing that there is access to both water and mains power supply (230V), the **MOBI MAXI** filtration system will produce enough water and pressure for 2 operators to clean up to (72ft) simultaneously. The from court-yards to roof tops.

Recommended for

The **MOBI MAXI RODI** system is recommended for commercial users situated in a hard water area up to 500ppm.

Part No.	Item
SK942-252-011-SK92	MOBI MAXI Package Complete with GXTEL5200R (22ft Reach)
SK942-294-011-SK92	MOBI MAXI Package Complete with: GXTEL9400R (34ft Reach)
SK942-910-031-SK92	MOBI MAXI Package Complete with: OV35-30-E (38ft Reach)
SK942-914-031-SK92	MOBI MAXI Package Complete with: OV45-30-E (48ft Reach)

Product Packages



STREAMFLO® 25
Trolley Filtration system, complete with 18inch DI Filter and Lithium Battery

SF-TR25L-072

See Page 94 - 95

STREAMLINE®
Hi-Lo 25cm brush complete with pencil jets

V-SBH25-M

See Page 127

MINICONE
Caution cleaning in process
*Not included in kit

MS4

See Page 265



STREAMFLO® 25

Trolley Filtration system, complete with 18inch DI Filter and Lithium Battery

SF-TR25L-072



Hoselock tap hose connector

STREAMLINE®

10mtr link hose, complete with connectors

S12BK-KIT010-2145



TDS METER

Handheld TDS meter to measure water quality

TDS1



STREAMLINE®

Hi-Lo 25cm brush complete with pencil jets

V-SBH25-M

ECOLITE™

20ft glass fibre pole (OVA8® or other poles optional)

GXTEL5200R

PART NO	ITEM
SK272-252-011	STREAMFLO® 25ltr Trolley Package Complete with: GXTEL5200R (22ft Reach)
SK272-294-011	STREAMFLO® 25ltr Trolley Package Complete with: GXTEL9400R (34ft Reach)
SK272-910-031	STREAMFLO® 25ltr Trolley Package Complete with: OV35-30-E (38ft Reach)
SK272-914-031	STREAMFLO® 25ltr Trolley Package Complete with: OV45-30-E (48ft Reach)

ADD AN ADDITIONAL 25LTR DI RESIN BAG

MB115



25 Litre Trolley System Kits

The **STREAMFLO 25** Trolley System, mobile water delivery providing pure water on demand. Simply fill the container with tap water and it's ready to work, producing 0 ppm pure water on demand.

A commercial trolley built for the most demanding tasks, ideal for: professional window cleaners, contract cleaners, shopping centres, hotels, schools, hospitals, nursing homes, public houses, clubs etc.

The battery provides a full day's use (12 hours) and takes 5 hours to fully re-charge. The max flow of the system is 1700gpd (4.5litrs per minute) with the pump working at 100psi. This system has a digital flow controller to adjust the speed or the pump, allowing the operator to save water.

Recommended for...

The **STREAMFLO® 25** Trolley System is recommended as a starter package, in soft water areas up to 150ppm. It includes all the tools you need to begin waterfed pole cleaning. Take the water to the window with the **STREAMFLO®** Trolley.



STREAMLINE® OVA8®
25ft carbon fibre pole (OVA8® or other poles optional)

OV25-24-E
See Page 108 - 109

STREAMLINE® BRUSH
Hi-Lo 25cm brush complete with pencil jets

V-SBH25-M
See Page 126

STREAMFLO® 50
Trolley Filtration system, complete with 18inch DI Filter and Lithium Battery

SF-TR50L-072
See Page 94 - 95



STREAMFLO® 50
Trolley Filtration system, complete with 18inch DI Filter and Lithium Battery
SF-TR50L-072



Hoselock tap hose connector

STREAMLINE®
10mtr link hose, complete with connectors
S12BK-KIT010-2145



TDS METER
Handheld TDS meter to measure water quality
TDS1



STREAMLINE®
Hi-Lo 25cm brush complete with pencil jets
V-SBH25-M

ECOLITE™
20ft glass fibre pole (OVA8® or other poles optional)
GXTEL5200R

PART NO	ITEM
SK472-252-011	STREAMFLO® 50ltr Trolley Package Complete with: GXTEL5200R (22ft Reach)
SK472-294-011	STREAMFLO® 50ltr Trolley Package Complete with: GXTEL9400R (34ft Reach)
SK472-910-031	STREAMFLO® 50ltr Trolley Package Complete with: OV35-30-E (38ft Reach)
SK472-914-031	STREAMFLO® 50ltr Trolley Package Complete with: OV45-30-E (48ft Reach)

ADD AN ADDITIONAL 25LTR DI RESIN BAG

MB115



50 Litre Trolley System Kits

The **STREAMFLO® 50** Trolley System, mobile water delivery providing pure water on demand. Simply fill the container with tap water and it's ready to work, producing Oppm pure water on demand.

Commercial trolley built for the most demanding tasks, ideal for: professional window cleaners, contract cleaners, shopping centres, hotels, schools, hospitals, nursing homes, public houses, clubs etc.

The battery provides a full day's use (12 hours) and takes 5 hours to fully re-charge. The pump works at 100psi. This system has a digital flow controller to adjust the speed of the pump, allowing the operator to save water.

Recommended For...

The **STREAMFLO® 50** Trolley System is recommended as a commercial package, for use in soft water areas up to 150ppm. Ideal for the commercial cleaner to take water into difficult places including shopping centres, hotels, schools, hospitals etc. where trailing hoses are an issue!



STREAMLINE® BRUSH

Hi-Lo 25cm brush complete with pencil jets

V-SBH25-M

See Page 126

STREAMLINE® OVA8®

25ft carbon fibre pole (OVA8® or other poles optional)

OV25-24-E

See Page 108 - 109

STREAMFLO® 120

Trolley Filtration system, complete with 18inch DI Filter

SF-BP120L-072

See Page 92 - 93



STREAMFLO® 120

Filtration system, complete with 18inch DI Filter
SF-BP120L-072



TDS METER

Handheld TDS meter to measure water quality
TDS1



STREAMLINE®

Hi-Lo 25cm brush complete with pencil jets
V-SBH25-M

ECOLITE®

20ft glass fibre pole (OVA8® or other poles optional)
GXTEL5200R

ADD AN ADDITIONAL 25LTR DI RESIN BAG

MB115



120 Litre Trolley System Kits

The **STREAMFLO® 120** Trolley System, complete with DI filter is perfect for providing pure water on demand. Simply fill the container with tap water and it's ready to work, producing 0 ppm pure water on demand.

Commercial trolley built for the most demanding tasks, ideal for: professional window cleaners, contract cleaners, shopping centres, hotels, schools, hospitals, nursing homes, public houses, clubs etc.

The battery will work 12 hrs consistently on full charge, which takes 5hrs to fully charge. The max flow of the system is 1700gpd (4.5ltrs per minute) with the pump working at 100psi. This system has a digital flow controller to adjust the speed or the pump, allowing the operator to save water.

PART NO	ITEM
SK772-252-011	STREAMFLO® 120ltr Trolley Package Complete with: GXTEL5200R (22ft Reach)
SK772-294-011	STREAMFLO® 120ltr Trolley Package Complete with: GXTEL9400R (34ft Reach)
SK772-910-031	STREAMFLO® 120ltr Trolley Package Complete with: OV35-30-E (38ft Reach)
SK772-914-031	STREAMFLO® 120ltr Trolley Package Complete with: OV45-30-E (48ft Reach)



HIGHLINE™
Gun and 36" Lance Assembly

HP-GL0902

See Page 181

HIGHLINE™
300mm Handheld Hard Surface Cleaner (Optional Extra)

HP-HSC300

See Page 178

HIGHLINE™ 150
Honda powered pressure washer 12lpm, 150bar

HP-T1215OPHR

See Page 162

HIGHLINE™ 150

Honda powered pressure washer 12lpm, 150bar
HP-T1215OPHR



High pressure gutter cleaning nozzle
HP-TN-250



High pressure turbo attachment
HP-GC



Giraffe 18ft glass fibre & aluminium high pressure pole
HP-18

Product Packages

HIGHLINE™ Pressure Washer Kit

Honda powered pressure washer mounted on a trolley for easy manoeuvrability and capable of meeting the demands of almost any outdoor cleaning task.

High pressure cleaning has a wide variety of applications such as gutters, cladding, wall surfaces, signs, decking, patios, paths and driveways, just to name a few.

Recommended for...

This machine is the perfect partner for gutter cleaning applications using telescoping wands or for turbo nozzles, rotary brushes and other attachments where single nozzles are used.

PART NO	ITEM
HP-PACK061	12 Lpm 150 Bar Starter High Pressure Kit

Don't forget,
for the latest prices shop online at
www.streamline.systems



Contact us on
+44 (0)1626 830 830



HIGHLINE™
22" Stainless
steel flat
surface cleaner

HP-HSC550-SS

See Page 178

HIGHLINE™
Gun and 36" Lance
Assembly
Nozzle not Included*

HP-GL0902

See Page 181

HIGHLINE™ 207
Honda powered
pressure washer
15lpm, 207bar


HP-T15207PHR-G

See Page 163



HIGHLINE™ 207
Honda powered
pressure washer
15lpm, 207bar
HP-T15207PHR-G

22" Stainless
steel flat
surface cleaner
HP-HSC550



Giraffe 18ft
glass fibre
& aluminium
high pressure
pole
HP-18



High pressure
gutter cleaning
nozzle
HP-TN-250



High pressure
turbo attachment
HP-GC

HIGHLINE™ Pressure Washer Kits

Honda powered pressure washer mounted on a trolley for easy manoeuvrability and capable of meeting the demands of almost any outdoor cleaning task.

High pressure cleaning has a wide variety of applications such as gutters, cladding, wall surfaces, signs, decking, patios, paths and driveways, just to name a few.

Recommended for...

This machine is the perfect partner for gutter cleaning applications using telescopic wands or for turbo nozzles, rotary brushes and other attachments where multiple nozzles are used. ie. Water brooms and rotary hard surface cleaners etc.

PART NO	ITEM
HP-PACK073	15 Lpm 207 Bar Starter High Pressure Kit

Don't forget,
for the latest prices shop online at
www.streamline.systems



Contact us on
+44 (0)1626 830 830



Section 3

Vehicle Package Solutions

Here at **STREAMLINE**®, we have carried out conversions for many industry sectors and have worked hard with clients to maximise their needs whilst creating conversions that work for the user. Typical conversions encompass window cleaning vans, pressure washing vans, multi-purpose welfare vans and many more. Crash tested systems combined with other quality parts form the backbone of these conversions.

Window Cleaning Vans

STREAMLINE® offers a wide range of window cleaning systems, from the world's first flat tank system, the **SMARTTANK**® to the traditional stainless steel caged **STREAMLINE**® system. The full range of systems gives you the operator the right kit for your requirements.



Pressure Washing Vans

Pressure Washing systems installed professionally in a vehicle is something **STREAMLINE**® can offer. Whether it be hot or cold jet washing units, we try to match the right machine to your needs, and then safely securing it to your vehicle.



Multi-purpose Welfare Vans

Multi-purpose vans are the way forward in the cleaning industry today. One vehicle to suit all cleaning requirements saves time and money, therefore why not speak to us directly, to find out how you can achieve this with your vehicle.



Van Accessories

Pages 72 - 75

STREAMLINE® offers a variety of different van accessories to suit your needs. This creates a perfect opportunity to have a neat and tidy van while making your equipment more accessible. By installing different accessories to your vehicle, you're able to alleviate the issue of loose equipment not being accessible, improving your efficiency



Van Systems



LIGHTS
Beacon flashing lights
- Slimline LED orange lights

WELFARE ACCESSORIES
i.e. washing sink, first aid kit, fire extinguisher

EXHAUST FUME ROOF VENT
*Optional

SAFETY LIGHTS
*Optional

ROOF BARS
Secure RHINO roof bars suitable for vehicle chosen
*Optional

TRACKING
Vehicle tracking system

VEHICLE GRAPHICS
i.e. Chapter-8 chevrons, full vehicle wrap, brand logos

ALLOY WHEELS



A GROWING SELECTION OF VEHICLE ACCESSORIES

See Page 72 - 75



PROTECTIVE FLOORING

Linex protective coat flooring - 100% waterproof, 10-years guarantee



STORAGE

Internal modular racking for parts & accessories



SECONDARY FLOOR

installed to maximise the usable van space



TOW BAR

Fitted to suit your vehicle



UNDER BUMPER PORTS

Fitted to suit your vehicle



MAXIMISE YOUR SPACE
with a flat tank system.





Scan Here to see out latest van packages

Package deals are more popular than ever. When window cleaners decide to get their new **STREAMLINE®** system installed into a new vehicle, it makes sense to get them financed together as a package.

Package systems are where a new vehicle is packaged with a **STREAMLINE®** system and sometimes poles, hose reels and other ancillaries.

They tend to be popular for three main reasons. Firstly, if you're new to window cleaning, then you'll most likely need a system and vehicle to get up and running. But even if you're a seasoned

pro, most window cleaners want to have a new vehicle, and what better time to get one when purchasing a system?

But it also makes good financial sense to package the two together, as the finance rates available are usually much better for a package deal that includes a vehicle than for just a system on its own.

We've included examples here of some of our most popular combinations, but don't forget that we will tailor each package to your exact requirement. If you'd like to get a personalised quote, just contact us today.

CITROËN Berlingo

Blue HDi 1000 Enterprise Dual Operator

The INTER 400 litre reverse osmosis window cleaning set-up is your ideal business starter package. If you're working alone the dual operator system ensures you have a back-up pump and controller if required and allows you to add another user with ease as your business grows.



This package price includes:

- Dual Operator **STREAMLINE® INTER 400** Reverse Osmosis + DI System
- Split Charge Pro Relay System for Euro 5/6 Vehicles
- **STREAMLINE® IPR6** Internal Pole Rack system – Internal Roof Mounted
- 4 Port Stainless Steel bumper port bracket c/w stainless male couplings
- Black Linex Polyurethane Waterproof Floor Coating
- Water-proof Internal Poly Lining Kit for Van Walls
- 2 x Freestanding Stainless Steel Hose Reels c/w 8mm / 100m of Hi-vis **STREAMLINE®** hose
- 22ft and 30ft **STREAMLINE® OVAB®** Carbon telescopic poles and brushes
- Internal Work Light
- Full 12 Months **STREAMLINE®** Warranty.



Van Systems

Finance
36 Months / 10% Deposit
From £592^{+VAT}
Per Month

Finance
60 Months / 10% Deposit
From £376^{+VAT}
Per Month

Contract Hire - 36 Months
Fully Maintained
From £406^{+VAT}
Per Month
(Vehicle Only) / 10,000 Miles Per Annum*

CITROËN
Dispatch

Blue HDi 1400 Enterprise
Dual Operator

The new Citroën Dispatch and our SMARTANK® 650 Litre Window Cleaning Package, is the most popular business package for the many two-man operators. With these low profile tanks and by installing a false floor, the van load area can still be utilised for a multitude of purposes and the transport of other needed equipment.



CITROËN
Relay

Blue HDi 335
Professional L3 H2
Multi-Purpose

The STREAMLINE® Multi-Purpose vehicle package is designed to be used on larger commercial cleaning projects; it includes the dual operator STREAMLINE® BRAVO 650I Reverse Osmosis Window Cleaning System complete with the Hotcube High Pressure Washer / Low Pressure Steam cleaning system drawing off the same water tank.



This package price includes:

- Dual Operator SMARTANK® 650 Reverse Osmosis + DI System
- Secondary Floor Installation with Load Restraint Kit
- Split Charge Pro Relay System
- IPR6 Internal Pole Rack system
- Linex Polyurethane Waterproof Floor Coating
- Water-proof Internal Poly Lining Kit
- Electric Powerdrive Hose Reel + Freestanding Stainless Steel Hose Reel c/w 8mm / 100m
- 22ft and 30ft STREAMLINE® OVA8 Carbon Fibre poles
- Full 12 Months STREAMLINE® Warranty.



This package price includes:

Window Cleaning


- Dual Operator BRAVO 650 Reverse Osmosis + DI System.
- Split Charge Pro Relay System
- 2 x Freestanding Stainless Steel Hose Reels
- 22ft, 40ft & 60ft STREAMLINE® OVA8 Carbon Fibre Poles poles
- IPR6 Internal Pole Rack

Pressure Washing / Steam Cleaning

- HIGHLINE™ Diesel Powered Pressure Washer 16Lpm 200Bar - High Pressure + Low Pressure Steam Cleaning
- Hose Reel with Guide and 100m of High Pressure Hose
- HIGHLINE™ Carbon Fibre High Pressure Pole - 42ft Reach
- HIGHLINE™ 22" Stainless Steel Rotary Hard Surface Cleaner with Castors

Vehicle Accessories

- Black Linex Polyurethane Waterproof Floor Coating
- Water-proof Internal Poly Lining Kit
- External Amber Warning Light Bar
- Chapter 8 Rear Door Chevron Graphics
- Wind Driven Roof Ventilation
- Welfare Accessories including Sink Unit
- Twin Rack Vehicle Storage System
- Internal Work Lights
- Full 12 Months STREAMLINE® Warranty.



Van Systems

Finance
36 Months / 10% Deposit

From £782^{+VAT}
Per Month

Finance
60 Months / 10% Deposit

From £497^{+VAT}
Per Month

Contract Hire - 36 Months
Fully Maintained

From £574^{+VAT}
Per Month
(Vehicle Only) / 10,000 Miles Per Annum*

Finance
36 Months / 10% Deposit

From £1,236^{+VAT}
Per Month

Finance
60 Months / 10% Deposit

From £786^{+VAT}
Per Month

Contract Hire - 36 Months
Fully Maintained

From £1,146^{+VAT}
Per Month
(Vehicle Only) / 10,000 Miles Per Annum*



All available with a **10% Deposit**



All available with a **10% Deposit**

FORD Transit Connect

Every Ford Transit is built for purpose and the all-new Transit Connect is no exception. Advanced technologies can keep you connected, entertained, safe and secure, such as Active City Stop, which senses if a low speed collision is imminent and applies the brakes automatically. Tough, practical and reliable.

Load Space	MPG
8.3m³	42.3
Payload	km CO ₂
1,369kg	162g

- STREAMLINE[®] Compatible Systems**
- ECOSTREAM 250
 - CLUB 250
 - MIDI 350
 - INTER 400
 - ECOSTREAM 400

FORD Transit Custom

The Transit Custom sets the benchmark for efficiency and loadspace, improves your productivity and will make a striking impression on your customers.

Load Space	MPG
8.3m³	46.3
Payload	km CO ₂
1,369kg	162g

- STREAMLINE[®] Compatible Systems**
- ECOSTREAM 400
 - INTER 400
 - CONTRACTOR 500
 - BRAVO 650
 - SMARTANK[®] 650

FORD Transit

The all-new Ford Transit is the biggest van in the range. And with a wide choice of wheelbases, cab-styles, roof-heights, engines and more it provides you with an extensive range of options to specify your vehicle. In short, name your business, list your requirements and you'll find a Transit purpose-built for the job.

Load Space	MPG
15.1m³	42.8
Payload	km CO ₂
2,177kg	179g

- STREAMLINE[®] Compatible Systems**
- BRAVO 650
 - INTER 800
 - MAXI 1000

VOLKSWAGEN Caddy

Caddy Maxi is more functional, flexible and versatile than ever before. Standard features including Automatic Post-Collision braking, Side and curtain airbags, Electronic Stability Control and ABS to ensure the highest possible levels of safety.

Load Space	MPG
4.2m³	58.8
Payload	km CO ₂
734kg	126g

- STREAMLINE[®] Compatible Systems**
- ECOSTREAM 250
 - CLUB 250
 - MIDI 350
 - INTER 400

VOLKSWAGEN Transporter

The sixth-generation of a design icon. Versatile, flexible and packed with new features for better safety, improved comfort and convenience.

Load Space	MPG
9.3m³	47.9
Payload	km CO ₂
1,301kg	153g

- STREAMLINE[®] Compatible Systems**
- ECOSTREAM 400
 - INTER 400
 - CONTRACTOR 500
 - BRAVO 650
 - SMARTANK[®] 650

VOLKSWAGEN Crafter

The all-new Ford Transit is the biggest van in the range. And with a wide choice of wheelbases, cab-styles, roof-heights, engines and more it provides you with an extensive range of options to specify your vehicle. In short, name your business, list your requirements and you'll find a Transit purpose-built for the job.

Load Space	MPG
17.0m³	42.2
Payload	km CO ₂
2,554kg	176g

- STREAMLINE[®] Compatible Systems**
- BRAVO 650
 - INTER 800
 - MAXI 1000



All available with a **10% Deposit**



All available with a **10% Deposit**

CITROEN Berlingo

"A most practical and useful van..."

Load Space **3.7m³** MPG **62.8**

Payload **885kg** km CO₂ **118g**

STREAMLINE Compatible Systems

- ECOSTREAM 250
- CLUB 250
- MIDI 350
- INTER 400
- ECOSTREAM 400

CITROEN Dispatch

"This van offers everything I need and is a pleasure to work from. A fantastic deal too..."

Load Space **7m³** MPG **44.1**

Payload **1,400kg** km CO₂ **168g**

STREAMLINE Compatible Systems

- ECOSTREAM 400
- INTER 400
- CONTRACTOR 500
- BRAVO 650
- SMARTANK 650

CITROEN Relay

"This van has the determination to accompany professionals to their limits..."

Load Space **17m³** MPG **38.2**

Payload **1,995kg** km CO₂ **195g**

STREAMLINE Compatible Systems

- BRAVO 650
- INTER 800
- MAXI 1000

RENAULT Kangoo

The Renault Kangoo Van has been especially designed to meet the needs of professionals, whatever business environment. With panel van, crew van and zero emission versions, the Kangoo can be adapted to your every demand, offering a wide range of custom-built and practical solutions. With its aerodynamic design, efficient engines, high levels of comfort and safety, and the latest on-board technology, the Kangoo is a hard to beat.

Load Space **4.2m³** MPG **58.8**

Payload **734kg** km CO₂ **126g**

STREAMLINE Compatible Systems

- ECOSTREAM 250
- CLUB 250
- MIDI 350
- INTER 400

RENAULT Traffic

The Traffic Van has been specifically designed to meet the needs of professionals, whatever their business environment. In panel van, crew van and passenger versions, the Traffic can be adapted to your every demand, offering a wide range of custom-built and practical solutions, plus the ability to create other variations using the Platform Cab version as a base.

Load Space **9.3m³** MPG **47.9**

Payload **1,301kg** km CO₂ **153g**

STREAMLINE Compatible Systems

- ECOSTREAM 400
- INTER 400
- CONTRACTOR 500
- BRAVO 650
- SMARTANK 650

RENAULT Master

The Master Van has been specifically designed to adapt to the most demanding requirements

Load Space **17.0m³** MPG **42.2**

Payload **2,554kg** km CO₂ **176g**

STREAMLINE Compatible Systems

- BRAVO 650
- INTER 800
- MAXI 1000

Purchasing, leasing or hiring options available for all.

Fuel consumption figures based on combined cycle without wash system installed. Figures achieved under official EU test conditions. Intended as a guide for comparative purposes only. Figures may not be reflected in actual on-the-road driving conditions.

Scan here to see our latest packages





All available with a **10% Deposit**



VAUXHALL Combo

Every way you look at the Vauxhall Combo you'll find the perfect compact van. With a choice of lengths, a wide load floor, high payload, low or high roof and much more, Combo offers you maximum flexibility in space and carrying power.

Load Space **4.2m³** MPG **58.9**

Payload **1000kg** km CO₂ **126g**

STREAMLINE Compatible Systems

- ECOSTREAM 250
- CLUB 250
- MIDI 350
- INTER 400

VAUXHALL Dispatch

The Vauxhall Vivaro Van has been specifically designed to meet the needs of professionals, whatever their business environment. In panel van, crew van and passenger versions, the Vivaro can be adapted to your every demand, offering a wide range of custom-built and practical solutions, plus the ability to create other variations using the Platform Cab version as a base.

Load Space **8.6m³** MPG **44.1**

Payload **1,281kg** km CO₂ **155g**

STREAMLINE Compatible Systems

- ECOSTREAM 400
- INTER 400
- CONTRACTOR 500
- BRAVO 650
- SMARTANK 650
- INTER 800

VAUXHALL Movano

Big. Strong. And Versatile. That's Movano. With an extensive range of models that give you more of what you need from a commercial vehicle. Four load lengths. Three roof heights. Larger load volumes. Higher gross vehicle weights and gross combination weights. Plus a choice of front-wheel drive, single rear-wheel drive or twin rear-wheel drive variants

Load Space **14.1m³** MPG **40.9**

Payload **2,254kg** km CO₂ **176g**

STREAMLINE Compatible Systems

- BRAVO 650
- INTER 800
- MAXI 1000



All available with a **10% Deposit**



PEUGEOT Partner

The latest generation of the Peugeot Partner van sets the benchmark in the small vans market with fantastic levels of quality and comfort. The Partner van thrives in and around town with highly responsive steering and a number of practical loading solutions, however it also thrives on larger and longer jobs with class leading payloads up to one tonne and space for two Europallets on all panel vans

Load Space **4.4m³** MPG **40.9**

Payload **1000kg** km CO₂ **176g**

STREAMLINE Compatible Systems

- ECOSTREAM 250
- CLUB 250
- MIDI 350
- INTER 400

PEUGEOT Expert

The Peugeot Expert projects an impressive professional image for you business. Sleek and modern, the aerodynamic body lines of the Peugeot Expert conceal a vast and ultra-functional loadspace

Load Space **4.6m³** MPG **51.4**

Payload **1400kg** km CO₂ **133g**

STREAMLINE Compatible Systems

- ECOSTREAM 400
- INTER 400
- CONTRACTOR 500
- BRAVO 650
- SMARTANK 650

PEUGEOT Boxer

The Master Van has been specifically designed to adapt to the most demanding requirements

Load Space **17.0m³** MPG **41.5**

Payload **1,900kg** km CO₂ **158g**

STREAMLINE Compatible Systems

- BRAVO 650
- INTER 800
- MAXI 1000

Scan here to see our latest packages





Vehicle Hire Solutions

Not ready to commit to purchasing a fully kitted out window cleaning van? Or perhaps you only require a van for a limited period? Instead of buying a full turn-key package we can offer Vehicle Hire on a short or long-term basis.

We are pleased to be able to offer our Window Cleaning Vans for you to hire if you aren't in a position to purchase, or if you only require a van for a short period of time.

There are lots of benefits to vehicle hire including:

- Having the equipment, you require quickly without a large cash investment.
- Allowing you to keep existing credit lines open.
- You can use other funding for working capital allowing you to maintain a healthy business.
- Fixed payment terms allow for easy budgeting and fixed overheads.
- Pay as you gain the benefit, not before.
- Equipment pays for itself with immediate return on investment.
- Having the equipment, you need, not the equipment your budget limits you to.
- Having total peace of mind knowing you have a full back-up service on all the equipment should things go wrong.

Our hire van package includes the latest models (subject to availability) professionally installed with a **STREAMLINE®** water delivery unit with pumps and controllers, metal hose reel with 100m of **STREAMLINE®** Minibore delivery hose, leisure battery and split charge relay system, polyurethane floor coating, pole racks and a bumper port.

Filtration options, water fed poles, water heating systems and other accessories are available for hire at an additional cost.

RFL and vehicle maintenance expenses are included, excluding fuel.

Not seeing exactly what you require?

We are more than happy to discuss bespoke packages, including size and make of van, types of equipment and accessories, and hire period options. Please get in contact with us if you would like to discuss these options further.

Provisions

- All figures provided are subject to account approval.
- All amounts quoted are exclusive of VAT which must be added at the going rate.
- The above figures do not include insurance cover on van and/or contents.

A valid insurance certificate must be provided ahead of delivery / collection of the hire van.

Call today on
+44 (0)1626 830 830
For the latest rates

Visit our website
www.streamline.systems



For the latest prices visit: www.streamline.systems



Section 4

Vehicle Mounted Systems

Here at **STREAMLINE**®, we try and simplify your cleaning tasks as much as possible, giving you the option of cold and hot water systems to provide you with high-quality cleaning equipment to fulfil your needs. All of our tanks are baffled to restrict water movement in transit.

SMARTANK®

Pages 50 - 55

The **SMARTANK**® is a very compact system designed for efficiency. Various pump and filter combinations are available.



ECOSTREAM™

Pages 58 - 61

The **ECOSTREAM**™ range of tank systems represent excellent value for money as they can be fixed into vehicles permanently without the need of a stainless steel frame to do so.



STREAMLINE® Water Filtration Tanks

Pages 62 - 65

STREAMLINE® water filtration systems are designed to be used for window cleaning, solar panel cleaning, boat cleaning etc. where a spot-free finish is essential. To achieve this, the system has a series of filters to produce pure water with a reading of 0 ppm. However, the filters require maintenance from time to time to maintain optimum efficiency.



HEATWAVE™

Pages 66 - 71

HEATWAVE™ water heater systems use diesel from either the vehicle's fuel tank or a separate tank that can be filled with red diesel for economy. The greatest benefit of this superb kit to the cleaning contractor is reduced cleaning times, as hot water cuts through dirt, snail trails, fly spots, spider webs etc. far easier than using cold water.



The SMARTANK® is a very compact system designed for efficiency. Various pump and filter combinations are available and can be offered as single or twin user options.

Being modular in design, these tanks can be fixed into vehicles utilising a metal flange, as opposed to traditional systems which use whole metal frames. With the equipment cabinet mounted at the front of the tank, at the door opening, operation has never been easier ... and with pumps, controllers and filters easily accessible, via the opening of the cabinet, maintenance and filter changes are simple and quickly achieved.

All tanks are baffled to restrict water movement in transit. With a height of less than 400mm these tanks offer safe, low centre of gravity van systems, while taking up minimal van space. With these low level tanks and by installing a false floor, the van load area can still be utilised for a multitude of purposes and transit of other needed equipment. Various pump and filter combinations are available. Alternatively, the tank can be used simply for water delivery only.

Features

- SMARTANK® system offers low centre of gravity and a safe means of water transport.
- Flat tank design with a false floor (able to hold up to 250 kg) maximises van load area usage.
- Pumps run on 12 volt power, making them safe, quiet running and low cost to maintain.
- Flow controllers reduce water usage to a bare minimum.
- SMARTANK® system presents a professional image to your clients.
- Waterfed poles with brush head options eliminate the need for steps / ladders. Utilising a waterfed system can reduce cleaning time by more than half, increasing operator efficiencies.
- Available in 400, and 650 litre options



Van Systems

Filters and pumps safely contained inside secure metal cabinet with hinged front cover



Digital Flow Controller for accurate pump speed

Needle valve to backwash the RO

Inline Digital TDS Meter

Secure cabinet which folds down to access the filters and pumps, making servicing easy

SMARTANK®
Crash Tested

The **STREAMLINE® SMARTANK®** has been crash tested at the test centre of Horiba Mira, who are an independent automotive engineering consultancy.

The vehicle was fitted with a **SMARTANK®** 650 system, which was filled with water to its maximum capacity. The vehicle was then towed on a rail system at a speed of 30 miles per hour, into a solid concrete block, assimilating a head on collision.

The vehicle reached its maximum speed within two seconds and was guided into its obstacle. On impact, we saw the effects of the water tank rupturing and spilling the contents, mostly, out the back of the vehicle.



Scan here to view our crash test videos on YouTube

SMARTANK[®] 400

The **SMARTANK** 400 Litre is a very compact system designed for efficiency. Various pump and filter combinations are available.



SMARTANK[®] 650

The **SMARTANK** 650 Litre is a very compact system designed for efficiency. Various pump and filter combinations are available.



SMARTANK[®] 400

The **SMARTANK** 400 Litre Delivery System with Pump and Controller

SMARTANK[®] 400DI

The **SMARTANK** 400 Litre Delivery System with Pump and Controller

DI

SMARTANK[®] 650

The **SMARTANK** 650 Litre Delivery System with Pump and Controller

SMARTANK[®] 650DI

The **SMARTANK** 650 Litre Delivery System with Pump and Controller

DI

SMARTANK[®] 400RODI

The **SMARTANK** 400 Litre Delivery System with Pump and Controller

RODI

SMARTANK[®] 650RODI

The **SMARTANK** 650 Litre Delivery System with Pump and Controller

RODI

Height



438mm

Length



1670mm

Width



1220mm

Weight / Dry



85kg

Weight / Wet



485kg



Height



438mm

Length



2100mm

Width



1220mm

Weight / Dry



95kg

Weight / Wet



746kg



Skid Mounted
SMARTANK®

Prebuilt and plumbed kit ready for installation.

Can be permanently or temporarily installed into a van.

This new SMARTANK® design features a coated galvanised skid for the tank and offering you the option of either a 450ltr or 600ltr tank. One of the skid's advantages is that it contains forklift holes, for allowing users to forklift the SMARTANK® into their vans making it a totally portable independent system.

The SMARTANK® is delivered as a pre-assembled and plumbed kit that is ready to use, this allows the Smartank skids to be put permanently or temporarily in a van, depending on the needs of the users.

Features

- Slots for Forklifting
- Plenty of mounting holes
- Single or double user
- Secondary floor available (with all the features)
- Can mount hose reels on the floor



400Ltr

Height

491mm

Length

1671mm

Width

1207mm

Weight

49.2kg



650Ltr

Height

491mm

Length

2090mm

Width

1207mm

Weight

57.3kg



Scan Here
to shop online
for the latest prices

Visit our website
www.streamline.systems

PART NO	ITEM
SKD-SMT400-50	SMARTANK® 400 Skid with RODI filtration, Twin Pump and Controller, Charger Port, Secondary Floor
SKD-SMT400-50-H	SMARTANK® 400 Skid with RODI filtration, Twin Pump and Controller, Charger Port, Secondary Floor, Fixed Reels with 100m 8mm Hose
SKD-SMT650-50	SMARTANK® 650 Skid with RODI filtration, Twin Pump and Controller, Charger Port, Secondary Floor
SKD-SMT650-50-H	SMARTANK® 650 Skid with RODI filtration, Twin Pump and Controller, Charger Port, Secondary Floor, Fixed Reels with 100m 8mm Hose

NEW
COMBI™ 325

New for
2022

Its compact design makes this unique product suitable for smaller van installations. With ingenuity and innovation combined into one system, the **COMBI™ 325** is the first of its kind.

Designed to either incorporate our **STREAMFLO®** 25-litre trolley system as a power unit or supplied as a 5-stage RODI filtration unit with lithium-ion battery technology, the design is totally unique to the window cleaning market.

Park our **STREAMFLO®** 25ltr trolley into the tank recess and use the trolley's pump and filter to deliver pure water from the tank.

Alternatively the **COMBI™ 325** tank can be supplied fully kitted with RODI and twin pump and controller configuration.

Either way, the **COMBI™ 325** provides a safe and professional image to your van, and maximises van space.

An optional 17-litre solution tank is available if required.

Features

- Bespoke tank with baffles and Z-flange designed for van installations
- Unique concept of utilizing **STREAMFLO®** 25 trolley to power delivery of pure water
- Alternatively fitted with RODI and twin pump and controller configuration
- Hose reel with 100-metres of hose


RODI version has the following additional features:

- Rechargeable lithium-ion batteries
- Twin pumps and digital V16 controllers
- Prefilters and twin membranes with flushing tap for efficient pure water production
- Inline dual TDS meter



Weights & Dimensions

Height	Length
	
870mm	1105mm
Width	Max Weight
	
848mm	100kg



Van Systems

PART NO	ITEM
COMBI325	COMBI™ 325 Double Operator Delivery System
COMBI325-RODI	COMBI™ 325 Double Operator Reverse Osmosis Filter System
COMBI325-TR	COMBI™ 325 Single Operator Resin Bead Filter System, with Portable Trolley

PART NO	ITEM
TNK-CT017N	17 Ltr Tank Only

Add a replacement filter

PART NO	ITEM
DF10-F-001	FILTERPLUS® 10" Sediment Cartridge
CF10-F-001	FILTERPLUS® Carbon Block 10" Cartridge
S-MRO-4021-F	21" FILTERPLUS® Membrane



Scan Here
to shop online
for the latest prices

STREAMLINE ECOSTREAM™

It doesn't cost much to have a professional image

New for
2022

The ECOSTREAM™ range of tank systems represent excellent value for money as they are modular in design and can be fixed into vehicles permanently without the need of a stainless steel frame to do so. This allows significant savings to be made over traditional systems, without compromising on the professional image that window cleaners always strive for.

All tanks are baffled to restrict water movement in transit. The tanks also allow for pump, controller, filter and hose reel components to be fitted directly to them, ensuring best use of the compact designs and maximising van space.

There are packages designed to suit every need from straight forward water delivery units, i.e. pump and controller only, to demineralising and reverse osmosis systems or a combination of both, depending on customers' requirements.

Added to this comprehensive offering is a range of hose reel options to make the ECOSTREAM™ Tank Systems probably the most versatile and cost effective van mounted systems on the market today!



TANK SIZE	DESCRIPTION	WEIGHT
375 Litre Systems		
ECO375-02	ECOSTREAM™ 375 Ltr System with Pump, Controller and 50-mtr Hose Reel	57.5kg
ECO375-03	ECOSTREAM™ 375 Ltr System with Pump, Controller and 100-mtr Hose Reel	75.5kg
ECO375DI-02	ECOSTREAM™ 375 Ltr System with Pump, Controller, DI Filter & 50-mtr Hose Reel	65.5kg
ECO375DI-03	ECOSTREAM™ 375 Ltr System with Pump, Controller, DI Filter and 100-mtr Hose Reel	83kg
500 Litre Systems		
ECO500-02	ECOSTREAM™ 500 Ltr System with Pump, Controller and 50-mtr Hose Reel	69kg
ECO500-03	ECOSTREAM™ 500 Ltr System with Pump, Controller and 100-mtr Hose Reel	86.5kg
ECO500DI-02	ECOSTREAM™ 500 Ltr System with Pump, Controller, DI Filter and 50-mtr Hose Reel	77kg
ECO500DI-03	ECOSTREAM™ 500 Ltr System with Pump, Controller, DI Filter and 100-mtr Hose Reel	94.5kg

ECOSTREAM™ 375L



781mm



1113mm



913mm



Maximum 75.5kg
Maximum With DI 83kg



New for
2022

The ECOSTREAM™ 375ltr is ideal for the smaller domestic van and vehicles. This ECOSTREAM™ 375ltr takes up minimal internal vehicle space. Even in smaller vehicles, these tanks components are located inside the tank footprint, this, however, provides you space for additional equipment. The tanks are baffled to limit water movement while in transport. As a compact construct, the tanks are equipped with a pump, controller, filter, and hose reel, resulting in a nice and tidy finish while also maximising your vehicle space.

The ECOSTREAM™ 375ltr tank with either the 50-mtr hose reel or the 100-mtr hose reel are the two primary options for you to consider.

Features

- 375 litre baffled tank.
- All components housed neatly on the tank
- Single **STREAMFLO**® 100 PSI pump with **STREAMLINE**® digital controller
- Robust metal hose reel with lock mechanism
- 1 x **STREAMLINE**® SFC16 Digital Controller with battery voltage level
- 1 x **STREAMFLO**® Pump 12v 100PSI /4.5LPM c/w Inline Filter
- 1 x **STREAMLINE**® Lithium-ion compact removable battery with USB port to charge your phone (7-8 hour continuous run time / 5 hours charge time)
- 1 x Fixed hose reel with 50m of 6mm **STREAMLINE**® hose and microbore couplings or 100m hose.
- 1 x Crash-tested z-profile securing flange



Van Systems



ECOSTREAM™ 500L

Height



781mm

Width



913mm
+ DI 102mm

Length



1353mm

Weight




Maximum 75.5kg
Maximum With DI 83kg

The **ECOSTREAM™** 500ltr is ideal for the smaller domestic van and vehicles. This **ECOSTREAM™** 500ltr takes up minimal internal vehicle space. Even in smaller vehicles, these tanks components are located inside the tank footprint, this, however, provides you space for additional equipment. The tanks are baffled to limit water movement while in transport. As a compact construct, the tanks are equipped with a pump, controller, filter, and hose reel, resulting in a nice and tidy finish while also maximising your vehicle space.

The **ECOSTREAM™** 500ltr tank with either the 50-mtr hose reel or the 100-mtr hose reel are the two primary options for you to consider.

Features

- 500 litre baffled tank.
- All components housed neatly on the tank
- Single **STREAMFLO™** 100 PSI pump with **STREAMLINE™** digital controller
- Robust metal hose reel with lock mechanism
- 1 x **STREAMLINE™** SFC16 Digital Controller with battery voltage level
- 1 x **STREAMFLO™** Pump 12v 100PSI /4.5LPM c/w Inline Filter
- 1 x **STREAMLINE™** Lithium-ion compact removable battery with USB port to charge your phone (7-8 hour continuous run time / 5 hours charge time)
- 1 x Fixed hose reel with 50m of 6mm **STREAMLINE™** hose and microbore couplings or 100m hose.
- 1 x Crash-tested z-profile securing flange



50m / 100m
Hose Reel
Options

Baffled
Tank

NEW
DI Vessel
Available

Mounted Frame

Van Systems

Component Housing

Pump, Controller and Battery all neatly housed in the tank.

Hose & Reel

Mounted on the tank resulting in minimum floor spaced used.

Securing Brackets

Hold the tank secure and bolted through into the chassis.



Simple in design. Simple in construction. Simple to use.

STREAMLINE® water filtration systems are designed to be used for window cleaning, solar panel cleaning, boat cleaning etc. where a spot-free finish is essential. To achieve this, the system has a series of filters to produce pure water with a reading of 0 ppm. However, the filters require maintenance from time to time to maintain optimum efficiency.

TANK SIZE	DESCRIPTION
250 Litre Systems	
CLUB250	250 Litre Resin Bead Filter System Single Operator
CLUB250-RODI	250 Litre Reverse Osmosis Filter System Single Operator
350 Litre Systems	
MIDI350	350 Litre Resin Bead Filter System Single Operator
MIDI350-RODI	350 Litre Reverse Osmosis Filter System Single Operator
400 Litre Systems	
INTER400	400 Litre Delivery System Single Operator
INTER400-DI	400 Litre Resin Bead Filter System Single Operator
INTER400-RODI	400 Litre Reverse Osmosis Filter System Single Operator
500 Litre Systems	
CONTRACTOR500	500 Litre Delivery System Double Operator
CONTRACTOR500-DI	500 Litre Resin Bead Filter System Double Operator
CONTRACTOR500-RODI	500 Litre Reverse Osmosis Filter System Double Operator
650 Litre Systems	
BRAVO650	650 Litre Delivery System Single Operator
BRAVO650-D	650 Litre Delivery System Double Operator
BRAVO650-DI	650 Litre Resin Bead Filter System Single Operator
BRAVO650-D-DI	650 Litre Resin Bead Filter System Double Operator
BRAVO650-RODI	650 Litre Reverse Osmosis Filter System Single Operator
BRAVO650-D-RODI	650 Litre Reverse Osmosis Filter System Double Operator
800 Litre Systems	
INTER800	800 Litre Delivery System Single Operator
INTER800-D	800 Litre Delivery System Double Operator
INTER800-DI	800 Litre Resin Bead Filter System Single Operator
INTER800-D-DI	800 Litre Resin Bead Filter System Double Operator
INTER800-RODI	800 Litre Reverse Osmosis Filter System Single Operator
INTER800-D-RODI	800 Litre Reverse Osmosis Filter System Double Operator
1000 Litre Systems	
MAXI1000	1000 Litre Delivery System Double Operator
MAXI1000-D-DI	1000 Litre Resin Bead Filter System Double Operator
MAXI1000-D-RODI	1000 Litre Reverse Osmosis Filter System Double Operator




Scan Here
to shop online
for the latest prices



Van Systems

- Available in a range of tank sizes and filter specifications to meet your exact requirements
- Fitting service if required
- Reliable **STREAMFLO**® pumps with variable controllers



Stainless Steel Frame
Corrosion resistant and incredibly strong

Digital Flow Controller
For precision water flow

TDS Meter
Highly efficient Inline TDS Metre - Accurately displays TDS levels of the feed water and pure water due to its advanced microprocessor technology"

Pre-Filters
Extend the life of the beads

Inline Solenoid Valve
Automatic shut-off for ease of filling

STREAMFLO™ Pump
Reliable 12 volt on demand pump with 100psi pressure switch

Robust, Baffled Polyethylene Tanks
With vented caps

Reverse Osmosis Filter
Reduces running costs in hard water areas

Adjustable Waste Tap

Pressure Gauge

De-ionising Bead Filter
Final polishing stage

All **STREAMLINE®** systems are backed with full spares availability and technical support.

STREAMLINE **HEATWAVE™**

High performing diesel fired hot water system

HEATWAVE™ water heater systems use diesel from either the vehicle's fuel tank or a separate tank that can be filled with red diesel for economy. The greatest benefit of this superb kit to the cleaning contractor is reduced cleaning times, as hot water cuts through dirt, snail trails, fly spots, spider webs etc. far easier than using cold water.

It is a fact that hot water cleans better than cold water, so why not improve your cleaning results with a **HEATWAVE™** water heater? The greatest benefit of this superb kit to the cleaning contractor is reduced cleaning times, as hot water cuts through dirt, snail trails, fly spots, spider webs etc. far easier than if using cold water.

- Safe to use, diesel-fired water heater which can draw fuel from the vehicles tank
- Built in thermostat
- Compact design for maximum space saving
- Robust powder coated cabinet for long life and no rusting
- Frostat controller with digital reading to prevent the system from freezing and to keep you working
- Can be retrofitted to any pure water system



Van Systems



Scan Here
to shop online
for the latest prices

Visit our website
www.streamline.systems

Hot Water System 9 kW Single & Double Operator Burner



Don't forget to add a additional battery to power system
See Page 71

HEATWAVE™ water heater systems use diesel from either the vehicle's fuel tank or a separate remote tank that can be filled with red diesel for economy.

Benefits of the **HEATWAVE™** water heaters include:

- Safe to use, diesel-fired water heater which can draw fuel from the tank
- Built in thermostat
- Compact design for maximum space saving
- Frostat controller with digital reading to prevent the system from freezing and to keep you working
- Can be retrofitted to any pure water system.
- Powder coated steel cabinet

Specifications

- 9 kW Diesel Burner
- Fuel Consumption - Approx 1.1 l/h
- Single or double operator use

Height



711mm

Length



320mm

Width



508mm

Dry Weight



32kg

**THERMO2-S
THERMO2-D**

Hot Water System - 9 kW Double Operator Burner

THERMO2-H



Don't forget to add a additional battery to power system
See Page 71

Our Horizontal Hot Water System fits directly under the **SMARTANK™** secondary floor, thus saving additional room in your vehicle. The horizontal Heatwave can be fitted in the side door of most vehicles.

HEATWAVE™ water heater systems use diesel from either the vehicle's fuel tank or a separate remote tank that can be filled with red diesel for economy.

Benefits of the **HEATWAVE™** water heaters include:

- Safe to use, diesel-fired water heater which can draw fuel from the tank
- Built in thermostat
- Compact design for maximum space saving
- Frostat controller with digital reading to prevent the system from freezing and to keep you working
- Can be retrofitted to any pure water system
- Powder coated steel cabinet

Specifications

- 9 kW Diesel Burner
- Fuel Consumption - Approx 1.1 l/h
- Double Operator Use

Height



400mm

Length



890mm

Width



290mm

Dry Weight



45kg

PART NO ITEM

THERMO2-H Horizontal HEATWAVE™ Thermo 2 Complete, Dual Operator, Double Heat Exchanger

PART NO ITEM

THERMO2-S HEATWAVE™ Thermo 2 Complete, Single Operator, Single Heat Exchanger

THERMO2-D HEATWAVE™ Thermo 2 Complete, Dual Operator, Double Heat Exchanger

Portable HEATWAVE™ Hot Water
Thermo 2 – Double Operator

THERMO2-P
THERMO1-P



Don't forget to add a
additional battery to
power system
See Page 71

HEATWAVE™ water heater systems use diesel from either the vehicle's fuel tank or a separate remote tank that can be filled with red diesel for economy.

Benefits of the HEATWAVE™ water heaters include:

- Safe to use, diesel-fired water heater which can draw fuel from in-built fuel tank
- Compact design for maximum space saving
- Frostat controller with digital reading to prevent the system from freezing and to keep you working
- Can be retrofitted to any pure water system
- Powder coated steel cabinet

Specifications

- 9 kW Diesel Burner (Dual heat exchanger)
- Fuel Consumption - Approx 1.1 l/h
- Single or double operator use
- 12v 110amp battery

Height



711mm

Length



508mm

Width



230mm

Dry Weight



69kg

PART NO	ITEM
THERMO1-P	HEATWAVE™ Thermo 1 Single Operator - Portable
THERMO2-P	HEATWAVE™ Thermo 2 Dual Operator - Portable



SFC06 Frostat Electronic Controller

To be used in conjunction with the HEATWAVE™ Thermo 1 & 2 hot water systems.


- Prevents hoses and other components from freezing in icy conditions
- Allows fine adjustment of your pump's flow
- Compatible with all 12V pumps and Microbore hose
- Displays battery voltage and water temperature

PART NO	ITEM
SFC06	Frostat Electronic Controller



Spare HEATWAVE™ Temperature Gauge

PART NO	ITEM
325-021	HEATWAVE™ Temperature Gauge



Fuel Stand Pipe

PART NO	ITEM
FSP1	Fuel Stand Pipe for fuel containers



Battery Lead Acid Leisure 12v

PART NO	ITEM
LB110AH	Battery Lead Acid Leisure 12v



Battery Box, for LB110AH battery Black

PART NO	ITEM
LH110-BK	Battery Box, for LB110AH battery Black


Van Systems

Van Accessories




Steel Bumper Port with nylon female connectors

PART NO	ITEM
SSL2K	Stainless 2 Hole Bracket c/w Nylon Fittings
SSL3K	Stainless 3 Hole Bracket c/w Nylon Fittings
SSL4K	Stainless 4 Hole Bracket c/w Nylon Fittings



Stainless 2 hole bracket c/w stainless fittings - Push Fit 10mm

PART NO	ITEM
SSL2K-SS	Stainless 2 Hole Bracket c/w Stainless Fittings



Stainless 3 hole bracket c/w stainless fittings - Push Fit 10mm

PART NO	ITEM
SSL3K-SS	Stainless 3 Hole Bracket c/w Stainless Fittings



Stainless 4 hole bracket c/w stainless fittings - Push Fit 10mm

PART NO	ITEM
SSL4K-SS	Stainless 4 Hole Bracket c/w Stainless Fittings



Metal Holder for 5-ltr container

Are you fed up with 5ltr containers falling over and spilling everywhere? Why not restore some order with the **STREAMLINE® 5L** container holder?

This durable 5 litre container holder is designed to keep your solution storage organised, preventing unwanted spillages or damages to your chemical solution. Mounted to a wall in your van or secured elsewhere, it will provide you with the ultimate storage solution for your containers.

Depth	Length	Width	Dry Weight
23.3cm	20cm	15cm	1kg

Features

- Robust holder for 5-ltr container
- Helps prevent spillages or damages
- Easy to install with pre-set fixing holes
- Fixings included (4x self-tapping pan head screws)

PART NO	ITEM
VG-HW005	Metal Holder for 5ltr Container



NS Vehicle Rack Hose Holder

This durable stainless steel hose holder helps to keep your van tidy, designed to connect to our VG-BAR load restraint bar.

PART NO	ITEM
VG-RS004	Vehicle Rack Hose Holder





Vehicle Rack System

With different height units and different length of shelving, you can add or remove shelving to fit your needs, you'll be able to hold multiple tools, from a brush to a hose connector, safe and easily accessible when you need them.

Depth	Length	Width	Dry Weight
 60cm	 90cm	 20cm	 28kg


PART NO	ITEM
VG-RS125	Vehicle Racking System

Pole Racks



Stainless Steel Internal 4 Pole Rack

PART NO	ITEM
IPR4	Internal Pole Rack 4 Pole



Stainless Steel Internal 6 Pole Rack

PART NO	ITEM
IPR5	Internal Pole Rack 6 Pole



Internal Pole Rack with Stainless Rollers 6 Pole Rack

PART NO	ITEM
IPR6	Internal Pole Rack with Stainless Rollers



LED 12v light - cabled

PART NO	ITEM
VG-LED002	LED 12v light (Cabled)



Amber Beacon 12v for external of van

PART NO	ITEM
VG-BEC001	Amber Beacon 12v



STREAMLINE® Emergency Van Kit

PART NO	ITEM
PR-EMKIT01	STREAMLINE® Emergency Van Kit



Spares Kit Box

Including a variety of WFP Spares

PART NO	ITEM
KIT50001	Spares Kit Box including a variety of WFP Spares



Section 4

Portable Waterfed Systems

Trailer systems are extremely versatile and allow you to free up the load area in your van or even run your cleaning operation with a car. Options include simple de-ionising resin filter systems, or mini reverse osmosis filter systems for use in hard water areas, fitted and ready to go.

STREAMLINE® Trailer Systems

Pages 78 - 91

Trailer systems are extremely versatile, allowing you to free up the load area in the back of your van or car for additional equipment. We are able to provide you a bespoke trailer system, which includes pressure washing apparatus, solar panel cleaning kits, or simple bowser delivery units.



STREAMFLO® Trolley & Barrow Systems

Pages 92 - 97

The **STREAMFLO®** trolley system is perfect for on-site cleaning of windows, gutters, fascias and cladding in and around institutions such as schools, colleges, shopping centres, business parks etc. Trolley systems are able to provide you with Oppm pure water on demand.



Softwash Trolley Systems

Pages 98 - 103

The Softclean™ trolley system is designed to easily apply AlgoClear Pro Softclean chemical solution liberally and effectively. Stone cleaning, Render cleaning, Roof tile cleaning, Tarmac, Concrete, Timber cleaning, Glass and uPVC cleaning, Poly tunnel cleaning, and sport surfaces are just a few of the applications that the trolley system can be used for.



Trailer Systems

STREAMLINE® offers a wide range of window cleaning systems, from the world's first flat tank system, the SMARTANK® to the traditional stainless steel caged STREAMLINE® system. The full range of systems gives you the operator the right kit for your requirements.



1205

See Page: 80 - 83

2 Operators

650 KG Payload

400 Litre Tank

HEIGHT	LENGTH	WIDTH
 1.30M	 3.00M	 1.6M






TAV1

See Page: 86 - 87

1-2 Operators

650 KG Payload

400 Litre Tank

HEIGHT	LENGTH	WIDTH
 1.22M	 1.85M	 1.25M




TAV3

See Page: 88 - 89

1-2 Operators

1043 KG Payload

650 Litre Tank

HEIGHT	LENGTH	WIDTH
 1.44M	 2.55M	 1.48M






TAV5

See Page: 90 - 91

1-2 Operators

1970 KG Payload

800 Litre Tank

HEIGHT	LENGTH	WIDTH
 1.44M	 3.15M	 1.48M

1205 Trailer



Trailer systems are extremely versatile and allow you to free up the load area in your van or even run your cleaning operation with a car. Options include simple delivery units only, de-ionising resin filter systems, or the full 5-stage reverse osmosis boosted filter systems for use in hard water areas.

The small compact BrenderUp 1205 trailer system is an excellent trailer system for on-site. With 13" wheels for ease of towing, lockable ABS lid, gas struts, jockey wheel and tailgate as standard, this is a high-quality trailer specification. As the trailer is unbraked, and 750kg gross payload, there is no BE+1 license required in the UK.

Using the SMARTANK® flat tank systems, the baffled tank ensures the low centre of gravity maximises the stability during transportation. With the equipment cabinet mounted at the front

of the tank, at the door opening, operation has never been easier... and with pumps, controllers and filters easily accessible, via the opening of the cabinet, maintenance and filter changes are simply and quickly achieved.

Operators can adjust the flow rates of the pumps by a digital flow controller, or by a wireless remote controller. This allows the operator to choose powerful flow rates to suit the cleaning job, saving and conserving water when less intense water flow is needed.

These range of trailer systems are suitable for vehicles with towing capacity of 750kg. High capacity baffled tank integrated into lightweight chassis for easy towing. DOT road specification, single axle, integrated lights, and indicators. Supplied with European standard coupling and jockey wheel. Conforms to EU regulations.



Bespoke systems are available to manufacture, including pressure washing apparatus, solar panel cleaning kits, or basic delivery units. Please contact STREAMLINE® for further information.



Specifications:

- Water Tank** Pure water Polyethylene tank capacity of 400ltr
- Operators** 1x or 2x operators via 2x hose reels and 2x 12v 100psi pumps
- Pump** 6.9Bar, 100psi (12v) Shurflo™ Pumps – 3.8lpm (240lph) max speed
- Controllers** Digital flow controllers to measure water flow, pressure, and battery voltage. Option to operate by wireless remote controllers if required.
- Hose Reels** 2x fixed removable hose reels, with 100mtr 8mm STREAMLINE® hoses for optimum reach
- Filtration** Full 5-stage purification system including pre-filtration (sediment, carbon, granular activated carbon), RO Membrane, and De-Ionising polishing resin. Dedicated 12v booster pump to provide efficient filtration output.
- Battery** High capacity 12v 200amp gel battery, offers a full working day operation.
- Charging** Integrated intelligent Numax battery charger, with external charging point, allowing charging onsite if required.



Scan Here to shop online for the latest prices

Visit our website www.streamline.systems



Being modular in design, the **SMARTANK**® 400 can be fixed into trailers utilizing a metal flange as opposed traditional systems using whole metal frames.

With the equipment cabinet mounted at the front of the tank, at the door opening, operation has never been easier...and with pumps, controllers and filters easily accessible, via the opening of the cabinet, maintenance and filter changes are simply and quickly achieved.

Choose your specification:

- Reverse Osmosis filtration for economical water production
- External ports for ease of filling/supply whilst trailer remains locked
- Solenoid valve for auto shut-off to prevent tanks from over filling
- Removable hose reels with 100 metre Microbore Hose






Specifications:

2 Operators

650 KG Payload

400 Litre Tank

HEIGHT  1.30M	LENGTH  3.00M	WIDTH  1.60M
GROSS VEHICLE WEIGHT 750KG	UNLADEN WEIGHT 140KG	CARRYING CAPACITY 610KG

Bespoke systems are available to manufacture, including pressure washing apparatus, solar panel cleaning kits, or basic delivery units. Please contact STREAMLINE® for further information.

Features:

- Single axle, BrenderUp Aluminium composite sides for durability, longevity, strength & security
- All steel work galvanised or plated
- Phenolic 12mm resin coated ply floor
- Linex waterproof floor
- Protected rear light clusters
- ABS lid complete with gas struts
- 50mm pressed steel ball coupling (c/w secondary coupling)
- Props stand on drawbar
- 175R13C Radial wheels & tyers



Portable Waterfed Systems

SYSTEM PART NO	OVERALL DIMENSIONS	PAYLOAD	TANK SIZE	DESCRIPTION	NO. OF PUMPS	NO. OF HOSE REELS
1205COMP6-2	305 x 160cm	610 kg	400 litre	SMARTANK® Delivery Bowser Unit	2	2
1205COMP6-DI-2	305 x 160cm	610 kg	400 litre	DI Filtration System	2	2
1205COMP6-RODI-2	305 x 160cm	610 kg	400 litre	SMARTANK® RODI Filtration System	2	2

Built in an Indespension trailer – clean line, robust construction and ease of use are the principal design features of the TAV. An aluminium based trailer makes them extremely light yet highly durable. The Indespension SuperRide suspension ensures smooth, stable towing even when the trailer is empty.

These range of trailer systems are suitable for vehicles with towing capacity of 1500kg. High capacity baffled tank integrated into lightweight chassis for easy towing. DOT road specification, single axle, integrated lights, and indicators with brake assist. Supplied with European standard coupling, jockey wheel, 2x rear trailer supports and manual parking brake. Conforms to EU regulations.

Operators can adjust the flow rates of the pumps by a digital flow controller, or by a wireless remote controller. This allows the operator to choose powerful flow rates to suit the cleaning job, saving and conserving water when less intense water flow is needed.



Water Tank

Pure water Polyethylene tank capacity of 400ltr, 650ltr and 1000ltr

Operators

2x operators via 2x hose reels and 2x 12v 100psi pumps 6.9Bar, 100psi (12v) Shurflo Pumps - 3.8lpm (240lph) max speed

Pump

6.9Bar, 100psi (12v) Shurflo™ Pumps - 3.8lpm (240lph) max speed

Controllers

Digital flow controllers to measure water flow, pressure, and battery voltage. Option to operate by wireless remote controllers if required.

Hose Reels

2x fixed A-Frame sturdy hose reels, with 100mtr 8mm STREAMLINE® hoses for optimum reach

Filtration

Full 5-stage purification system including pre-filtration (sediment, carbon, granular activated carbon), RO Membrane, and De-Ionising polishing resin. Dedicated 12v booster pump to provide efficient filtration output.

Battery

High capacity 12v 200amp gel battery, offers a full working day operation.

Charging

Integrated intelligent Numax battery charger, with external charging point, allowing charging onsite if required

Portable Waterfed Systems

Aluminium Frame



Lightweight but strong composite construction to maximise the payload.

Trailer Supports



2x trailer support creates maximum load capacity when unhitched.

Secondary Floor



Secondary Floor installed on top of tank, to maximise usable trailer space. (Max load capacity 250kg)

Lockable doors



Complete with 2x keys, the trailer is kept locked and secure at all times.

Superide II Suspension



Fully independent axles to help create a smooth ride.

Towing Eye



Cast iron body delta style coupling, large boss taper roller bearing hubs and Indespension triple lock high security head.

TAV1 Trailer



Specifications:

Operators

1-2 Operators

650 KG Payload

400 Litre Tank

Internal Dimensions

DEPTH



1.25M

LENGTH



2.83M

WIDTH



1.73M

External Dimensions

HEIGHT



1.66M

LENGTH



2.8M

WIDTH



1.7M

Weights

CARRYING CAPACITY
510KG

GROSS VEHICLE WEIGHT
750KG

UNLADEN WEIGHT
240KG

Suitable for

SMARTANK 400



Portable Waterfed Systems

Features:

- Single axle, Indespension 'Super Ride' unbraked suspension
- Aluminium composite sides for durability, longevity strength & security
- All steel work galvanised or plated
- Galvanised steel mudguards
- Phenolic 12mm resin coated ply floor
- Protected rear light clusters
- Rear double door loading facility
- Stainless rear door fittings
- Translucent fibre glass roof
- 50mm pressed steel ball coupling (c/w) secondary coupling
- Props stand on drawbar

SYSTEM PART NO	DESCRIPTION
TAV1-SMT-400-2	TAV1 Single Axle Trailer System 400Ltr Tank (No Filtration) 2 Operator
TAV1-SMT-400-RODI-2	TAV1 Single Axle Trailer System 400Ltr Tank (RODI Filtration) 2 Operator

TAV3 Trailer



Specifications:

Operators

1-2 Operators

1043 KG Payload

650 Litre Tank

Internal Dimensions



1.54M



2.59M



1.95M

External Dimensions



1.97M



3.72M



1.93M

Weights

CARRYING CAPACITY
1043KG

GROSS VEHICLE WEIGHT
1500KG

UNLADEN WEIGHT
457KG

Suitable for

SMATANK 650

Features:

- Single axle, Indespension 'Super Ride' unbraked suspension
- Aluminium composite sides for durability, longevity strength & security
- All steel work galvanised or plated
- Galvanised steel mudguards
- Phenolic 12mm resin coated ply floor
- Protected rear light clusters
- Rear double door loading facility
- Stainless rear door fittings
- Translucent fibre glass roof
- 50mm pressed steel ball coupling (c/w secondary coupling)
- Triple lock anti - theft hitch
- Telescopic jockey wheel

SYSTEM PART NO	DESCRIPTION
TAV3-SMT-650-2	TAV3 Single Axle Trailer System 650Ltr Tank (No Filtration) 2 Operator
TAV3-SMT-650-RODI-2	TAV3 Single Axle Trailer System 650Ltr Tank (RODI Filtration) 2 Operator

Portable Waterfed Systems

TAV5 Trailer



Portable Waterfed Systems

Specifications:

Operators

1-2 Operators

1970 KG Payload

650 Litre Tank

Internal Dimensions

DEPTH



1.54M

LENGTH



3.20M

WIDTH



1.49M

External Dimensions

HEIGHT



1.97M

LENGTH



4.32M

WIDTH



1.93M

Weights

CARRYING CAPACITY
2600KG

GROSS VEHICLE WEIGHT
1970KG

UNLADEN WEIGHT
630KG

Suitable for

SMATANK 650 / BESPOKE HIGH PRESSURE SYSTEMS

Features:

- Twin axle, Indespension 'SuperRide' braked suspension
- Aluminium composite sides for durability, longevity, strength & security
- All steel work galvanised or plated
- Galvanised steel mudguards
- A-Frame drawbar construction
- Phenolic 12mm resin coated ply floor
- Protected rear light clusters
- Rear double door loading facility
- Stainless steel door fittings
- Translucent fibreglass roof
- 50mm cast steel ball coupling (c/w secondary coupling)
- Prop Stands and clamps
- Triple Lock anti-theft hitch
- Telescopic jockey wheel
- Personnel Door

SYSTEM PART NO

DESCRIPTION

TAV5

Our TAV5 Indespension trailer can be tailored to suit your needs

STREAMFLO®

120 Litre Barrow

The 120ltr barrow is perfect for on-site cleaning of windows, gutters, fascias and cladding in and around institutions such as schools, colleges, shopping centres, business parks etc. The purpose built 120 litre low profile water tank is mounted on a two wheel trolley with large flat-free tyres offering excellent stability, even when full. Fitted with our **STREAMBOX™** powerpack which includes a 100 PSI pump, Lithium-Ion battery and controller making it a versatile addition to the range.

As standard the complete system includes a 5 metre feed hose with couplers to connect the pump to a pole, and a battery charger to charge the battery. The barrow can also be purchased without a **STREAMBOX™** fitted allowing it to be used in other applications such as mobile pressure washing, water delivery, etc.



Scan Here to shop online for the latest prices

Contact us on +44 (0)1626 830 830

STREAMFLO® 120 Litre

with Digital Controller, Lithium battery & charger

PART NO	
SF-B120L-000	
SF-B120L-000-H	Includes 50mtr Hose & Reel



Dimensions	
Height	Length
74cm	152cm
Width	Dry Weight
68cm	32kg

Applications include:

- Water Delivery
- Window Cleaning
- Plant Watering
- Plus many more.

Specifications:

- 100 PSI Pump
- Digital Flow Controller

STREAMFLO® 120 Litre with DI Filter

6x18 DI Filter, Digital Controller, Lithium Battery & Charger

PART NO	
SF-B120L-072	
SF-B120L-072-H	Includes 50mtr Hose & Reel



Dimensions	
Height	Length
74cm	152cm
Width	Dry Weight
68cm	32kg

Applications include:

- Water Delivery
- Window Cleaning
- Cladding & Fascia cleaning
- Plus many more.

Specifications:

- 100 PSI Pump
- Digital Flow Controller

Portable Waterfed Systems



STREAMFLO® 25
STREAMFLO® 50

The **STREAMFLO® 25** and **STREAMFLO® 50** Trolley Systems, mobile water delivery providing pure water on demand. Simply fill the container with tap water and it's ready to work, producing 0 ppm pure water on demand (version with resin filter only). Commercial trolley built for the most demanding tasks, ideal for: professional window cleaners, contract cleaners, shopping centres, hotels, schools, hospitals, nursing homes, public houses, clubs etc.

Resin capacity to filter up to 2,000 litres* of pure water. (*At a starting TDS of 100 ppm. in 25 litre and 50 litre)

Features

- 25 litre container (approx use – 25 litres of water per house).
- TDS hand-held meter for accurate water quality checks (DI version only).
- Powerful 100 PSI diaphragm pump.
- **STREAMLINE** Flow Controller to maximise flow and save wasting water.
- Easily removable Lithium-ion battery with intelligent charger for efficient recharging (it is recommended that you charge battery frequently, however battery may last 2–3 days, depending on usage). 5 hour charge time / 12 hour continuous run time
- Compact design, with collapsible handle for storing in confined spaces.
- Lightweight frame with handle mounted on the front plate, for easy lifting and handling.
- Puncture proof tyers, for rough terrain.
- DI filtration for fast pure water production.
- Stainless outlet connector with stop valve to save water when disconnected.



Scan Here
to shop online
for the latest prices

STREAMFLO® 25

The **STREAMFLO® 25** Litre Trolley System is available in 2 x different options:

- **SF-TR25L-000**: No filtration vessel
- **SF-TR25L-072**: 18" DI Filtration, for standard tap water purification.

Specifications:

- Height: 115cm
- Width: 45cm
- (72cm compressed)
- Weight: 31kg (Dry)
- Depth: 65cm

PART NO	ITEM
SF-TR25L-000	STREAMFLO® 25 Litre Trolley with Lithium Ion battery & charger
SF-TR25L-072	STREAMFLO® 25 Litre Trolley with 6 x 18 DI filter, digital controller, Lithium Ion battery and charger
BC4L-TR-ES	Additional Lithium Ion Trolley Battery Charger
LB16AH-L	Lithium Ion Battery. Suit SF-TR25 & SF-TR50 Trolley Range c/w Charger

25 Litre System



25L

STREAMFLO® 50

The **STREAMFLO® 50** Litre Trolley System is available in 2 x different options:

- **SF-TR50L-000**: No filtration vessel
- **SF-TR50L-072**: 18" DI Filtration, for standard tap water purification.

Specifications:

- Height: 115cm
- Width: 50cm
- (72cm compressed)
- Weight: 45kg (Dry)
- Depth: 65cm

PART NO	ITEM
SF-TR50L-000	STREAMFLO® 50 Litre Trolley with Lithium Ion battery and charger
SF-TR50L-072	STREAMFLO® 50 Litre Trolley with 6 x 18 DI filter, digital controller, Lithium Ion battery and charger
BC4L-TR-ES	Additional Lithium Ion Trolley Battery Charger
LB16AH-L	Lithium Ion Battery. Suit SF-TR25 & SF-TR50 Trolley Range c/w Charger

50 Litre System



50L

Portable Waterfed Systems

New for 2022

The **STREAMFLO®** Mini is a compact water delivery unit that makes smaller window cleaning tasks a whole lot easier. Complete with a powerful pump and rechargeable battery, its 12-litre water tank is removable, allowing the stainless steel frame to fold down for easy transportation and storage.

The **STREAMFLO®** Mini can be coupled directly to a waterfed pole and is the perfect answer for window cleaning in areas where trailing hoses are not possible eg. courtyards, atriums, etc.

Extended

Height



908mm

Length



323mm

Width



243mm

Weight



6kg

Collapsed

Height



551mm

Length



141mm

Width



243mm



Scan Here
to shop online
for the latest prices



Features

- Durable and compact design
- Stainless steel folding frame
- 12-litre container
- Rechargeable battery
- Adjustable 4 speed controller
- Powerful 100Psi pump
- Wheels for outdoor use
- Extendable handle



PART NO

SF-TR12-000

ITEM

STREAMFLO® Mini 12Ltr Trolley System with Battery and Charger

STREAMLINE® Softclean

Roof and Render Cleaning Equipment

STREAMLINE® has joined forces with AlgoClear SoftClean to bring you packages for the treatment of roofs, walls and general amenity areas. STREAMLINE® SoftClean equipment is designed to easily apply AlgoClear Pro liberally and each kit includes a 36" lance for ground and low level applications and an angled adapter nozzle attachment to fit onto a STREAMLINE® waterfed pole for high level applications.



25ltr Battery powered Softwash Trolley

PART NO	ITEM
SW-T025L-222	25-ltr Battery powered Softwash Trolley with digital controller, lithium battery and charger

Height



115cm

Depth



65cm

Width



45cm

Weight / Dry




35kg

Spare Softwash Trolley Accessories



Softclean 36" Lance with Angled Head & Fanjet

PART NO	ITEM
SW-SL050-0900	Softclean 36" Lance with Angled Head and Fanjet



Softclean 6" Angled Adapter Nozzle with Fanjet

PART NO	ITEM
SW-HW050-06	Softclean 6" Angled Adapter Nozzle with Fanjet

AlgoClear Pro is a high purity quaternary ammonium biocidal detergent designed to decontaminate biological growth on external hard surfaces. AlgoClear Pro is registered with the British Health & Safety Executive and the Irish Pesticide Control Service. It is water soluble and does not smell or leave smears. It breaks down in contact with biomass. The environmental footprint remains local, and limited in time. It is harmless to animals, unless ingested.



AlgoClear Solution

STREAMLINE® has joined forces with AlgoClear SoftClean to bring you packages for the treatment of roofs, walls and general amenity areas.

PART NO	ITEM
SW-ALGO-005	AlgoClear-Pro 5 Litre
SW-ALGO-010	AlgoClear-Pro 10 Litre

AlgoClear Pro can be used for:

- Stone cleaning
- Render cleaning
- Roof tile cleaning
- Tarmac, concrete, sports surfaces, etc.
- Timber cleaning
- Glass and uPVC cleaning
- Poly tunnel cleaning

It is fast acting, breaks contamination reproductive cycles and acts on 99.9% of microbial life leaving no durable environmental footprint. Applications to most surfaces simply requires a spray with no scrubbing or rinsing required. The procedure can be adapted to the type of contamination.

Average yield from 1 litre of AlgoClear Pro

Ground	Render	Timber	Glass & Plastics
200m ² Per Litre	40m ² Per Litre	60m ² Per Litre	300m ² Per Litre



14" (360mm) STREAMLINE® Brush - Medium Dual Bristle, with 2-nozzle Low Pressure Manifold

PART NO	ITEM
SW-SBF36-MD	Medium Dual Bristle, with 2-nozzle Low Pressure Manifold

New for
2022

Portable Softwash Systems




120ltr Battery powered Softwash Trolley



120L



Weights & Dimensions

<p>Height</p>  <p>74cm</p>	<p>Length</p>  <p>152cm</p>
<p>Width</p>  <p>68cm</p>	<p>Weight / Dry</p>  <p>60kg</p>

PART NO	ITEM
SW-B120-022-H	120-ltr Battery powered Softwash Barrow with Chemical Resistant Pump and Hose Reel nozzle

A softwash pole with a variety of extra features including the hidden hose angle adapter, ensuring that the hose stays inside of the pole even if a brush is attached. A single large fanjet nozzle comes as standard on this pole kit. The pole features front facing horizontal clamps and an easy to use shutoff valve at the bottom of the pole.

Key Features

- Carbon Fibre
- Shut off valve at the base of the pole
- Angle adapter



Pole kit includes an inline tap for flow control, 36cm brush and single nozzle applicator with a selection of four spray tips.

Softwash Pole Kit comes in 6 different sizes

Part No	No. Of Sections	Closed Length (mm/ft)	Extended Length (mm/ft)	Material
SW-PK007	5	1550	6.7m	Hybrid
SW-PK008	6	1550	7.9m	Hybrid
SW-PK009	7	1550	9.1m	100% Carbon
SW-PK010	8	1550	10.2m	100% Carbon
SW-PK011	9	1550	11.0m	100% Carbon
SW-PK012	10	1550	12.4m	100% Carbon

Softwash Pole accessories



Softwash 36" Lance with Angled Head & Fanjet

PART NO	ITEM
SW-VK001	Softwash Pole Valve Kit



Softwash Spray Nozzle Kit Includes 5 Spray Tips

PART NO	ITEM
SW-NK001	Softwash Spray Nozzle Kit

Don't forget,
for the latest prices shop online at
www.streamline.systems



Contact us on
+44 (0)1626 830 830

New for
2022

Injection Box

A portable carry box with a Dosatron chemical dosing unit. This product can mix Algo Clear (or similar) accurately with water at a pre set ratio on demand.

PLEASE NOTE - Not suitable for use with Sodium Hypochlorite

Features

- Portable & functional enclosure with carry handles
- Stainless quick release male hoselock-type fittings
- Pressure relief valve with adjustment and gauge
- Dosatron chemical dosing unit with adjustment for setting desired chemical ratio
- Designed to connect to mains water supply
- Can be used in conjunction with the Softwash Box if no mains water supply available
- No electricity required, powered by water pressure
- Supplied with chemical feed hose and filter
- Dosatron is fitted on removable board for easy maintenance

Dimensions

Height



400mm

Length



400mm

Width



335mm

Weight



5kg

PART NO.	ITEM
SW-DB070-01	Injection Box



Used to spray Algo Clear and other soft wash treatments onto roofs, walls, and K-Rend these portable portable boxes, allow you to clear algae, moss and lichen with maximum efficiency and minimum fuss and waste.

New for
2022

Soft Wash Box

A portable carry box with a lithium battery and chemical resistant pump. Simply connect the unit to a supply of water to feed the injection box or use pre-mixed chemical solution to apply directly to the surface needing treatment.

PLEASE NOTE - Not suitable for use with Sodium Hypochlorite

Features

- Portable & functional enclosure with carry handles
- Stainless quick release male hoselock-type fittings
- Chemical resistant pump and variable controller
- Designed to connect to mains water supply or to draw from a storage tank
- Can be used to pump pre-mixed chemical or to power the Injection Box with water
- Rechargeable lithium-ion battery with charger
- Controller and hose connections easily accessible

Dimensions

Height



246mm

Length



400mm

Width



300mm

Weight



9kg

PART NO.	ITEM
SW-SB070-16V	Softwash Box



Scan Here
to shop online
for the latest prices






Scan Here
to shop online
for the latest prices



Section 5


Waterfed Poles & Brushes

The range now consists of glass fibre and full carbon fibre telescopic poles giving different expense, rigidity and strength accordingly.



OVA8

The **STREAMLINE** OVA8 carbon fibre telescopic poles are designed in an 'oval' profile section, reducing the wear of the sections from the pole clamps.




ECOLITE

Improved light-weight glass fibre telescopic pole



ECOLINE

The **ECOLINE** glass fibre range offer best value for money, whilst providing a professional pole for the domestic and contract window cleaner alike.



ULTRALITE

The **ULTRALITE** carbon fibre modular pole system, probably the lightest poles ever, with each section weighing only 200 grams.

Waterfed Poles & Brushes



STREAMLINE

OVA8[®]

Eliminating the spin,
once and for all

The **STREAMLINE[®] OVA8[®]** carbon fibre telescopic poles are designed with 'oval' profile sections, allowing for zero pole spin and reducing the wear of the sections from the pole clamps. Available in a number of different sizes, with numerous adapters and pole extensions, making the **STREAMLINE[®] OVA8[®]** one of the best waterfed poles on the market to date!



Quick Release System

Superior Clamps

Zero Spin

Why use the **STREAMLINE[®] OVA8[®]** pole?

- Its innovative design ensures that the dreaded pole spin associated with worn waterfed pole sections is a thing of the past.
- Superb pole section clamps ensure the pole sections stay where you want them.
- 100% carbon ensuring it's as light as possible and as strong as possible.
- Its 2 flat sides make the pole easier to hold for long periods of time.
- Available in multiple sizes to suit customers' needs.
- AVAILABLE NOW - a range of accessories to ensure that the **STREAMLINE[®] OVA8[®]** is as versatile as possible.

STREAMLINE[®]
OVA8[®]
With 
Univalves

Holding any item in the hand for long periods can be painful. The OVA8 design combines two flat sides. These sit more comfortably in an operator's hand and allow the tips of their fingers to sit on the flat edge.

The two flat sides of the OVA8 telescopic pole add more stability and therefore more control for the operator, a huge "safety" plus. Any experienced operative will tell you how dangerous and annoying a spinning pole section is.

The benefits of a univalve are that, when you are at a distance from the van, the Univalve prevents you from going back to the van to turn the water off. Therefore, the univalve saves you, the user time and effort which then becomes more time efficient.

Size Guide



<p>OV60-46-E HI-MOD Up to 63ft</p> <p>OV60-40-E Up to 63ft</p>	6 Storeys
<p>OV45-30-E Up to 48ft</p> <p>OV40-30-E Up to 43ft</p>	5 Storeys
<p>OV35-30-E Up to 38ft</p>	4 Storeys
<p>OV30-24-E Up to 33ft</p> <p>OV25-24-E Up to 28ft</p>	3 Storeys
<p>OV22-40-E HI-MOD Up to 20ft</p> <p>OV22-24-E Up to 20ft</p> <p>OV17-24-E Up to 20ft</p>	2 Storeys

Warning: These poles are manufactured from 100% carbon fibre material which is a conductor of electricity. Not to be used near electrical lines!



Did You Know?

All STREAMLINE[®] OVA8[®] poles come complete with our adjustable nylon gooseneck, tubing, a STREAMLINE[®] brush and a hose coupling of your choice!

Poles are available in 10 popular sizes

Part No	No. Of Sections	Min. Length (mm/ft)	Max Length (mm/ft)	Achievable Height	Length Of Tubing	Weight
OV17-24-E	5	1,500mm/5ft	5,100mm/17ft	20ft/6.1m	8 metre	0.99kg
OV22-24-E	6	1,500mm/5ft	6,700mm/22ft	25ft/7.6m	9 metre	1.35kg
OV22-40-E HI-MOD	6	1,500mm/5ft	6,700mm/22ft	25ft/7.6m	9 metre	1.35kg
OV25-24-E	5	1,830mm/6ft	7,700mm/25ft	28ft/8.5m	10 metre	1.35kg
OV30-24-E	6	1,865mm/6ft	9,150mm/30ft	33ft/10.6m	12 metre	1.70kg
OV35-30-E	7	1,900mm/6ft	10,700mm/35ft	38ft/11.6m	12 metre	2.00kg
OV40-30-E	8	2,110mm/7ft	12,400mm/40ft	43ft/13.1m	15 metre	2.50kg
OV45-30-E	9	2,150mm/7ft	13,720mm/45ft	48ft/14.6m	15 metre	2.80kg
OV60-40-E	10	2,270mm/7ft	18,288mm/60ft	63ft/19.2m	20 metre	3.80kg
OV60-40-E HI-MOD	10	2,270mm/7ft	18,288mm/60ft	63ft/19.2m	20 metre	3.80kg

OVA8[®] + Univalves

New for 2022

Part No	No. Of Sections	Min. Length (mm/ft)	Max Length (mm/ft)	Achievable Height	Length Of Tubing	Weight Pole Only
OV17-24-U	5	1,500mm/5ft	5,100mm/17ft	20ft/6.1m	8 metre	0.99kg
OV22-24-U	6	1,500mm/5ft	6,700mm/22ft	25ft/7.6m	9 metre	1.35kg
OV22-40-U	6	1,500mm/5ft	6,700mm/22ft	25ft/7.6m	9 metre	1.35kg
OV25-24-E	5	1,830mm/6ft	7,700mm/25ft	28ft/8.5m	10 metre	1.35kg
OV30-24-U	6	1,865mm/6ft	9,150mm/30ft	33ft/10.6m	12 metre	1.70kg
OV35-30-U	7	1,900mm/6ft	10,700mm/35ft	38ft/11.6m	12 metre	2.00kg



Scan Here
to shop online
for the latest prices

Contact us on
+44 (0)1626 830 830

STREAMLINE[®] OVA8[®] EXTENSIONS

With a range of **STREAMLINE[®] OVA8[®]** pole extensions, the **STREAMLINE[®] OVA8[®]** waterfed pole becomes even more versatile. Available in a number of bespoke pole sections, you can extend the reach of this great waterfed pole with ease.



Extension sections for OV17-24-E

PART NO	DESCRIPTION	ACHIEVABLE HEIGHT WITH EXTENSION
OV06-07-1675	STREAMLINE [®] OVA8 Carbon Sections 6-7 to increase 17 foot to 30 foot	30ft / 9.1m
OV06-08-1675	STREAMLINE [®] OVA8 Carbon Sections 6-8 to increase 17 foot to 35 foot	35ft / 10.6m
OV06-09-1675	STREAMLINE [®] OVA8 Carbon Sections 6-9 to increase 17 foot to 40 foot	40ft / 12.2m
OV06-10-1675	STREAMLINE [®] OVA8 Carbon Sections 6-10 to increase 17 foot to 45 foot	45ft / 13.7m

Extension sections for OV22-24-E

PART NO	DESCRIPTION	ACHIEVABLE HEIGHT WITH EXTENSION
OV07-08-1675	STREAMLINE [®] OVA8 Carbon Sections 7-8 to increase 22 foot to 35 foot	35ft / 10.6m
OV07-09-1675	STREAMLINE [®] OVA8 Carbon Sections 7-9 to increase 22 foot to 40 foot	40ft / 12.2m
OV07-10-1675	STREAMLINE [®] OVA8 Carbon Sections 7-10 to increase 22 foot to 45 foot	45ft / 13.7m

Extension sections for OV25-24-E

PART NO	DESCRIPTION	ACHIEVABLE HEIGHT WITH EXTENSION
OV06-07-1675	STREAMLINE [®] OVA8 Carbon Sections 6-7 to increase 25 foot to 35 foot	35ft / 10.6m
OV06-08-1675	STREAMLINE [®] OVA8 Carbon Sections 6-8 to increase 25 foot to 40 foot	40ft / 12.2m
OV06-09-1675	STREAMLINE [®] OVA8 Carbon Sections 6-9 to increase 25 foot to 45 foot	45ft / 13.7m
OV06-10-1675	STREAMLINE [®] OVA8 Carbon Sections 6-10 to increase 25 foot to 50 foot	50ft / 15.2m

Extension sections for OV30-24-E

PART NO	DESCRIPTION	ACHIEVABLE HEIGHT WITH EXTENSION
OV07-08-1675	STREAMLINE [®] OVA8 Carbon Sections 7-8 to increase 30 foot to 40 foot	40ft / 12.2m
OV07-09-1675	STREAMLINE [®] OVA8 Carbon Sections 7-9 to increase 30 foot to 45 foot	45ft / 13.7m
OV07-10-1675	STREAMLINE [®] OVA8 Carbon Sections 7-10 to increase 30 foot to 50 foot	50ft / 15.2m

Extension sections for OV35-30-E

PART NO	DESCRIPTION	ACHIEVABLE HEIGHT WITH EXTENSION
OV08-09-1675	STREAMLINE [®] OVA8 Carbon Sections 8-9 to increase 35 foot to 45 foot	45ft / 13.7m
OV08-10-1675	STREAMLINE [®] OVA8 Carbon Sections 8-10 to increase 35 foot to 50 foot	50ft / 15.2m

Extension sections for OV40-30-E

PART NO	DESCRIPTION	ACHIEVABLE HEIGHT WITH EXTENSION
OV09-10-1675	STREAMLINE [®] OVA8 Carbon Sections 9-10 to increase 40 foot to 50 foot	50ft / 15.2m



Scan Here
to shop online
for the latest prices

Visit our website
www.streamline.systems



OVA8® Accessories

A growing range of STREAMLINE® OVA8® accessories making this water fed pole one of the most versatile poles on the market.

New for 2022



OVA8® Roof Scraper

A lightweight and compact roof scraper attachment for the OVA8® pole. The design incorporates a quick-change head with a load and lock feature. This feature allows the user to swap out the blades when changing to a new roof tile type or if the blades have worn down. Made from stainless-steel, the roof scraper and blades are rust resistant and extremely durable. Consisting of a variety of different blades to suit the most common roof tiles, the kit allows you to scrape moss and debris off a roof with ease.

PART NO.	ITEM
OV-SCR003	STREAMLINE® OVA8® Roof Scraper with additional 3 blades



OVA8® 150mm Nylon Brush Extension

PART NO.	ITEM
OV-FT150	OVA8® 150mm Nylon Brush Extension



OVA8® 200mm Carbon Brush Extension

PART NO.	ITEM
OV-FT200	OVA8® 200mm Carbon Brush Extension



OVA8® 300mm Carbon Brush Extension

PART NO.	ITEM
OV-FT300	OVA8® 300mm Carbon Brush Extension



OVA8® Brush Swivel Socket - 90 Degree

PART NO.	ITEM
OV-BS0003	OVA8® Brush Swivel Socket - 90 Degree



OVA8® Brush Socket - 90 Degree

PART NO.	ITEM
OV-BS0002	OVA8® Brush Socket 90 Degree



OVA8® Bronze Wool Pad

PART NO.	ITEM
OV-PAD001	STREAMLINE® OVA8® Bronze Wool Pad Adapter complete with 1 x STREAMLINE® Bronze Wool Pad
V549132	Bronze Wool Pad Only

Waterfed Poles & Brushes



**OVA8®
Dual Angle Adapter**

PART NO.	ITEM
OV-AD20-10	OVA8® Dual Angle Adapter



**OVA8®
Angle Adapter**

PART NO.	ITEM
OV-AD20-15	OVA8® 3" Angle Adapter
OV-AD20-16	OVA8® 6" Angle Adapter



**OVA8®
Angle Adapter with GT Thread**

PART NO.	ITEM
OV-AD20-03	OVA8® 3" Angle Adapter
OV-AD20-06	OVA8® 6" Angle Adapter
OV-AD20-09	OVA8® 9" Angle Adapter
OV-AD20-12	OVA8® 12" Angle Adapter



OVA8® Clamp

PART NO.	ITEM
OV-CLMP01	OVA8® Clamp 1
OV-CLMP02	OVA8® Clamp 2
OV-CLMP03	OVA8® Clamp 3
OV-CLMP04	OVA8® Clamp 4
OV-CLMP05	OVA8® Clamp 5
OV-CLMP06	OVA8® Clamp 6
OV-CLMP07	OVA8® Clamp 7
OV-CLMP08	OVA8® Clamp 8
OV-CLMP09	OVA8® Clamp 9
OV-CLMP10	OVA8® Clamp 10



**OVA8®
Clamp Lever**

PART NO.	ITEM
OV-CL0001	OVA8® Clamp Lever



**10" (260mm)
STREAMLINE® Brush
Medium Dual Bristle, with OVA8® Socket**

Weight	Width
289g	260mm

PART NO.	ITEM
V-SBF26-MD06-001	Brush only
V-SBF26-MD06-010	Pack of 10



**14" (360mm)
STREAMLINE® Brush
Medium Dual Bristle, with OVA8® Socket**

Weight	Width
351g	360mm

PART NO.	ITEM
V-SBF36-MD06-001	Brush only
V-SBF36-MD06-010	Pack of 10



**10" (260mm)
STREAMLINE® Brush - Dual Bristle
Boars' Hair and OVA8® Socket**

Weight	Width
392g	260mm

PART NO.	ITEM
V-SBF26-BD06-001	Brush only
V-SBF26-BD06-010	Pack of 10



**14" (360mm)
STREAMLINE® Brush - Dual Bristle with
Boars' Hair and OVA8® Socket**

Weight	Width
392g	260mm

PART NO.	ITEM
V-SBF36-BD06-001	Brush only
V-SBF36-BD06-010	Pack of 10



STREAMLINE | Nozzle Jets

PART NO.	ITEM
FJ2-02	Fan Jet Kit
FJ2-04	Fan Jet Kit pack of 4
NJ3-02	Pencil Jet Kit
NJ3-04	Pencil Jet Kit pack of 4

STREAMLINE[®] ECOLITE[™]

Improved light-weight glass fibre pole with the renowned LITE-5[®] red durable pole hose, bonded collar & unique 6" angled adapter



ECOLITE[™]

The unique **STREAMLINE[®]** angled adapter, supplied as standard, provides 6" depth if required between the pole and brush for deep sills and window reveals (9" and 12" adaptors also available as optional extras).

LITE-5[®] red pole tubing offers the best in durable three layers construction, yet remaining flexible and manageable even in colder ambient temperatures. Strap supplied for tidy storage of the pole tubing.

All these poles include the innovative Locking System, simple one hand clamping operation for both left and right handed persons. Clamp design provides strong, positive locking force. Clamp guard prevents against accidental release.



Size Guide



GXTEL9400R
Up to 34ft

4 Storeys

GXTEL6700R
Up to 25ft

3 Storeys

GXTEL5200R
Up to 20ft

2 Storeys

GXTEL3800R
Up to 15ft

Poles are available in 4 popular sizes

Part No.	No. Of Sections	Min. Length	Max. Length	Achievable Height	Approx Weight Pole Only
GXTEL3800R	3	1400mm	3800mm/12ft	15ft	1.0 kg
GXTEL5200R	3	1885mm	5200mm/17ft	20ft	1.3 kg
GXTEL6700R	4	1885mm	6700mm/22ft	25ft	1.7 kg
GXTEL9400R	6	1885mm	9400mm/30ft	34ft	2.9 kg



See Page 123 for brush options

STREAMLINE ECOLINE™

ECOLINE™ poles are offered with economy in mind. Long established in the industry as an ergonomic, simple to use window cleaning tool.

Visit our website for the latest prices
www.streamline.systems




ECOLINE™

The **ECOLINE™** range offer best value for money, whilst providing a professional pole for the domestic and contract window cleaner alike.

Benifits

- Poles are constructed of high quality glass fibre material and finished with an acrylic resin for economy
- Poles have a standard plastic base cap fitted
- Poles have a nylon collar bonded onto the top section to connect to the brush.
- Poles are supplied with a standard angle crank, and an extension is available as an option to provide extra reach
- Poles are supplied with our own design **LITE-5®** yellow, highly visible, ultra flexible pole tubing, providing suppleness and flex even in colder conditions
- Available in Glass Fibre composites from 4 ft - 30 ft maximum height



Glass Fibre Telescopic Poles

Size Guide



Poles are available in 4 popular sizes

Part No.	No. Of Sections	Min. Length	Max. Length	Achievable Height	Approx Weight Pole Only	LITE-5 Tubing
GXTEL04E	2	740mm	1300mm/4ft	8ft/3m	0.42 kg	4 meter
GXTEL09E	2	1500mm	2800mm/9ft	13ft/4m	0.69 kg	5 meter
GXTEL13E	3	1500mm	4000mm/13ft	17ft/5.2m	1.07 kg	8 meter
GXTEL17E	4	1500mm	5200mm/17ft	20ft/6.1m	1.48 kg	8 meter
GXTEL20E	4	1800mm	6000mm/20ft	23ft/7m	1.77 kg	10 meter
GXTEL24E	5	1800mm	7200mm/24ft	27ft/8.2m	2.30 kg	10 meter
GXTEL27E	6	1800mm	8400mm/27ft	30ft/9.1m	2.85 kg	11 meter
GXTEL30E	7	1800mm	9400mm/30ft	34ft/10.4m	3.41 kg	11 meter

➔ See pages 123 for brush options

STREAMLINE ULTRALITE™

The ULTRALITE™ modular pole system probably the lightest poles ever with each section weighing only 200 grams.

Modular design allows you to add or remove sections to suit the required working height. The lightness of the pole enables prolonged working time without fatigue, especially when large areas of glass are to be cleaned.

Size Guide

UL-POLE-22500 Up to 76ft	7 Storeys
UL-POLE-19300 Up to 66ft	6 Storeys
UL-POLE-16700 Up to 66ft	5 Storeys
UL-POLE-15000 Up to 51ft	
UL-POLE-13370 Up to 45ft	4 Storeys
UL-POLE-11720 Up to 40ft	
UL-POLE-10090 Up to 35ft	3 Storeys
UL-POLE-08440 Up to 30ft	
UL-POLE-06750 Up to 24ft	2 Storeys
UL-POLE-05150 Up to 19ft	
UL-POLE-03500 Up to 14ft	1 Storeys
UL-POLE-01900 Up to 10ft	

Carbon Fibre Poles

This pole is not for the heavy handed, but if you are looking for a lightweight modular pole with exceptional capabilities, look no further. Each section is tapered to allow a push fit assembly for extending. This also allows them to be stored in side each other for protection when not in use. Each pole includes our unique 12" lightweight gooseneck with 12" double trim brush (10" and 14" double trim brush available as an option).

Available In 12 Sizes

Part No.	No. Of Sections	Min. Length	Max. Length	Achievable Height	Approx Weight Pole Only	LITE-5 Tubing
UL-POLE-01900	1	1700mm	1900mm/6ft	10ft/3.5m	0.20kg	5 meter
UL-POLE-03500	2	1700mm	3300mm/10ft	14ft/4.3m	0.40kg	5 meter
UL-POLE-05150	3	1700mm	4900mm/16ft	19ft/5.8m	0.70kg	8 meter
UL-POLE-06750	4	1700mm	6500mm/21ft	24ft/7.3m	1.00kg	10 meter
UL-POLE-08440	5	1700mm	8100mm/27ft	30ft/9.1m	1.30kg	11 meter
UL-POLE-10090	6	1700mm	9700mm/32ft	35ft/10.7m	1.60kg	11 meter
UL-POLE-11720	7	1700mm	11300mm/37ft	40ft/12.2m	2.00kg	14 meter
UL-POLE-13370	8	1700mm	12900mm/42ft	45ft/13.7m	2.40kg	20 meter
UL-POLE-15000	9	1700mm	14500mm/48ft	51ft/15.5m	2.80kg	20 meter
UL-POLE-16700	10	1700mm	16100mm/53ft	56ft/17.1m	3.20kg	30 meter
UL-POLE-19300	12	1700mm	19200mm/63ft	66ft/20.1m	3.84kg	30 meter
UL-POLE-22500	14	1700mm	22250mm/73ft	76ft/23.2m	4.48kg	30 meter

Each pole includes:



Rubber Base Cap and Tuff Ring on each section to protect the pole ends. Plastic storage tube to keep them safe when not in use.



LITE-5[®] yellow tubing which clips neatly into the base cap of each section allowing the tubing to be kept tidy on the outside of the pole.

Don't forget,
for the latest prices shop online at
www.streamline.systems



Contact us on
+44 (0)1626 830 830



Carbon Fibre Gooseneck with 10" STREAMLINE® Flat Brush, Medium Double Trim Bristle

WEIGHT	WIDTH
398g	260mm

PART NO.
GN9-20-D26



Carbon Fibre Gooseneck with 14" STREAMLINE® Flat Brush, Medium Double Trim Bristle

WEIGHT	WIDTH
544g	360mm

PART NO.
GN9-20-D36



STREAMLINE | Nozzle Jets

PART NO.	ITEM
FJ2-02	Fan Jet Kit
FJ2-04	Fan Jet Kit pack of 4
NJ3-02	Pencil Jet Kit
NJ3-04	Pencil Jet Kit pack of 4
NJK-04	STREAMLINE® Nozzle Jet Kit 4 jets total 2x fan 2x pencil

Don't forget,
for the latest prices online at
www.streamline.systems



Contact us on
+44 (0)1626 830 830

STREAMLINE® Brushes



STREAMLINE®
10" (250mm)
Hi-Lo Brush
See Page: 124 - 125



STREAMLINE®
14" (360mm)
Hi-Lo Brush
See Page: 125



STREAMLINE®
(260mm) (360mm)
10" and 14"
Dual Bristle
Brush
See Page: 126 - 127

Waterfed Poles & Brushes

Hi-Lo Brushes

The **STREAMLINE** brush has been designed to include:

- A light weight design
- Versatile jet styles and positioning
- Bristles that retain their shape and provide longevity

This has been achieved thanks to lighter stocks, monofilament soft bristles with low moisture retention and high memory reflex...meaning they will return to their original shape and provide the longevity required.

With the quick-lock jets in pencil and fan spray options; and various jet positionings offered on the brushes, these are a versatile and innovative addition to the range.

Temperature rating in excess of 50°C, these brushes will perform in hot water applications too.



**10" (250mm)
STREAMLINE® Hi-Lo Brush
Black Soft Bristle**

WEIGHT	WIDTH
381g	250mm

PART NO.	ITEM
V-SBH25-S	Brush only
V-SBH25-S-005	Pack of 5



**14" (360mm)
STREAMLINE® Hi-Lo Brush
Black Soft Bristle**

WEIGHT	WIDTH
462g	360mm

PART NO.	ITEM
V-SBH36-S	Brush only
V-SBH36-S-005	Pack of 5



STREAMLINE | Nozzle Jets

PART NO.	ITEM
FJ2-02	Fan Jet Kit
FJ2-04	Fan Jet Kit pack of 4
NJ3-02	Pencil Jet Kit
NJ3-04	Pencil Jet Kit pack of 4
NJK-04	STREAMLINE® Nozzle Jet Kit 4 jets total 2x fan 2x pencil



**10" (250mm)
STREAMLINE® Hi-Lo Angle
Medium Bristle Brush**

WEIGHT	WIDTH
382g	250mm

PART NO.	ITEM
V-SBH25-M-001	Brush only
V-SBH25-M-005	Pack of 5



**14" (360mm)
STREAMLINE® Hi-Lo Angle
Medium Bristle Brush**

WEIGHT	WIDTH
463g	360mm


PART NO.	ITEM
V-SBH36-M-001	Brush only
V-SBH36-M-005	Pack of 5



**10" (250mm)
STREAMLINE® Hi-Lo Brush
Red Stiff Bristle**

WEIGHT	WIDTH
345g	250mm

PART NO.	ITEM
V-SBH25-H-001	Brush only
V-SBH25-H-005	Pack of 5



**14" (360mm)
STREAMLINE® Hi-Lo Solar Panel
Brush - Yellow Soft Bristle**

WEIGHT	WIDTH
480g	360mm

PART NO.	ITEM
V-SBH36-Y-001	Brush only
V-SBH36-Y-005	Pack of 5



Scan Here to shop online for the latest prices

Contact us on +44 (0)1626 830 830



**10" (260mm)
STREAMLINE® Flat Medium Double
Trim Bristle Brush, with 45° Socket**

WEIGHT	WIDTH
246g	260mm

PART NO.	ITEM
V-SBF26-MD01-001	Brush only
V-SBF26-MD01-010	Pack of 10

10"
260mm



**10" (260mm)
STREAMLINE® Brush - Dual Bristle
with Boars' Hair and OVA8® socket**

WEIGHT	WIDTH
392g	260mm

PART NO.	ITEM
V-SBF26-BD06-001	Brush only
V-SBF26-BD06-010	Pack of 10

10"
260mm



**14" (360mm)
STREAMLINE® Flat Medium Double
Trim Bristle Brush, with 45° Socket**

WEIGHT	WIDTH
360g	360mm

PART NO.	ITEM
V-SBF36-MD01-001	Brush only
V-SBF36-MD01-010	Pack of 10

14"
360mm



**14" (360mm)
STREAMLINE® Brush - Dual Bristle
with Boars' Hair and OVA8® Socket**

WEIGHT	WIDTH
439g	360mm

PART NO.	ITEM
V-SBF36-BD06-001	Brush only
V-SBF36-BD06-010	Pack of 10

14"
360mm



**10" (260mm)
STREAMLINE® Brush - Medium
Dual Bristle, with OVA8® Socket**

WEIGHT	WIDTH
289g	260mm

PART NO.	ITEM
V-SBF26-MD06-001	Brush only
V-SBF26-MD06-010	Pack of 10

10"
260mm



**10" (260mm)
STREAMLINE® Brush - Dual Bristle
with Boars' Hair and 45° Socket**

WEIGHT	WIDTH
392g	260mm

PART NO.	ITEM
V-SBF26-BD01-001	Brush only
V-SBF26-BD01-010	Pack of 10

10"
260mm



**14" (360mm)
STREAMLINE® Brush - Medium
Dual Bristle, with OVA8® Socket**

WEIGHT	WIDTH
351g	360mm

PART NO.	ITEM
V-SBF36-MD06-001	Brush only
V-SBF36-MD06-010	Pack of 10

14"
360mm



**14" (360mm)
STREAMLINE® Brush - Dual Bristle
with Boars' Hair and 45° Socket**

WEIGHT	WIDTH
439g	360mm


PART NO.	ITEM
V-SBF36-BD01-001	Brush only
V-SBF36-BD01-010	Pack of 10

14"
360mm

Vikan Waterfed Brushes

If it doesn't say Vikan, it's not Vikan...

All brush blocks are made of polypropylene and the PBT filaments are fixed with stainless steel staples. The diameter of the holes in the brush blocks are accurately reduced to the filament bundle size. All brush sockets are integral and have a machined thread to secure the brush to the angle adapter.



Traditional Non-scratch Pencil Jets

PART NO	ITEM
NJ2	2.0mm Orifice fitted standard
BHR05	3.0mm Orifice optional



Reduce your rinse time with Fanjets

PART NO	ITEM
FJ1-04	40° Fanjets fitted standard
FJ1-06	60° Fanjets optional



9.5" (245mm) - Medium Hi-Lo Vikan Monofilament Brush

WEIGHT	WIDTH
512g	245mm


PART NO	ITEM
J524753-NJ2	Complete with pencil jets
J524753-FJ1-04	Complete with fan jets



10.5" (275mm) - Vikan Monofilament Brush

WEIGHT	WIDTH
420g	275mm

PART NO	ITEM
J526453-NJ2	Complete with pencil jets
J526453-FJ1-04	Complete with fan jets



9.5" (245mm) - Hi-Lo Vikan Monofilament Brush (Stiff)


WEIGHT	WIDTH
512g	245mm

PART NO	ITEM
J470474-NJ2	Complete with pencil jets
J470474-FJ1-04	Complete with fan jets




Aluminium Pencil Jets 2mm Orifice

PART NO	ITEM
AHR05	




8mm Push Fit Stem - 6mm Hosetail Insert

PART NO	ITEM
PM250806E	8mm Push Fit Stem - 6mm Hosetail Insert




STREAMLINE Nozzle Jet Kit

PART NO	ITEM
FJ2-04	STREAMLINE® Nozzle Fan Jet Kit - Pack of 4
NJ3-04	STREAMLINE® Nozzle Pencil Jet Kit - Pack of 4
NJK-04	STREAMLINE® Nozzle Jet Kit - 4 jets total 2x Fan 2x Pencil



Fan Jet 04 Orifice with 6mm hosetail

PART NO	ITEM
FJ40-04H	



STREAMLINE Nozzle Jets

PART NO	ITEM
FJ2-02	Fan Jet Kit
FJ2-04	Fan Jet Kit pack of 4
NJ3-02	Pencil Jet Kit
NJ3-04	Pencil Jet Kit pack of 4
NJK-04	STREAMLINE® Nozzle Jet Kit 4 jets total 2x fan 2x pencil

Waterfed Poles & Brushes


Trigger valves provide:

- Precision flow control with positive shut-off action
- Water Saving: don't waste that precious fluid that has cost you money to produce



MBK3 Inline Microbore Fittings Kit

Part No	ITEM
MBK3	Kit only
MBK3-LH2	Kit with LH2 Holster



MBK4 Valve Kit

PART NO	ITEM
BBV14MF	Ball Valve
Q21MF-14	Male Adapter
BHT1414	Brass Hosetail



GT1 & GT2 Pole-end Inserts

Threaded Inserts

PART NO	ITEM
GT1	Universal 19.5mm OD
GT2	XTEL Pole 18mm OD

Also fits
OVA8



Univalve

PART NO	ITEM
AT0002	



Standard Angle Adapter

Part No	ITEM
AD1	3" Adapter
AD1-US	STREAMLINE® Angle Adapter - Euro female thread / ACME male thread
AD2-6F	6" Double Angle Adapter Complete
AD3-6F	6" Aluminium Angle Adapter - German Thread
AD4-GT	Angle Adapter - ACME female thread / Euro male thread
AD4	Angle Adapter - ACME female thread / ACME male thread



Extended Angle Adapters

Part No	ITEM
AD1-6F	6" Adapter
AD1-9F	9" Adapter
AD1-12F	12" Adapter



Penloc 1:1 Adhesive

2 Part Adhesive handy for pole repairs

Part No	ITEM
PEN12	12ml Acrylic Adhesive
PEN12R	12ml Acrylic Adhesive
PEN50	50ml (requires applicator)



Brush 'Y' Pieces

Part No	ITEM
NYHT5	5mm Nylon
NYHT6	6mm Nylon
BYHT6	6mm Brass



8mm Push Fit Equal Tee


Part No.	Item
PF080808	8mm Push Fit Equal Tee
PF0806QUAD	8mm Push Fit Reducing t o 6mm Push Fit Quad Adapter



X-BUTT Base Caps

Part No	ITEM
X-BUTT-26	Plastic Base Cap for section 2 - 26mm
X-BUTT-30	Plastic Base Cap for section 3 - 30mm
X-BUTT-34	Plastic Base Cap for section 4 - 34mm
X-BUTT-38	Plastic Base Cap for section 5 - 38mm
X-BUTT-42	Plastic Base Cap for section 6 - 42mm
X-BUTT-46	Plastic Base Cap for section 7 - 46mm
X-BUTT-50	Plastic Base Cap for section 8 - 50mm
X-BUTT-54	Plastic Base Cap for section 9 - 54mm

OVA8



BUTT Clamp for OVA8®

PART NO	ITEM
XR-BUTT-30	Section 4 - 30mm
XR-BUTT-34	Section 5 - 34mm
XR-BUTT-37	Section 6 - 37mm
XR-BUTT-41	Section 7 - 41mm
XR-BUTT-44	Section 8 - 44mm
XR-BUTT-48	Section 9 - 48mm

OVA8



OVA8® Clamps

PART NO	ITEM
OV-CLMP01	OVA8® Clamp 1
OV-CLMP02	OVA8® Clamp 2
OV-CLMP03	OVA8® Clamp 3
OV-CLMP04	OVA8® Clamp 4
OV-CLMP05	OVA8® Clamp 5
OV-CLMP06	OVA8® Clamp 6
OV-CLMP07	OVA8® Clamp 7
OV-CLMP08	OVA8® Clamp 8
OV-CLMP09	OVA8® Clamp 9
OV-CLMP10	OVA8® Clamp 10

OVA8



OVA8® Clamp

PART NO	ITEM
OV-CL0001	OVA8® Clamp Level includes Lever Bolt, Cap and Nut

OVA8



OVA8® Clamp Shim

PART NO	ITEM
OV-SHIM	OVA8® Clamp Shim



XTEL Clamps

PART NO	ITEM
X-CLMP-1	XTEL Clamp for section 1 - 18mm
X-CLMP-2	XTEL Clamp for section 2 - 22mm
X-CLMP-3	XTEL Clamp for section 3 - 26mm
X-CLMP-4	XTEL Clamp for section 4 - 30mm
X-CLMP-5	XTEL Clamp for section 5 - 34mm
X-CLMP-6	XTEL Clamp for section 6 - 38mm
X-CLMP-7	XTEL Clamp for section 7 - 42mm
X-CLMP-8	XTEL Clamp for section 8 - 46mm
X-CLMP-9	XTEL Clamp for section 9 - 50mm



XTEL Clamp Levers

PART NO	ITEM
X-CLMP-S	For section 2/3
X-CLMP-M	For section 4/5
X-CLMP-L	For section 6/7/8/9



X-BAND Clamps for XTEL

PART NO	ITEM
X-BAND-2	XTEL Clamp Band for section 2 - 22mm
X-BAND-3	XTEL Clamp Band for section 3 - 26mm
X-BAND-4	XTEL Clamp Band for section 4 - 30mm
X-BAND-5	XTEL Clamp Band for section 5 - 34mm
X-BAND-6	XTEL Clamp Band for section 6 - 38mm
X-BAND-7	XTEL Clamp Band for section 7 - 42mm
X-BAND-8	XTEL Clamp Band for section 8 - 46mm
X-BAND-9	XTEL Clamp Band for section 9 - 50mm



Stainless Bolt & Nut for XTEL Clamp

PART NO	ITEM
CLMP-XBN1	Stainless Bolt & Nut - XTEL Clamp
CLMP-XBN2	Stainless Bolt & Nut - XTEL Clamp
CLMP-XBN3	Stainless Bolt & Nut - XTEL Clamp



Section 5

High Reach Vacuum Systems

Blocked drains and gutters? **STREAMVAC™** is the answer! For use in both commercial and domestic applications, this sturdy built-to-last gutter vacuum will provide you with the solution you require.

External Gutter Cleaning Kits

Pages 136 - 145

External gutter cleaning kits provide you the benefit of a faster and more efficient way of cleaning the gutters from the safety of the ground.



Pole Kits & Accessories

Pages 146- 149 | 154 - 159


The **STREAMLINE®** range offers many different types of accessories for your vacuum systems, providing you with the necessary tools to suit your needs, including Carbon Fibre or Glass Fibre pole sections, Pole extensions, and different types of accessories for your kit.



Internal Dusting Kits & Accessories

Pages 150 - 153

The **STREAMVAC™** Internal Dusting Equipment is suitable for any domestic and commercial applications. It provides you with a complete kit to ensure the operator has the right equipment to vacuum up dust and dirt in high level areas.



Beat the winter and remove those autumn leaves from gutters and down pipes!



Scan Here
to shop online
for the latest prices



Blocked drains and gutters?
STREAMVAC™ is the answer! For use in both commercial and domestic applications, this sturdy built-to-last gutter vacuum will provide you with the solution you require.

This versatile machine can be used for:

- Gutter cleaning
- Drain cleaning (option)
- General vacuuming (option)
- Powerful twin wet and dry motor with blower function (2,400 watts)
- Virtually indestructible structofoam drum
- Hose and tipping function for easy emptying
- Side entry cyclonic inlet for increased performance and non-blocking
- Crush-proof hose
- Large rear wheels for easy manoeuvring on rough terrain



30L

Height

88cm

Width

80cm

Weight

22.5kg

Depth

49cm

Offering Industrial performance with twin motors, the 70 Litre **STREAMVAC**™ is built from stainless steel. With a tiltable and removable container you still have the benefits of easy handling and disposal of contents. There is a washable PET fleece large surface filter for high efficiency and low maintenance costs and a Push & Clean filter cleaning system. The 10 metre cable allows a large working radius and the reliable floating system allows for wet and dry pick up. What's more, just as with the 30 Litre **STREAMVAC**™ we offer two different packages for either residential or commercial uses.



70L

Height

97cm

Width

60cm

Weight

28.0kg

Depth

58cm



Scan Here
to shop online
for the latest prices

Contact us on
+44 (0)1626 830 830



Scan Here
to shop online
for the latest prices

Visit our website
www.streamline.systems



Residential Gutter Cleaning Systems

A complete package for the domestic cleaner with reach up to 21ft (a two storey house). Extension poles available in carbon fibre, with the options of an aluminium swan neck.

STREAMVAC™
30 Litre Residential Height Gutter
Cleaning System Complete 110V / 230V



ALSO AVAILABLE
WITH CCTV
CAMERA KIT



STREAMVAC™
Gutter cleaning
vacuum - 30 litre

30L



VACLIN™
7.5 metre
crush-proof
hose with
hose cuffs

Lightweight aluminium gooseneck
attachment, aluminium gulper & crevice tools



Lightweight
pole holdall



ULTRALITE™
3 x 6ft 51mm
modular carbon
fibre poles

ULTRALITE™
3ft modular
carbon
fibre pole

21ft

High Reach Vacuum Systems

PART NO	ITEM
WV-KIT110-01-051	30 Litre STREAMVAC™ Gutter Cleaning System Complete - 110V with 3 x 6ft Carbon Poles
WV-KIT230-01-051	30 Litre STREAMVAC™ Gutter Cleaning System Complete - 230V with 3 x 6ft Carbon Poles
WV-KIT110-05-051	30 Litre STREAMVAC™ Gutter Cleaning System Complete - 110V with 3 x 6ft Carbon Poles and CCTV kit
WV-KIT230-05-051	30 Litre STREAMVAC™ Gutter Cleaning System Complete - 230V with 3 x 6ft Carbon Poles and CCTV kit



Scan Here
to shop online
for the latest prices

Visit our website
www.streamline.systems

Commercial Gutter Cleaning Systems

A complete package for the commercial cleaner with reach up to 38ft (a four storey house). Extension poles available in carbon fibre, with the options of an aluminium swan neck.

STREAMVAC™
30 Litre Commercial Height Gutter
Cleaning System Complete 110V / 230V



ALSO AVAILABLE
WITH CCTV
CAMERA KIT



STREAMVAC™
Gutter cleaning
vacuum -
30 litre

30L



VACLINE™
7.5 metre
crush-proof
hose with
hose cuffs

Lightweight aluminium gooseneck attachment,
aluminium gulper & crevice tools



Lightweight
pole holdall



ULTRALITE™
6 x 6ft 51mm
modular carbon
fibre poles

ULTRALITE™
1 x 3ft
modular
carbon
fibre pole

38ft

High Reach Vacuum Systems

PART NO	ITEM
WV-KIT110-03-051	30 Litre STREAMVAC™ Gutter Cleaning System Complete - 110V with 6 x 6ft Carbon Poles
WV-KIT230-03-051	30 Litre STREAMVAC™ Gutter Cleaning System Complete - 230V with 6 x 6ft Carbon Poles
WV-KIT110-06-051	30 Litre STREAMVAC™ Gutter Cleaning System Complete - 110V with 6 x 6ft Carbon Poles and CCTV kit
WV-KIT230-06-051	30 Litre STREAMVAC™ Gutter Cleaning System Complete - 230V with 6 x 6ft Carbon Poles and CCTV kit



Scan Here
to shop online
for the latest prices

Visit our website
www.streamline.systems

Residential Gutter Cleaning Systems

A complete package for the domestic cleaner with reach up to 21ft (a two storey house). Extension poles available in carbon fibre, with the options of an aluminium swan neck.

STREAMVAC™
70 Litre Residential Gutter Cleaning System Complete 110V / 230V



Also available with a CCTV Kit



STREAMVAC™
gutter cleaning vacuum - 70 litre

70L



VACLINE™
7.5 metre crush-proof hose with hose cuffs

Lightweight aluminium gooseneck attachment, aluminium gulper & crevice tools



Lightweight pole holdall



ULTRALITE™
3 x 6ft 51mm modular carbon fibre poles

ULTRALITE™
3ft modular carbon fibre pole

21ft

High Reach Vacuum Systems

PART NO	ITEM
WV-KIT110-07-051	70 Litre STREAMVAC™ Gutter Cleaning System Complete - 110V with 3 x 6ft Carbon Poles
WV-KIT230-07-051	70 Litre STREAMVAC™ Gutter Cleaning System Complete - 230V with 3 x 6ft Carbon Poles
WV-KIT110-09-051	70 Litre STREAMVAC™ Gutter Cleaning System Complete - 110V with 3 x 6ft Carbon Poles and CCTV kit
WV-KIT230-09-051	70 Litre STREAMVAC™ Gutter Cleaning System Complete - 230V with 3 x 6ft Carbon Poles and CCTV kit



Scan Here
to shop online
for the latest prices

Visit our website
www.streamline.systems

Commercial Gutter Cleaning Systems

A complete package for the commercial cleaner with reach up to 38ft (a four storey house). Extension poles available in carbon fibre, with the options of an aluminium swan neck.

STREAMVAC™
70 Litre Commercial Height
Gutter Cleaning System Complete
110V / 230V



Also available
with a
CCTV Kit



STREAMVAC™
Gutter cleaning vacuum - 70 litre

70L



VACLINE™
7.5 metre
crush-proof
hose with
hose cuffs

Lightweight aluminium gooseneck attachment,
aluminium gulper & crevice tools



Lightweight
pole holdall



ULTRALITE™
6 x 6ft 51mm
modular carbon
fibre poles

ULTRALITE™
1 x 3ft
modular
carbon
fibre pole

38ft

High Reach Vacuum Systems

PART NO	ITEM
WV-KIT110-08-051	70 Litre STREAMVAC™ Gutter Cleaning System Complete - 110V with 6 x 6ft Carbon Poles
WV-KIT230-08-051	70 Litre STREAMVAC™ Gutter Cleaning System Complete - 230V with 6 x 6ft Carbon Poles
WV-KIT110-10-051	70 Litre STREAMVAC™ Gutter Cleaning System Complete - 110V with 6 x 6ft Carbon Poles and CCTV kit
WV-KIT230-10-051	70 Litre STREAMVAC™ Gutter Cleaning System Complete - 230V with 6 x 6ft Carbon Poles and CCTV kit

STREAMVAC™

20ft Pole Kit

- 1 3 x 6ft 51mm **ULTRALITE™** modular carbon fibre poles
- 2 1 x 3ft **ULTRALITE™** modular carbon fibre pole
- 3 1 x Lightweight aluminium gooseneck & attachments
- 4 1 x Lightweight pole holdall



PART NO	ITEM
WV-KIT3175-051	Gutter Cleaning Pole Set complete with Head and Accessories, 6,5 metre reach

STREAMVAC™

40ft Pole Kit

- 1 6 x 6ft 51mm **ULTRALITE™** modular carbon fibre poles
- 2 1 x 3ft **ULTRALITE™** modular carbon fibre pole
- 3 1 x Lightweight aluminium gooseneck & attachments
- 4 1 x Lightweight pole holdall



PART NO	ITEM
WV-KIT6175-051	Gutter Cleaning Pole Set complete with Head and Accessories, 11,5 metre reach

ULTRALITE™
51mm Modular Carbon Fibre Full Section

Length 1750mm (6ft)

Allow for an overlap of 150mm (6") when joining two sections.




PART NO	ITEM
WV-SECT1750-CF	Extension Section

ULTRALITE™
51mm Modular Carbon Fibre Half Section

Length 875mm (3ft)

Allow for an overlap of 150mm (6") when joining two sections.



PART NO	ITEM
WV-SECT0875-CF	Extension Section



Modular Carbon Fibre Pole Holdall

PART NO	ITEM
VO00010	Holdall for Pole Sections

STREAMVAC™ Vacuum Hose



VACLIN™
51 mm Crush-proof Vacuum Hose with rubber cuffs

PART NO	ITEM
WV-CP075-051	7,5m Hose with rubber cuffs
WV-CP150-051	15m Hose with rubber cuffs



VACLIN™
Holdall for Vacuum Hose

PART NO	ITEM
VO00008	Holdall for Vacuum Hose



Aluminium Swan Neck
Lightweight aluminium swan neck

PART NO	ITEM
WV000012-051	Vacline Aluminium Swan Neck with both ends swaged - 135°
WV000019-051	Aluminium Swan Neck with both ends swaged - 90°



Aluminium Crevice Tools
20mm wide 230-20 aluminium crevice tool

PART NO
WV000015-051



Aluminium Crevice Tools
35mm wide 230-35 aluminium crevice tool

PART NO
WV000016-051



Aluminium Gulper Tool
30-35mm wide aluminium gulper tool with claw

PART NO
WV000017-051



Dusting Brush

PART NO	ITEM
DV602161-051	51mm - Soft
DV602162-051	51mm - Stiff



The CCTV portable wireless inspection camera is a simple and convenient inspection instrument. It can be used to inspect inaccessible places, pipes, gutters etc. and can be used for building and safety inspections.

Users can view the inspection live on the 5" HD screen or can record videos and take pictures to view later. If the video is not satisfactory, users can delete it and re-record. The DVR memory is 32 GB and battery life is 9.5 hours continuous use.

Features:

- The camera & DVR are compact and light weight
- High resolution images and video recording
- A unique wireless mini inspection camera with 6 bright LEDs offering 5 metres clear view in complete darkness (LEDs can be turned off)
- High capacity built-in battery offers a reliable power supply for camera and DVR
- No need for any installation, simple to operate
- Portable 5" HD DVR offers both real time and recorded videos & photos
- Motion and loop recording available
- Supplied with an SD card
- Wireless transmission offers convenience for remote view

Specifications:

Size: 86mm (H) x 131mm (L) x 18mm (W)

Weight: 205g

Language: Multiple

800 X 480 Screen Resolution

2.4GHz Wireless Receiving (8 Channels)

100m Receiving Distance

720 X 576 Video Resolution

MPEG - AVI Play Format

JPEG Photo Format

4GB SD Card Included

2.0 USB Port

PART NO	ITEM
CCTV-POLE-KIT0003-051	CCTV Wireless Bullet Camera and Widescreen Monitor kit, to suit 51mm pole kit
CCTV-POLE-KIT0003-032	CCTV Wireless Bullet Camera and Widescreen Monitor kit, to suit 32mm pole kit
CCTV-CAM-0003	CCTV Wireless Battery powered bullet camera
CCTV-MON-0003	CCTV Wireless Battery powered DVR monitor



Scan Here
to shop online
for the latest prices

Visit our website
www.streamline.systems

Internal Dry Vacuum System - Mains Powered

Internal dry vacuum and extension poles available in 32mm and 38mm carbon fibre providing a reach up to 30ft, complete with 3 x internal dusting tools.

STREAMVAC™
Internal Dry Vacuum System
110V / 230V



Also available
with a
CCTV Kit



STREAMVAC™
internal cleaning
vacuum blue or
grey (230V)



Sidewinder
vacuum tool
200mm



Curved
dusting
brush
100mm



Double
taper tool
adapter



Round
dusting
brush
50mm



VACLINE™
Traditional
floor tool kit



Lightweight
pole holdall



ULTRALITE™
4 x 6ft 32mm
modular carbon
fibre poles

ULTRALITE™
1 x 3ft
modular
carbon
fibre pole

30ft

High Reach Vacuum Systems

PART NO	ITEM
DV-KIT-230-1-032	STREAMVAC™ Internal Cleaning System Complete with 230v Numatic, 5 metre / 16ft reach
DV-KIT-230-2-032	STREAMVAC™ Internal Cleaning System Complete with 230v Numatic, 8.5 metre / 28ft reach



30ft Internal Dry Vacuum System – Battery Backpack

Internal dry vacuum and extension poles available in 32mm carbon fibre providing a reach up to 30ft, complete with 3 x internal dusting tools.

STREAMVAC™
Internal Cleaning System
(Battery) – up to 30ft



Also available
with a
CCTV Kit

30ft



STREAMVAC™
internal cleaning
vacuum blue or
grey (230V)



Sidewinder
vacuum tool
200mm



Curved
dusting
brush
100mm



Double
taper tool
adapter



Round
dusting
brush
50mm



VACLIN™
Traditional
floor tool kit



Lightweight
pole holdall



ULTRALITE™
4 x 6ft 32mm
modular carbon
fibre poles

ULTRALITE™
1 x 3ft
modular
carbon
fibre pole

High Reach Vacuum Systems

PART NO	ITEM
DVB-KIT-1-032	STREAMVAC™ Internal Cleaning System Complete - Battery Powered Backpack, 18ft reach (5.5mtr)
DVB-KIT-2-032	STREAMVAC™ Internal Cleaning System Complete - Battery Powered Backpack, 30ft reach (9.1mtr)

i Complete STREAMVAC™ bundles are also available see page 156 - 157

ULTRALITE™
875mm
Modular Glass Fibre
Internal Dusting Section

Allow for an overlap of 150mm (6") when joining two sections.

32mm ULTRALITE™ Modular Glass Fibre Section - 875mm

M000-0875-032

32mm

38mm ULTRALITE™ Modular Glass Fibre Section - 875mm

M000-0875-038

38mm

ULTRALITE™
1750mm
Modular Glass Fibre
Internal Dusting Section

Allow for an overlap of 150mm (6") when joining two sections.

32mm ULTRALITE™ Modular Glass Fibre Section - 1750mm

M000-1750-032

32mm

38mm ULTRALITE™ Modular Glass Fibre Section - 1750mm

M000-1750-038

38mm

STORAGE

Holdall

Modular Carbon Fibre Pole Holdall
V000010



Scan Here
 to shop online
 for the latest prices

Visit our website
www.streamline.systems

ULTRALITE™
875mm
Modular Carbon Fibre Internal
Dusting Section

Allow for an overlap of 150mm (6") when joining two sections.

32mm ULTRALITE™ Modular Glass Fibre Section - 1750mm

M100-0875-032

32mm

38mm ULTRALITE™ Modular Carbon Fibre Section - 1750mm

M100-0875-038

38mm

ULTRALITE™
1750mm
Modular Carbon Fibre Internal
Dusting Section

Allow for an overlap of 150mm (6") when joining two sections.

32mm ULTRALITE™ Modular Glass Fibre Section - 1750mm

M100-1750-032

32mm

38mm ULTRALITE™ Modular Carbon Fibre Section - 1750mm

M100-1750-038

38mm

GO HIGHER

51mm Modular Carbon Fibre Half Section
WV-SECT0875-CF

+ 875mm (3ft)

51mm Modular Carbon Fibre Full Section + 1750mm (6ft)
WV-SECT1750-CF

+ 1750mm (6ft)

High Reach Vacuum Systems

Ideal Accessories

Aluminum Swan Neck

Male Cuff (both ends swaged)

WV000012-051



Female Cuff (with clamp)

WV000013-051

Aluminum Crevice Tools

20mm wide 230-20 aluminium crevice tool

WV000015-051



35mm wide 230-35 aluminium crevice tool

WV000015-051



Aluminum Crevice Tools

30-35mm wide aluminium gulper tool with claw

WV000017-051




Dusting Brush

51mm - Soft
DV602161-051

51mm - Stiff
DV602162-051





V000010
Holdall for Pole Sections

6ft 32mm / 38mm ULTRALITE™
modular carbon fiber pole

Glass Fibre Pole Kits



1	2 x 6ft 32mm / 38mm ULTRALITE™ Modular glass fibre poles	3	1 x 100mm curved dusting brush
2	1 x 3ft 32mm / 38mm ULTRALITE™ Modular glass fibre pole	4	1 x 200mm Sidewinder dusting brush
		5	1 x Lightweight pole holdall

Part No.	Item
DV-KIT2175-032	32mm Dusting kit 5m reach
Part No.	Item
DV-KIT2175-038	38mm Dusting kit 5m reach

Carbon Fibre Pole Kits



1	4 x 6ft 32mm / 38mm ULTRALITE™ Modular carbon fibre poles	3	1 x 100mm curved dusting brush
2	1 x 3ft 32mm / 38mm ULTRALITE™ Modular carbon fibre pole	4	1 x 200mm Sidewinder dusting brush
		5	1 x Lightweight pole holdall

Part No.	Item
DV-KIT4175-032	32mm Dusting kit 8m reach
Part No.	Item
DV-KIT4175-038	38mm Dusting kit 8m reach



Modular Pole Holdall

PART NO	ITEM
V000010	Holdall for Pole Sections



1	6 x 6ft 32mm / 38mm ULTRALITE™ Modular carbon fibre poles	3	1 x 100mm curved dusting brush
2	1 x 3ft 32mm / 38mm ULTRALITE™ Modular carbon fibre pole	4	1 x 200mm Sidewinder dusting brush
		5	1 x Lightweight pole holdall

Part No.	Item
DV-KIT6175-032	32mm Dusting kit 11.5m reach
Part No.	Item
DV-KIT6175-038	38mm Dusting kit 11.5m reach



Carbon Fibre Swan Neck 90°

PART NO	
DV000113-032	To fit 32mm
DV000113-038	To fit 38mm



Carbon Fibre Swan Neck 45°





PART NO	
DV000114-032	To fit 32mm
DV000114-038	To fit 38mm




Carbon Fibre Swan Neck 135°

PART NO	
DV000112-038	To fit 38mm

Find us on



Scan Here
to shop online
for the latest prices

Contact us on
+44 (0)1626 830 830



200mm Vacuum Brush

Natural bristle - 200mm width, 32 & 38mm diameter

PART NO	
DV000113-032	To fit 32mm
DV000113-038	To fit 38mm



380mm Vacuum Brush

Natural bristle - 380mm width, 32mm diameter

PART NO	
DV635031-032	
DV635031-038	



460mm Vacuum Brush

Natural bristle - 460mm width, 32 & 38mm

PART NO	
DV635031-032	
DV635031-038	



100mm Curved Dusting Brush

100mm width, 32 & 38mm diameter

PART NO	
DV635031-032	
DV635031-038	



200mm Curved Dusting Brush

200mm width, 32 & 38mm diameter

PART NO	
DV635031-032	
DV635031-038	

High Reach Vacuum Systems



Section 6

High Pressure Cleaning Systems

HIGHLINE™

Pressure Washers

High pressure cleaning solutions

Pressure washing at height has a key part in all external cleaning regimes and in this current economic climate, with everyone vying for business and trying to draw custom in to their shops, outward appearance is everything. They say, 'you never get a second chance to make a first impression'.

Reliable pressure washers are a must and few would argue that the petrol driven Honda pressure washers certainly tick this box. Pressure washing is an ideal add-on to any contract window cleaning operation and as specialists in van installations, and to meet the needs of the window cleaning/pressure washing market we have designed a system to utilise reject water from the reverse osmosis window cleaning systems which traditionally waste up to 50% of the window cleaner's water. This is then utilized for pressure washing instead, as water purity is of no consequence in this application. Such systems are the way forward and help to maximise water usage and reduce water wastage, a big plus point as a sustainability issue.

The contract cleaner could actually use this as part of his marketing too, especially when approaching blue chip companies, as sustainability issues are at the front of peoples' minds these days. A new range of reliable Honda powered pressure washers mounted on trolleys for easy manoeuvrability and capable of meeting the demands of almost any outdoor cleaning task.

All units come equipped with 10 metre high pressure hose, 3 metre suction hose with weighted filter, gun and lance with variable angle nozzle head on a robust metal trolley with heavy duty pneumatic wheels. Low pressure chemical injector supplied as standard with all models.



Pressures Washer Systems

Honda Powered High Pressure Washer

150 Bar Honda powered cold water Pressure Washer, mounted on a robust steel trolley.

This is a versatile and rugged little work horse, capable of meeting the most demanding outdoor tasks on hand such as cleaning of gutters, cladding, wall surfaces, signs, decking, patios, paths and driveways, to name a few. The well-proven Honda GX160 petrol engine coupled to a well-known Interpump triple plunger pump, along with industrial grade single lance, hose and other hardware means that this machine is your reliable number one for commercial work, day in and day out. The compact yet robust trolley enables this machine to be easily transported to and from site.

Specifications & Benefits include

- GX160 Honda engine, recoil start
- Interpump triple plunger pump with built-in unloader valve - for smooth and reliable operation
- 36" Heavy duty steel chrome single lance with quick connector - for easy nozzle changes
- 10-metre High pressure twin wire rubber hose for industrial use and longevity
- 3-metre 19mm Suction hose with weighted filter attached - for drawing from a sump
- Chemical injector on unloader with small filter attached - for drawing in detergents
- Assortment of 5 different nozzles, 15deg, 25deg, 40deg, pencil and foaming tips - for every eventuality
- Heavy duty metal trolley with 10" flat-free wheels - for robustness and great manoeuvrability



Cold Water





Key Features:

150Bar Maximum Rated Pressure (2,100 psi)

12Lpm Maximum Rated Flow (2.64 gpm)

60°C Maximum Rated Temperature (140°F)

Dimensions:

Height	Length	Width	Weight
			
90cm	85cm	55cm	45.2kg

PART NO

HP-TI2150PHR Recoil start

Recommended Accessories

Carbon Power Pole - V2 4-section

HP-HX4-COMP



300mm Handheld Hard Surface Cleaner

HP-HSC300



Honda Powered High Pressure Washer

207 Bar Honda powered cold water Pressure Washer, mounted on a robust steel trolley

This is a versatile and rugged mid-sized work horse, capable of meeting the most demanding outdoor tasks on hand such as cleaning of gutters, cladding, wall surfaces, signs, decking, patios, paths and driveways, to name a few. The well-proven Honda GX270 petrol engine coupled via a gearbox to a well-known Interpump triple plunger pump, along with industrial grade single lance, hose and other hardware means that this machine is your reliable number one for commercial work, day in and day out. The compact yet robust trolley enables this machine to be easily transported to and from site.

Specifications & Benefits include

- GX270 Honda engine, recoil start
- Comet geared triple plunger pump with built-in unloader valve - for smooth & reliable operation
- 36" Heavy duty steel chrome single lance with quick connector - for easy nozzle changes
- 10-metre High pressure twin wire rubber hose - for industrial use and longevity
- 3-metre 19mm Suction hose with weighted filter attached - for drawing from a sump
- Chemical injector on unloader with small filter attached - for drawing in detergents
- Assortment of 5 different nozzles, 15deg, 25deg, 40deg, pencil and foaming tips - for every eventuality
- Heavy duty metal trolley with 13" flat-free wheels - for robustness and great manoeuvrability



Cold Water





Key Features:

207Bar Maximum Rated Pressure (3,000 psi)

15Lpm Maximum Rated Flow (3.78 gpm)

60°C Maximum Rated Temperature (140°F)

Dimensions:

Height	Length	Width	Weight
			
100cm	110cm	60cm	65.2kg

PART NO

HP-TI5207PHR-G Recoil start

Recommended Accessories

Carbon Power Pole - V2 7-section

HP-HX7-COMP



460mm Hammerhead Hard Surface Cleaner with Stainless Steel Castor Wheels

HP-HSC460



Honda Powered High Pressure Washer

276 Bar Honda powered cold water Pressure Washer, mounted on a robust steel trolley

This is a versatile and heavy-duty work horse, capable of meeting the most demanding outdoor tasks on hand such as cleaning of gutters, cladding, wall surfaces, signs, decking, patios, paths and driveways, to name a few. The well-proven Honda GX390 petrol engine coupled via a gearbox to a well-known Comet triple plunger pump, along with industrial grade single lance, hose and other hardware means that this machine is your reliable number one for commercial work, day in and day out. The compact yet robust trolley enables this machine to be easily transported to and from site.

Specifications & Benefits include

- GX390 Honda engine, recoil start
- Comet geared triple plunger pump with built-in unloader valve - for smooth & reliable operation
- 36" Heavy duty steel chrome single lance with quick connector - for easy nozzle changes
- 10-metre High pressure twin wire rubber hose - for industrial use and longevity
- 3-metre 19mm Suction hose with weighted filter attached - for drawing from a sump
- Chemical injector on unloader with small filter attached - for drawing in detergents
- Assortment of 5 different nozzles, 15deg, 25deg, 40deg, pencil and foaming tips - for every eventuality
- Heavy duty metal trolley with 13" flat-free wheels - for robustness and great manoeuvrability



Cold Water




Key Features:

276Bar Maximum Rated Pressure
(4,000 psi)

16Lpm Maximum Rated Flow
(4.4 gpm)

60°C Maximum Rated Temperature
(140°F)

Dimensions:


Height	Length	Width	Weight
 100cm	 110cm	 60cm	 65.2kg

PART NO
HP-T16276PHR-G Recoil start

Recommended Accessories

550mm Hammerhead Stainless Steel Hard Surface Cleaner with castors

HP-HSC550-SS



400mm 4-nozzle Broom On Castors

HP-WB04



Honda Powered Pressure Washer

276 Bar Honda powered cold water Pressure Washer, mounted on a robust stainless steel cage

This high pressure washer cage has similar features to the HP-T16276PHR-G and is perfect for portable high-pressure washing needs. Once connected to a water source, with its mounted hose reel and lance this unit can be deployed quickly. The durable stainless steel cage protects the pressure washer and makes loading and transportation easy.

Features

- Stainless steel frame design
- Fitted with a HP-HRM050 hose reel and 15-metres of hose (quick release option available)
- Reliable Honda GX390 engine
- Geared triple plunger pump with unloader valve
- Powerful pump & engine combination
- Lance & nozzle holders incorporated in frame

With Hose Reel:
589mm (W) x 597mm (L) x 897mm(H)

With Quick Release Hose Reel:
589mm (W) x 597mm (L) x 920mm(H)

PART NO
HP-C16276PHR-H Honda Powered Cage Pressure Washer, 16 Lpm 276 Bar

Recommended Accessories

300mm Handheld Hard Surface Cleaner

HP-HSC300



Drain Cleaning Valve Kit

HP-GP2100358



New for 2022




Cold Water

276Bar Maximum Rated Pressure

16Lpm Maximum Rated Flow


50°C Maximum Fluid Temperature

Dimensions:

Height	Length	Width	Weight
 57.1cm	 59.7cm	 58.9cm	 65kg

Pressures Washer Systems

New for 2022



350L

Visit our website for the latest prices
www.streamline.systems

A Hotcube, 350Ltr tank with stainless frame and 2 x 150A hose reels (1 for filling and one for distribution) on a painted galvanised skid. This allows the user to forklift a pre-assembled hot pressure washing kit into their van. The skid is designed to allow the user to choose between temporary fixings or bolting it into their van.





Features

- Slots for Forklifting
- Plenty of mounting holes
- 350Ltr Capacity
- Hot pressure washing.
- Fill function
- Single user.
- All Hotcube Features.
- 2 x 150A Hose Reels

Benifits

- Pre-built and plumbed kit ready for installation.
- Can be permanently or temporarily installed into a van.

Weights & Dimensions

Height  970mm	Length  1900mm
Width  1200mm	Weight  406kg

PART NO
HP-SKD350-15207DHE-150H

New for 2022



500L

A Hotcube, 500Ltr tank with stainless frame and 2 x 150A hose reels (1 for filling and one for distribution) on a painted galvanised skid. This allows the user to forklift a pre-assembled hot pressure washing kit into their van. The skid is designed to allow the user to choose between temporary fixings or bolting it into their van.





Features

- Slots for Forklifting
- Plenty of mounting holes
- 500Ltr Capacity
- Hot pressure washing.
- Fill function
- Single user.
- All Hotcube Features.
- 2 x 150A Hose Reels

Benifits

- Pre-built and plumbed kit ready for installation.
- Can be permanently or temporarily installed into a van.

Weights & Dimensions

Height  970mm	Length  2000mm
Width  1200mm	Weight  417.7kg

PART NO
HP-SKD500-15207DHE-150H



Comet FDX Hot Cube Pressure Washer

Hot Water

200 Bar Yanmar powered hot water Pressure Washer, mounted in steel cage trolley.

This is an industrial hot water pressure washer, capable of meeting the most demanding of cleaning tasks on hand such as graffiti and chewing gum removal.

The well-proven Yanmar Diesel engine coupled via a gearbox to an Italian made Comet triple plunger pump, along with industrial grade dual lance, hose and other hardware means that this machine is your reliable number one for commercial work, day in and day out. The compact yet robust cage mounted on wheels enables this machine to be easily transported around site.

This machine can be used as a cold water pressure washer too, allowing many accessories to be attached.

200Bar Maximum Rated Pressure
(2,800 psi)

16Lpm Maximum Rated Flow
(4.2 gpm)

140°C Maximum Rated Temperature
(284°F)

Weight



210kg

PART NO	ITEM
HP-CS90580513	Comet FDX Hot Cube Pressure Washer 16 lpm, 200 Bar, static, Yanmar Diesel
HP-CS90580501	Comet FDX Hot Cube Pressure Washer 16 lpm 200 Bar, wheeled, Yanmar Diesel



Denver Trailer FDX HotCube Diesel Powered Pressure Washer

Hot Water

Hot water pressure washers are ideal for cleaning heavily soiled surfaces. They often help you get the job done quicker and more efficiently than a cold water pressure washer.

The FDX Hot Cube is available to be installed in a vehicle, on a bowser trailer system, skid system or simply a separate wheeled trolley system.

Height	Length	Width
 1,450mm	 3,600mm	 7,150mm

200Bar Maximum Rated Pressure
(2,800 psi)

16Lpm Maximum Rated Flow
(4.2 gpm)

140°C Maximum Rated Temperature
(284°F)



PART NO	ITEM
HP-TR0800B-H15207DHE-300D	Denver Trailer with blue 800-ltr tank and FDX HotCube Diesel Powered Pressure Washer 16 lpm 200 Bar, 60-mtr Hose Reels



120L Tank Size

150Bar Maximum Rated Pressure
(2,100 psi)

12Lpm Maximum Rated Flow
(2.64 gpm)



Honda Powered Barrow Mounted High Pressure Washer

150 Bar Honda powered cold water Pressure Washer, mounted on a sturdy 120-litre barrow

Cold Water

Specifications & Benefits include

- GX160 Honda petrol engine, recoil start with low oil alert
- General Pump geared plunger pump with built-in unloader valve - for smooth reliable operation
- Chemical injector on unloader for chemical pick-up
- 36-inch heavy duty steel chrome lance with quick connector and selection of 5 nozzles or easy nozzle changes
- 10-metre High pressure twin wire rubber hose for industrial use and longevity
- Hose reel mounted on the front - for secure storage of the hose when not in use
- Heavy duty metal trolley with large 15-inch wheels - for robustness and manoeuvrability

This is a versatile and rugged unit, capable of meeting the most demanding outdoor tasks on hand such as cleaning of gutters, cladding, wall surfaces, signs, decking, patios, paths and driveways, to name a few. The well-proven Honda GX160 petrol engine coupled via a gearbox to a reliable American made GP plunger pump, along with industrial grade lance, hose and other hardware means that this machine is your preferred option for commercial work, day in and day out. The compact yet robust barrow enables this machine to be easily transported to and from site and used where water availability is limited.

This machine is the perfect partner for gutter cleaning applications using telescoping wands or for turbo nozzles, rotary brushes and other attachments where single nozzles are used, especially where access to water is limited, thanks to its 120-litre tank.

PART NO	
HP-B1215OPHR	Honda Powered Barrow Mounted Pressure Washer 12Lpm 150Bar
HP-B1215OPHR-H	Honda Powered Barrow Mounted Pressure Washer 12Lpm 150Bar with 15m Hose Reel

Pressures Washer Systems



DENVER™ 800 Litre Trailer with 15Lpm 207bar Honda Pressure Washer

Cold Water

Highway tow 600 litre and 800 litre water bowser, mounted on single axle chassis, with petrol/diesel engine and pump combinations, capable of producing up to 15 lpm max flow 207bar max pressure. Complete with a 30m high pressure hose reel and hose.

Height 1,270mm	Length 2,450mm	Width 1,750mm
--------------------------	--------------------------	-------------------------

Features

- Durable and corrosion resistant polyethylene tank, baffled for safe transport of water
- Heavy duty hot-dipped galvanised steel chassis, fully approved for towing on highways
- Adjustable jockey wheel and ball coupling (eye coupling option on request)
- Mudguards, 13-pin plug and highway lighting to EU specifications
- Two rear lights housed in a steel channel for protection
- Fitted with rubber suspension, auto-reverse braking and hand parking brake

207Bar Maximum Rated Pressure
(2,900 psi)

15Lpm Maximum Rated Flow
(3.95 gpm)

60°C Maximum Rated Temperature
(140°F)

PART NO	ITEM
HP-TR0800B-15207PHR-150P	DENVER™ 800 Litre Trailer with 15Lpm 207bar Honda Pressure Washer, 30m Reel
HP-TR0800B-16276PHR-150P	DENVER™ 800 Litre Trailer with 16Lpm 276bar Honda Pressure Washer, 30m Reel



DENVER™ 800 Litre Trailer and FDX Hot Cube Honda Powered Pressure Washer

Hot Water

These are probably the most compact trailer mounted 600 & 800 litre pressure washers on the market today, with a total length of less than 2.5 meters. A rugged and well-constructed trailer, meeting all current regulations and Type Approval, with powerful engine and pump combinations. This trailer provides a solution to situations where water is readily needed away from a water source and for the most demanding of outdoor cleaning tasks.

- Pedestal mounted heavy duty lockable metal hose reel with 30 metres of twin-wire high pressure hose, 36" dual lance and fan nozzle
- Assortment of 5 different nozzles, 15°, 25°, 40°, pencil and foaming tips

Height 1,450mm	Length 3,600mm	Width 1,750mm
--------------------------	--------------------------	-------------------------

Features


- Italian plunger pumps driven via a gearbox, with up to 200 bar max pressure and 16 lpm max flow capabilities, suitable for powering accessories such as rotary hard surface cleaners and water brooms, etc.
- Reliable Yanmar diesel engine, for easy start and smooth, powerful performance, mounted on to the galvanised chassis.
- Unloader valve with internal bypass, ensures longevity of the pump seals
- Inline suction filter, to prevent any debris from entering the pump.
- Chemical injector valve with line and filter for applying detergents.

200Bar Maximum Rated Pressure
(2,900 psi)

16Lpm Maximum Rated Flow
(3.95 gpm)

140°C Maximum Rated Temperature
(284°F)

PART NO	ITEM
HP-TR0800B-H15207PHE-300D	DENVER™ Trailer with blue 800 litre tank and FDX Hot Cube Honda Powered Pressure Washer 16 lpm, 200 bar, 60 metre Hose Reels




The **HIGHLINE™** High Pressure Poles are designed and built for the most demanding of tasks, with the best for the user in mind. High pressure cleaning tasks up to four storeys high can now be achieved using the **HIGHLINE™** and Giraffe telescoping wands.

With a selection of nozzles and attachments, these poles offer a solution to almost any cleaning at height challenge encountered. These composite poles offer lightness, yet retain their stiffness and enable a maximum reach of an astounding 42ft.

Giraffe High Pressure Telescopic Poles

Designed to fit most pressure washers, hose rated to (4000 PSI) 280 bar.



Part No.	Composition	No. Of Sections	Minimum Length	Maximum Length	Achievable Height	Weight (kg) (pole only)
HP-HX4-COMP	Hybrid	4	2100mm	6800mm/ 22ft	24ft	2.6kg
HP-HX5-COMP	Hybrid	5	2100mm	8000mm/ 26ft	28ft	3.1kg
HP-HX6-COMP	Hybrid	6	2100mm	9400mm/ 30ft	32ft	3.7kg
HP-HX7-COMP	Hybrid	7	2400mm	12500mm/ 40ft	42ft	4.9kg

Maximise your cleaning...
with the Giraffe high pressure telescoping wands!



Glass Fibre / Aluminum Combination 18/24 ft Telescopic Wand
• Rated to 285 Bar

Part No.	Composition	No. Of Sections	Minimum Length	Maximum Length	Achievable Height	Weight (kg) (pole only)
HP-18	Glass Fibre/Aluminium	3	2100mm	5200mm	20ft	3.3kg
HP-24	Glass Fibre/Aluminium	4	2100mm	6900mm	26ft	4.7kg

Pressures Washer Systems



STREAMLINE® High Pressure Brush

STREAMLINE® high pressure brush, medium dual bristle, complete with 2 nozzles.

PART NO	
HP-SBF26-MD	10" Brush (260mm)
HP-SBF36-MD	14" Brush (360mm)



Cladding & Sign Brush Kit

For cladding and sign cleaning a 12" brush can be fitted

PART NO	
HP-BRUSH-KIT061201	



High Pressure Single Swivel

High Pressure Single Swivel – Female threads

PART NO	
HP-SS	



Quick Release Coupling Kit

Allows quick disconnect of lances and wands.

PART NO	
HP-COUP-KIT01	
HP-COUP-KIT02	Quick Release M22 to F3/8



High Pressure Brass Swivel

High Pressure Brass Swivel male plug, female coupler

PART NO	
HP-BS	



12" Gutter Cleaning Attachment

For use with all telescoping wands (excludes nozzle shown).

PART NO	
HP-GC	



Belt Kit to suit HP.24 + HP.18

Supplied with HP.18A and HP.24A poles only

PART NO	
HP-BK	



Various Nozzles

For use with all telescoping wands.

PART NO	
HP-NP020	
HP-NP025	
HP-NP030	
HP-NP035	
HP-NP040	
HP-NP045	
HP-NP050	
HP-NP055	
HP-NP070	
HP-NP075	
HP-NP085	

AVAILABLE IN

- 5 packs
- Singles


Professional Chewing Gum Removal Tool

With up to 18 needle nozzles equipped cleaning head with 350 bar maximum operating pressure. The device is hand-held. The built-in nozzle is used for the removal of chewing gum and other stubborn dirt. It dissolves chewing gum from the top, and collects it in a chamber so that it can easily be removed and disposed of after cleaning.

This tool can be used on smooth surfaces with cold or hot water up to 95° C. Rough surfaces are best cleaned with hot water at 85-95° C.

- Operating pressure max. 350 bar
- Spray angle Spot beam
- Temperature max. 95° C
- Casing Plastic / stainless steel
- Nozzle size (table) 030 - 080
- Water consumption max. 34 l / min
- Dimensions 310 x 130 x 180mm
- Weight 2.0kg

PART NO	
HP-CTPOLY2-GL0900	



Surface Cleaners

Flat surface cleaners allow you to clean large areas in a fraction of the time. The cleaner glides easily across the surface uniformly cleaning pool decks, sidewalks, garage floors and more. The cover is made from heavy-duty ABS material and metal components are made from anodised aluminium and stainless steel.



460mm (18") Hammerhead Hard Surface Cleaner

285Bar Maximum Rated Pressure


30Lpm Maximum Rated Flow

3/8" F NPT Inlet

Part No.

HP-HSC460-ES

HP-HSC460 As above with 4 Stainless Steel Castor Wheels



550mm (22") Hammerhead Stainless Hard Surface Cleaner

285Bar Maximum Rated Pressure

30Lpm Maximum Rated Flow

3/8" F NPT Inlet

Part No.

HP-HSC550-SS



HP-HSC300-QR


300mm Handheld Hard Surface Cleaner

- Ideal for vertical surfaces & confined areas
- Cleans up to 25 m² per minute
- M22M inlet

PART NO

HP-HSC300

HP-HSC300-QR 12" Handheld Surface Cleaner with 1/4 inch M Quick Release Coupler



12" 3-Nozzle Wall Crawler

- Maximum rated pressure - 285Bar (4000psi)
- Maximum rated temperature - 85°C (185°F)
- Water brooms allow you to clean large areas in a fraction of the time compared to standard lances. Glides easily across outdoor surfaces, uniformly cleaning them.

PART NO

HP-GP2100505



Pressures Washer Systems

HIGHLINE™ products are underpinned by the General Pump brand, a proven and reliable brand which has been industry tested worldwide for over 34 years.

With a wide variety of accessories available from the huge range of General Pump products, capable of meeting demands of high flows and extreme pressures, the items listed on these pages are just a taster of much more available. Please enquire from our sales team if you require a product not featured here.



Heavy Duty High Pressure Inline Gun

- Rated to 40 lpm 285 Bar
- 3/8" F NPT inlet • 1/4" F NPT outlet

PART NO
HP-G4000-10



Heavy Duty High Pressure Gun

- Rated to 30 lpm 285 Bar
- 3/8" F NPT inlet
- 1/4" F NPT outlet

PART NO
HP-G4000-08



Rotating Turbo Nozzle

- Rated to 260 Bar • 1/4" F BSP inlet

PART NO	ITEM
HP-TN-250	Turbo Nozzle - 250 Bar
HP-TN-350	Turbo Nozzle - 350 Bar



1/4 Plug - 1/4 Thread

PART NO	ITEM
HP-M14M14	



Gun and 36" Lance Assembly

- For professional use
- Rated to 30 lpm 285 Bar
- Includes M22 male inlet

PART NO
HP-GL09002

*Nozzle not included




1060mm Dual Lance

- 40 lpm 285 Bar
- 1/4" M NPT inlet
- Length 1060mm

PART NO
HP-DL1060

Chrome Plated Insulated Lances



Chrome Plated Insulated Lance

- 40 lpm 285 Bar
- 1/4" M NPT inlet
- Length 900mm

PART NO	ITEM
HP-SL0900	900mm
HP-SL1060	1060mm



Scan Here to shop online for the latest prices

Contact us on +44 (0)1626 830 830

Hose Reels & Accessories

A range of high quality hose reels with direct hand crank rewind, locking mechanism, solid steel construction and full flow brass swivel joint.



Free Standing 100ft x 3/8" (30m) Hose Reel

- Rated to 350 bar
- 100 ft x 3/8" hose (30m)
- Free standing
- 1/4" NPT Male Inlet

PART NO
HP-HRM100-FS

Reels rated to 250 bar



50 ft x 3/8" (15m) Hose Reel

Inlet Thread: 3/8" NPT Female

PART NO
HP-HRM050



100 ft x 3/8" (30m) Hose Reel

Inlet Thread: 3/8" NPT Male

PART NO
HP-HRM100



150 ft x 3/8" (45m) Hose Reel

Inlet Thread: 3/8" NPT Female

PART NO
HP-HRM150



200 ft x 3/8" (60m) Hose Reel

Inlet Thread: 3/8" NPT Male

PART NO
HP-HRM200



150ft x 3/8" (45m) Hose Reel fixed on 'A' Frame

Inlet Thread: 3/8" NPT Female

PART NO
HP-HRM150A



150ft x 3/8" (45m) - Hose Reel fixed on 'A' Frame

PART NO
HP-HRM151A-045-6161
Includes 45m 5/16" of twin wire hose




150ft x 3/8" (50m) - Hose Reel with Hose Guide fixed on 'A' Frame

PART NO
HP-HRM152A
HP-HRM152A-050-5761
Includes 50m of hose



150ft x 3/8" (50m) Electric Hose Reel fixed on 'A' Frame

PART NO
HP-HRM153A
HP-HRM153A-050-5761
Includes 50m of hose



150ft x 3/8" (50m) Electric Hose Reel with Hose Guide fixed on 'A' Frame

PART NO
 HP-HRM154A
 HP-HRM154A-050-5761
 Includes 50m of hose



300ft x 3/8" (100m) Hose Reel with Hose Guide fixed on 'A' Frame

PART NO
 HP-HRM302A
 HP-HRM302A-100-5761
 Includes 100m of hose



150ft x 3/8" (50m) Hose Reel fixed on 'A' Frame & Trolley
 Includes 50m of hose

PART NO
 HP-HRM158A
 HP-HRM158A-050-5761
 Includes 50m of hose



300ft x 3/8" Electric Hose Reel fixed on 'A' Frame

PART NO
 HP-HRM303A
 HP-HRM303A-100-5761
 Includes 100m of hose



150ft x 3/8" (50m) - Hose Reel with Hose Guide fixed on 'A' Frame & Trolley

PART NO
 HP-HRM159A
 HP-HRM159A-050-5761
 Includes 50m of hose



300ft x 3/8" Electric Hose Reel with Hose Guide fixed on 'A' Frame

PART NO
 HP-HRM304A
 HP-HRM304A-100-5761
 Includes 100m of hose



300ft x 3/8" (100m) Hose Reel fixed on 'A' Frame
 Inlet Thread: 3/8" NPT Male

PART NO
 HP-HRM300A



300ft x 3/8" Hose Reel fixed on 'A' Frame & Trolley

PART NO
 HP-HRM308A
 HP-HRM308A-100-5761
 Includes 100m of hose




300ft x 3/8" (100m) Hose Reel with Hose Guide fixed on 'A' Frame & Trolley

PART NO
HP-HRM309A
HP-HRM309A-100-5761
 Includes 100m of hose



Hose Reel High Pressure 450' x 3/8 inch - A-frame type

PART NO
HP-HRM450A
HP-HRM458A



Hose Reel Guide Accessory

PART NO
HP-GP2100462 To Suit HP-HRM150A
HP-GP2100463 To Suit HP-HRM300A



High Pressure Hose - 5/16" Twin Wire

PART NO
HP-H516T-01000-5757 10mtr Length
HP-H516T-02000-5757 20mtr Length



Quick Release Plate Kit

Suitable for all HP Hose Reels, with all fixings required.

PART NO
HP-KIT0001



Soap Shooter Kit

Includes 30ft hose filter and No.4 nozzle.

PART NO
HP-GP100145

High Pressure Couplings

* All 1/4" couplings rated to 350 bar. All 3/8" and M22 couplings rated to 285 bar.



1/4" Quick Disconnect - 1/4" M Thread - Stainless Steel

PART NO
HP-F14M14-SS
HP-F38M38-SS



1/4" Plug - 1/4" F Thread

PART NO
HP-M14F14

1/4" Plug - 1/4" F Thread - Stainless Steel

HP-M14F14-SS

3/8" Plug - 3/8" F Thread

HP-M38F38



1/4" Quick Disconnect - 1/4" F Thread

PART NO
HP-F14F14

3/8" Quick Disconnect - 3/8" F Thread

HP-F38F38



1/4" Plug - 1/4" M Thread

PART NO
HP-M14M14

1/4" Plug - 1/4" M Thread - Stainless Steel

HP-M14M14-SS

3/8" Plug - 3/8" M Thread

HP-M38M38




**1/4" Quick Disconnect
- 1/4" M Thread**

PART NO
HP-F14M14

3/8" Quick Disconnect - 3/8" M Thread

HP-F38M38



1/4" Quick Disconnect - 1/4" F Thread - Stainless Steel

PART NO
HP-F14F14-SS
HP-F38F38-SS



**Threaded Connector
M22F Thread - 1/4" F**

PART NO
HP-F22F14

**Threaded Connector
M22F Thread - 3/8" F**

HP-F22F38



**Threaded Connector
- M22F Thread - 1/4" M**

PART NO
HP-F22M14

**Threaded Connector
- M22F Thread- 3/8" M**

HP-F22M38



**Threaded Connector
- M22M Thread - 1/4" F**

PART NO
HP-M22F14

**Threaded Connector
- M22M Thread - 3/8" F**

HP-M22F38



**Threaded Connector
- M22M Thread - 1/4" M**

PART NO
HP-M22M14

**Threaded Connector
- M22M Thread - 3/8" M**

HP-M22M38



**Threaded Connector
M22 to 3/8" M**

PART NO
HP-M22M38Q

Find us on



Don't forget,
for the latest prices online at
www.streamline.systems



Contact us on
+44 (0)1626 830 830

High Pressure Accessories



**Replacement Handle for
HP-HRM150P Reel**

PART NO
HP-GP2660233



**Hose Reel Swivel for
HP-HRM150A/300A**

PART NO
HP-GP2103246



**Hose Reel Swivel for
HP-HRM150P Reel**

PART NO
HP-GP2103261




**Hose Reel Stacking Kit to suit
HP-HRM150A & HP-HRM300A
Hose Reels**

PART NO
HP-KIT0003



**Threaded Connector -
M22M - M22M**

PART NO
HP-M22M22



**Hose Reel High Pressure
300' x 3/8 inch - A-frame type
with Trolley & Hose Guide**

PART NO
HP-HRM309A



**Hose Reel Trolley for HP A-frame
Hose Reels**

PART NO
HP-GP2100465



**Hose Reel Stacking Kit to suit
HP-HRM150A & HP-HRM300A
Hose Reels**

PART NO
HP-KIT0002



**Replacement Brush for
HP-HSC300 Rotary**

PART NO
HP-GP2660195



**Replacement Brush for
HP-HSC460 Rotary**

PART NO
HP-GP2660195



**Replacement Brush for
HP-HSC550 Rotary**

PART NO
HP-GP2103223



**Rotary Arm with Nozzles for
HP-HSC550 rotary**

PART NO
HP-GP2103224



**Nozzle Jet for HP-HSC300 Rotary
Hard Surface Cleaner**

PART NO
HP-GP925020S



**Nozzle Jet for HP-HSC
460 / 500 / 550 Rotary HSC**

PART NO
HP-GP925020M



**Swivel with Zert for Rotary
HSC 460 / 500**

PART NO
HP-GP2103220 HP-HSC460 / 500
HP-GP2103226 To suit HP-HSC550



**Compensating Gun for
HP-HSC460/500/550 Rotaries**

PART NO
HP-G4000-FSC



Drain Cleaning Nozzle


PART NO
HP-DNC-04



Lance Extension for HP & Power Poles, M22F x 1/4 Quick Disconnect, 150mm

Suits the HP-18 and HP-24 high pressure Giraffe poles

PART NO
HP-EXT-150-01



Repair Kit for Swivels - to suit HP-HRM-D reels

PART NO
HP-GP2100278



Stainless Extension - 1/4" M x 1/4" M - 150mm

PART NO
HP-EXT-COMP To Suit HP-18 / HP-24



Adjustable Brass Chemical Injector - 3/8"

PART NO
HP-GP100619

Pressures Washer Systems



Replacement O-Ring for HP-F14

PART NO
HP-F14-OR-001



Replacement O-Ring for HP-F38

PART NO
HP-F38-OR-001



Replacement Brass Elbow O-Ring

PART NO
HP-BHC90-OR-001





Section 7

Internal Window Cleaning

Areas of use include car showrooms, stair wells and atriums in office blocks, schools, colleges, hotels, airports, shopping centres... the opportunities are endless! Saving time, saving money...

STREAMLINE® DRAGONFLY® 4

The **STREAMLINE® DRAGONFLY®** is the perfect answer to internal glass cleaning where a ladder or other reach equipment is normally required, as it allows you to clean windows at height with your feet on the ground. With a simple pump system and bottle filled with pure water or a light detergent glass cleaner in a backpack and a

microfibre pad on a swivel mop plate attached to a telescope the **DRAGONFLY®** simplifies internal window cleaning forever. Areas of use include car showrooms, stair wells and atriums in office blocks, schools, colleges, hotels, airports, shopping centres the opportunities are endless! Saving time, saving money...

New improved coiling hose, prevents you from tripping on trailing hoses.

Working at height presents all sorts of health and safety issues. **STREAMLINE®** telescopic pole products are developed to simplify these issues and reduce risks associated with working at height as far as possible.

The **DRAGONFLY®** can be fitted to any one of the **STREAMLINE®** telescopic poles and extra pole kits can be purchased separately to allow the **DRAGONFLY®** to be connected to various pole sizes.

The high tech microfibre pads are washable up to 500 times, without losing their integrity. When they are slightly moistened, they can cut through grease and other soilage found on glass in almost no time at all.

The high tech microfibre pads are washable up to 500 times, without losing their integrity. When they are slightly moistened, they can cut through grease and other soilage found on glass in almost no time at all.

The battery operated pump allows a fine mist of pure water or a light detergent glass cleaner to be applied to the area to be cleaned without the need to collapse the pole to moisten the pad. The backpack enables the operator to move around freely and can be configured to suit individual requirements.

The kit includes instructions for use, a 240V battery



Internal Window Cleaning



Scan Here
to shop online
for the latest prices

Visit our website
www.streamline.systems

DRAGONFLY 4

Easy fill 1.5 ltr
water reservoir

**STREAMLINE
OVAS**

Lightweight
Carbon Fibre
Telescopic Pole
reach up to 18m
(60 ft)

The **DRAGONFLY 4** internal window cleaning kit

Quite possibly the best internal window
cleaning kit in the world...

The DRAGONFLY 4 internal window and glass cleaning kit brings you the latest innovation from the STREAMLINE range of high reach cleaning equipment.

It is the simplest, safest and most efficient way to clean internal windows at height – reaching up to 60ft!

The **DRAGONFLY 4** relies on no detergents or chemicals and yet cleans a multitude of surfaces, including windows, mirrors, cladding and stainless steel surfaces to a sparkling and spot-free finish. With a compact battery and pump combination mounted in the comfortable backpack, controlled by a simple switch on one of the lightweight **OVAS** poles, the **DRAGONFLY 4** has proven to clean at height up to three times faster than traditional methods ... and safely from the ground.

Benefits:

- Environmentally friendly – no chemicals required
- Rechargeable battery – ensures the task can be completed without the worry of having to have spare batteries
- **OVAS** telescopic poles – no modular pole sections lying around
- Can be fitted to any of the pole sizes from the **OVAS** range – reaching up to 16mtr (60ft)



DRAGONFLY® 4

MK4 Internal Window Cleaning Kit Complete with Pole Attachments




Kit includes:

- | | |
|---|--|
| <p>1 STREAMLINE® DRAGONFLY® 4
Backpack, containing 1.5 litre water reservoir, battery, pump and remote control switch</p> <p>2 Battery Charger</p> <p>3 25cm Aluminium Mop Plate</p> <p>4 2 x Glass Microfibre Scrub Mops</p> | <p>5 2 x Glass Microfibre Polishing Mops</p> <p>6 Remote control</p> <p>7 Pole attachment</p> <p>8 15m of tubing</p> |
|---|--|

PART NO	ITEM
DRAGONFLY4-001	DRAGONFLY® MK4 Internal Window Cleaning Kit Complete with Pole Attachments
DRAGONFLY4-002	DRAGONFLY®4 Internal Window Cleaning Kit Complete with OVA8 pole attachments

STREAMLINE® OVA8® DRAGONFLY® 4 Pole Options



Cleans up to
60ft
from the safety
of the ground

Internal Window Cleaning

Benefits of a STREAMLINE® OVA8® pole?

- Its innovative design ensures that the dreaded pole spin associated with worn pole sections is a thing of the past.
- Superb pole section clamps ensure the pole sections stay where you want them.
- 100% carbon ensuring it's as light as possible and as strong as possible.
- Its 2 flat sides make the pole easier to hold for long periods of time.
- Available in multiple sizes to suit customers' needs.

STREAMLINE OVA8® Telescopic Pole Options for DRAGONFLY® 4 Internal Cleaning Kit

PART NO	ITEM
DRAGON-OV17-24-E	STREAMLINE® OVA8® OV17-24 5.2mtr Telescopic Pole for DRAGONFLY®4
DRAGON-OV22-24-E	STREAMLINE® OVA8® OV22-24 6.7mtr Telescopic Pole for DRAGONFLY®4
DRAGON-OV25-24-E	STREAMLINE® OVA8® OV25-24 7mtr Telescopic Pole for DRAGONFLY®4
DRAGON-OV30-24-E	STREAMLINE® OVA8® OV30-24 10mtr Telescopic Pole for DRAGONFLY®4
DRAGON-OV35-30-E	STREAMLINE® OVA8® OV35-30 11mtr Telescopic Pole for DRAGONFLY®4
DRAGON-OV40-30-E	STREAMLINE® OVA8® OV40-30 13mtr Telescopic Pole for DRAGONFLY®4
DRAGON-OV45-30-E	STREAMLINE® OVA8® OV45-30 15-mtr Telescopic Pole for DRAGONFLY®4
DRAGON-OV60-40-E	STREAMLINE® OVA8® OV60-40 20-mtr Telescopic Pole for DRAGONFLY®4

DRAGONFLY® 4

Accessories



Spray Body & Nozzle for
ECOSHINE™ Pro & DRAGONFLY® 4

PART NO
TERIO116



DRAGONFLY® 4 Battery Charger
Universal with adaptors

PART NO
BC00002-ES



21 Series Female Connector
with 4mm hose tail

PART NO
Q21FH-04




21 Series Male Adaptor 1/4 inch
female thread with Non
Return Valve

PART NO
Q21MF-14-NCV



25cm Aluminium Mop Plate

PART NO
V370300



40cm Mop Plate & Pad

PART NO
V374618
V549440



Female Threaded Socket

PART NO
FT2



Replacement DRAGONFLY® 4
12v NIMH Battery

PART NO
BATT0001



DRAGONFLY® Complete
spray assembly for OVA®8
DRAGONFLY® Poles

PART NO/ITEM
DRAGON-KIT08 DRAGONFLY® Spray Assembly
for OVA8®

Internal Window Cleaning

New for
2022

Don't forget,
for the latest prices shop online at
www.streamline.systems



Contact us on
+44 (0)1626 830 830



ECOSHINE™ PRO

ECOSHINE™ PRO is a telescopic tool for cleaning indoor windows and other washable surfaces. It is sturdy, manoeuvrable and easy to use, combining the cleaning power of pure water and microfibre, to remove any kind of dirt from windows and other non-porous surfaces, with rapidity and minimal effort.

Benifits

- Significantly reduces operating times
- Lightweight, compact and easy to use
- Eases access to small and awkward surfaces
- No need to dry surfaces after cleaning.

Applications

- Partition walls
- Mirrors & showers
- Ground windows
- Shop windows
- Display cabinets
- Public transport windows
- Digital signs
- ...and many more!

Each kit comes with 4 pads

- 2 x Microfibre Polishing Mops
- 2 x Microfibre Scrub Mops

Available in 2 sizes:

PART NO	MIN. LENGTH (mm)	MAX. LENGTH (mm)	NO. SECTIONS	WEIGHT (kg)
V552150	1180	1660	2	1.0
V552310	1960	3260	2	1.5




Scan Here to shop online for the latest prices



Includes 2 x **STREAMLINE®** Polishing Mops & 2 x **STREAMLINE®** Scrub Mops

150cm length

PART NO
V552150



Includes 2 x **STREAMLINE®** Polishing Mops & 2 x **STREAMLINE®** Scrub Mops

310cm length

PART NO
V552310



Don't forget, for the latest prices shop online at www.streamline.systems



Contact us on **+44 (0)1626 830 830**

ECOSHINE™ Kit
Indoor Window Cleaning Kit

For easy cleaning of low level internal windows. No need for chemicals, clean with ordinary water and microfibre technology.



Kit Includes

- 1** 2-stage telescoping pole with 25cm aluminium mop plate
- 2** 2 x microfibre polishing mops
- 3** 2 x microfibre cloths
- 4** 300ml trigger spray bottle
- 5** Handy carry bag

PART NO
V549102

Mop Pads




STREAMLINE®
Microfibre Polishing Mop
30cm

PART NO
V549120

Included with the **STREAMLINE®**
DRAGONFLY®4

30cm



STREAMLINE®
Microfibre Scrub Mop
30cm

PART NO
V549121

Included with the **STREAMLINE®**
DRAGONFLY®4

30cm



Scan Here
 to shop online
 for the latest prices

Visit our website
www.streamline.systems



Section 8

FILTERPLUS[®] Filtration & Resin

From commercial reverse osmosis static systems, to portable carry DI systems and all accessories to go with.

FILTERPLUS[®]

Filtration & Resin

STREAMLINE[®] includes a large range of filtration equipment under the **FILTERPLUS**[®] brand, from commercial reverse osmosis static systems, to portable carry DI systems and all accessories to go with.



Reverse Osmosis systems

Pages 210

Compact, part assembled, cost effective water purification made easy. Unit includes Triple Prefiltration, RO Membrane, pressure gauge, Shut-off valve all mounted on a sturdy metal frame. Available with or without a booster pump.



FILTERPLUS[®] MOBI[®] Filtration systems

Pages 214 - 229

Available as single items or as part of a kit, the **MOBI**[®] filters produce pure water on-demand quickly and easily, which helps you get started - FAST! Filled with demineralising resin, these filters produce instant results for a spot-free clean, giving you pure water right where you need it.



FILTERPLUS[®] Filtration Accessories

Pages 230 - 233

With a full range of filtration systems, **STREAMLINE**[®] has all replacement parts and accessories you need to keep your system fully functional. From Filter housings, to resin beads, and from reverse osmosis membranes to pre-filter housings, **STREAMLINE**[®] offers the full range.



FILTERPLUS® 300

300 gallon per day reverse osmosis water filtration system.

Compact, part assembled, cost effective water purification made easy. Unit includes triple prefiltration, single membrane, pressure gauge, shut off valve mounted on sturdy metal frame.

System requires minimum of 40 PSI inlet pressure.

300 US gallons per day, approx 20 litres/hour in optimum conditions

- Triple prefiltration
- Single membrane
- Pressure gauge
- Shut-off valve
- Mounted on a sturdy metal frame

PART NO
300GPD-F
300GPD-F-DI



FILTERPLUS® 600

600 gallon per day reverse osmosis water filtration system.

Compact, part assembled, cost effective water purification made easy. Unit includes triple prefiltration, single membrane, pressure gauge, shut off valve mounted on sturdy metal frame.

600 US gallons per day, approx 40 litres/hour in optimum conditions

- Triple prefiltration
- Dual membrane
- Pressure gauge
- Shut-off valve
- Mounted on a sturdy metal frame

PART NO
600GPD-F
600GPD-F-DI

Add your fittings kit

Nylon Hoselock
Quick coupling kits for FILTERPLUS® 300 / 600 systems.



KIT01301

KIT01601

Brass Hoselock
Quick coupling kits for FILTERPLUS® 300 / 600 systems.



KIT01300

KIT01600



Triple Prefilter Kit


Triple 10" Prefilter Kit, fits most traditional RO systems

PART NO
KIT02310-001



10" & 20" Sediment Cartridges

PART NO	ITEM
DF10-F-001	10" Cartridge
DF20-F-001	20" Cartridge




10" & 20" Granular Carbon Cartridges

PART NO	ITEM
GAC10-F	10" Cartridge
GAC20-F	20" Cartridge



10" & 20" Carbon Block Cartridges

PART NO	ITEM
CF10-F-001	10" Cartridge
CF20-F-001	20" Cartridge



10" & 20" Eco Cartridge

PART NO	ITEM
FH2C-10-F	10" Eco Cartridge
FH2C-20-F	20" Eco Cartridge



FILTERPLUS® CLK Prefilter Cartridge Set

PART NO
KIT02310-CLK



Sediment Cartridge Filter - CLK Bayonet type

PART NO
CLK2-DF360



Granular Carbon Cartridge Filter - CLK Bayonet type

PART NO
CLK2-GAC360




Carbon Block Cartridge Filter - CLK Bayonet type

PART NO
CLK2-CF360



DI Cartridge Filter - CLK Bayonet type


PART NO
CLK2-DI360



10" & 20" Filter Housings

10" Housings with 1/4" and 1/2" ports
20" Housings with 1/2" ports

PART NO	ITEM
FH2WW-10	10" White Filter Housing 1/4" Female ports
FH2CW-10	10" Clear Filter Housing 1/4" Female ports
FH2WW-20	20" White Filter Housing 1/2" Female ports
FH2CB-20	20" Clear Filter Housing 1/2" Female ports



R.O. Membrane 300 gpd

Fits **FILTERPLUS®** 300 and 600 systems.

PART NO
R-MR300



240V Booster Pump

Compatible with all **STREAMLINE®** reverse osmosis filtration systems.

PART NO	ITEM
BP-0200	300 gpd Booster Pump - 200L per hour
BP-0400	600 gpd Booster Pump - 400L per hour
BP-0600	21" Membrane - 600L per hour
BP-0800	40" Membrane - 800L per hour



Brass Hose Lock

Quick coupling kits for **FILTERPLUS®** 300 and 600 systems.

PART NO	ITEM
KIT01300	For 300 gpd
KIT01600	For 600 gpd



Nylon Hose Lock

Quick coupling kits for **FILTERPLUS®** 300 and 600 systems.

PART NO	ITEM
KIT01301	For 300 gpd
KIT01601	For 600 gpd



Scan Here
to shop online
for the latest prices

Visit our website
www.streamline.systems



FILTERPLUS® MOBli® **range is growing...**

**Pure water, right where
you need it.**

Available as single items or as part of a kit, the **MOBli®** filters produce pure water on-demand quickly and easily and help you to get started – fast!

Filled with demineralising resin, these filters produce instant results for a spot-free clean, giving you pure water right where you need it.

FILTERPLUS[®] MINI RO

The FILTERPLUS[®] Mini RO is a fully commercial filtration unit designed to be freestanding or wall mounted and is capable of producing high volumes of pure water continuously

This RO unit has a waste adjustment valve which allows the operator to adjust the pure water ratio as required.

An optional DI filter vessel can be easily added on to the unit, to provide a final polish if required. The RO unit is fully automatic allowing for flushing and maintenance of the unit and providing a highly efficient pure water system.

A wall bracket is available as an optional extra to free up floor space if required. The RO unit has a stainless steel support frame to minimise rust in wet environments.



Weights & Dimensions

Height



783mm

Length



514mm

Width



380mm

Weight / Dry



39.5kg

(With wall bracket)

Height 783mm

Width 514mm

Length 408mm

New for
2022

Features

- Free standing unit with optional wall mount bracket
- Fully incorporated twin RO membranes
- 10" Big Blue pre-filters
- Optional DI filter vessel easily added on
- Fully adjustable pure / waste water ratio
- Auto flush and shut off functions
- Stainless steel support frame
- Compact and professional design
- Built-in inline TDS meter
- Easy to read pressure dial
- Produces 1200 GPD



REPLACEMENT PRE-FILTERS

T-CF10-F

FILTERPLUS[®]
10" BB
Carbon
Block
Cartridge



T-DF10-F

FILTERPLUS[®]
10" BB
Sediment
Cartridge



Filtration & Resin



Scan Here
to shop online
for the latest prices

PART NO	ITEM
FP-ST1200-03	FILTERPLUS [®] Mini RO System, 1200GPD

FILTERPLUS[®] MAXI RO

The FILTERPLUS[®] Maxi RO is a fully commercial filtration unit designed to be freestanding and is capable of producing high volumes of pure water continuously.

This RO unit has a waste adjustment valve which allows the operator to adjust the pure water ratio as required.

An optional DI filter vessel can be easily added on to the unit, to provide a final polish if required. The RO unit is fully automatic allowing for flushing and maintenance of the unit and providing a highly efficient pure water system.

The RO unit has a stainless steel support frame to minimise rust in wet environments.



Weights & Dimensions

Height



1183mm

Length



481mm

Width



514mm

Weight / Dry



74kg

(With wall bracket)

Height 783mm

Length 519mm

Width 514mm


Features

- Free standing unit
- Fully incorporated twin RO membranes
- 20" Big Blue pre-filters
- Optional DI filter vessel easily added on
- Fully adjustable pure / waste water ratio
- Auto flush and shut off functions
- Stainless steel support frame
- Compact and professional design
- Built-in inline TDS meter
- Easy to read pressure dial
- Produces 2000 GPD

REPLACEMENT PRE-FILTERS

T-CF20-F

FILTERPLUS[®]
20" BB
Carbon Block
Cartridge



T-CF20-F

FILTERPLUS[®]
20" BB
Sediment
Cartridge



Scan Here
to shop online
for the latest prices

PART NO

ITEM

FP-ST3000-03

FILTERPLUS[®] Maxi RO System, 2000GPD

New for
2022



Filtration & Resin




MOBI® CARRY
Mobile Filter Trolley

The new and easy 'Carry 'n' Go' Mobile Basic DI Filter Vessel. A 6 x 18 Vessel (6.9 litre) filled with demineralising resin, and with added benefits.

Features

- Vessel filled with resin
- Comfortable carry handle
- Same handle can be used as a wall bracket
- Stop connector on female coupler saving pure water when disconnected
- Stainless male inlet connector for long life (no chance of snapping off)
- Resin changes can still easily be performed

Available in the following options:



PART NO	ITEM
FP-MOBI-C0817-02	MOBI® Carry 8 x 17 (11 Ltr) De-ionising Filter with handle



Filtration & Resin


MOBI® CARRY

Hose Connection Kits for **MOBI®** Basic



Nylon Hose Kit - 1m
From the Tap Connector to the Filter Vessel

PART NO
FP-MOBI-KIT-014344



Stainless Hose Kit
From the Tap Connector to the Filter Vessel

PART NO
FP-MOBI-KIT-012529



Nylon Hose Kit - 1m
From the Filter Vessel to the Hose Reel

PART NO
FP-MOBI-KIT-014244



Stainless Hose Kit
From the Filter Vessel to the Hose Reel

PART NO
FP-MOBI-KIT-012129




Scan Here
 to shop online
 for the latest prices

Visit our website
www.streamline.systems

MOBI® ROLL
Mobile Filter Trolley

The simple way to clean glass! Pure water cleaning using waterfed poles eliminates the need for hand tools and detergents and keeps your feet firmly on the ground.

This easy to use **MOBI®** Roll will produce pure water instantly allowing you to clean your windows and glass leaving them gleaming and spot free without the need to squeegee.

The re-fillable filter vessel will produce approx. 8,000 litres of pure water (at 100 ppm). It is supplied with a hand-held TDS 1 meter to keep regular checks on the water quality.

Features

- Compact, sturdy steel chassis fitted with large rubber wheels for ease of mobility on uneven surfaces
- Fitted with stainless hozelock-type connectors to prevent breakages
- The outlet is fitted with an automatic shut-off valve to stop the water immediately when disconnected
- An AHA-H6 pole connector can be coupled straight into the outlet to eliminate unnecessary hoses.
- The vessel is easily removed to facilitate resin changes

Optional extras

These include pre-filtration to extend the life of the resin and inline TDS meter for quick water quality checks.



Filtration & Resin

MOBI® ROLL

PART NO	ITEM
FP-MOBI-T0835-02	Filterplus® MOBI® Trolley 8x35 DI Filter Trolley - filled with MB111

New for 2022

The **MOBI® MIDGET RODI trolley system** is a three-stage filtration system that incorporates three distinct purification technologies: a carbon block pre-filter, a reverse osmosis membrane, and a polishing DI filter. The result of the three filtration procedures is clean water with a purity level of 000ppm. This unit is designed to supply a single operator.

This excellent stainless-steel mobile trolley system can filter tap water on-demand while on-site. You are able to produce a strong flow of pure water quality using a battery powered RODI trolley system.

The **MOBI® Midget** trolley system can be used in courtyards, around schools, retail malls, and other situations where a van or trailer system cannot go. With the use of a short lightweight carbon fibre **OVA8®** pole, the trolley systems can also be mounted on rooftops for abseiling or suspended platform-based cleaning.

Features

- Compact and robust stainless-steel frame
- Comes complete with a Mains charger
- 5-hour charge time, 8 hours run time
- Built-in USB port so you can charge your mobile device while out and about
- removable battery for charging or quick changing
- Easy Removable battery for recharging
- Compact frame ensuring the unit can be used in either vertical or horizontal positions
- Instant pure water on demand
- Comes with Inline Water Quality TDS Meter
- pumped unit means consistent flow and pressure regulation



Scan Here to shop online for the latest prices

Visit our website www.streamline.systems

Operating Specifications:

- **Filtration:** Pre-filtration, Reverse Osmosis and De-Ionising filter
 - **Max Filtration Pressure:** 120psi
 - **Max Flow:** 3.8IPM (Litres per day 5,472L)*
 - **Inlet Water TDS Range:** 100-400ppm
 - **Final Water TDS:** 000ppm
 - **Voltage:** 230V
 - **Operators:** 1
 - **Run Time:** 12hrs 6hr charge time
- *In optimum conditions

REPLACEMENT FILTERS

- R-MK600**
MOBI® Midget Dual 300GPD Membrane Housing Kit (x2 required)
- DF10-F-001**
FILTERPLUS® Sediment 5 Micron 10" Cartridge
- CF10-F-001**
10" Carbon Block Cartridges



Filtration & Resin

PART NO	ITEM
FP-TR1200L-02-SS	MOBI® Midget Battery Powered RO System Stainless 1200GPD with lithium battery & charger

The **STREAMLINE® MOBI® MAXI** portable filtration system is the perfect portable system for window cleaning, solar panel cleaning, boat cleaning and many other hard surface exterior cleaning applications.

Providing that there is access to both water and mains power supply (230V), the **STREAMLINE® MOBI® MAXI** filtration system will produce enough water and pressure for 2 x operators to clean up to 22mtr (72ft), simultaneously.

Features

- Compact, robust, sturdy frame, suitable for operators to use the trolley system in most industrial environments – unit can be operated in either horizontal or vertical positions
- Large stainless-steel membrane housing, with 4040 **FILTERPLUS®** membrane
- Pressure gauge monitors pressure in membrane housing
- Industrial, 120psi, 230V, fan-cooled booster pump
- Inline TDS 3 meter monitors the water quality after the RO filter and after the final polishing DI filter
- Comes complete with hose connections for inlet, outlets and waste water ports – suitable for 1 x or 2 x operators, with separate ports
- 5mtr electrical cable

Filtration includes:

- 5 Micron Sediment Filter to remove larger particles
- 5 Micron Carbon Pre-Filter to remove Chlorine
- 4040 Reverse Osmosis membrane filter, rejects up to 98% of dissolved impurities
- DI Filter completes the purification stage, polishing the water to 000ppm

The **MOBI® MAXI** is the perfect solution for on-site building maintenance teams, window cleaners and facilities managers who need to access remote parts of modern buildings from court-yards and roof top atriums, etc.



Operating Specifications:

- **Filtration:** Pre-filtration, Reverse Osmosis and De-Ionising filter
 - **Max Filtration Pressure:** 120psi
 - **Max Flow:**
 - FP-TR2000-03 6.2Lpm (Litres per day 8,928L)*
 - FP-TR3000-03 9.5Lpm (Litres per day 13,680L)*
 - **Inlet Water TDS Range:** 100-400ppm
 - **Final Water TDS:** 000ppm
 - **Voltage:** 230V
 - **Operators:** 1 or 2
- *In optimum conditions

New for 2022



REPLACEMENT FILTERS

S-MRO-4040-F

20" Big Blue Carbon Filter



DF10-F-001

FILTERPLUS® Sediment 5 Micron 10" Cartridge




CF10-F-001

10" Carbon Block Cartridges



FH2CR-BB10

Big Blue 10" Cartridge filled with MB15 Resin



PART NO	ITEM
FP-TR2000-03	MOBI® MAXI Electric Powered RO System – 6.2LPM
FP-TR3000-03	MOBI® MAXI Electric Powered RO System – 9.5LPM

Filtration & Resin

NEW MOBI DOSE

A stainless steel softwash trolley for chemical dosing. This product can mix Algo Clear (or similar) accurately with water at a pre-set ratio on demand. Connect to a water source to produce a chemical mix either via the pump or directly through the Dosatron dosing unit. The **MOBI** Dose has receptacles for two 5-litre chemical containers.

PLEASE NOTE - Not suitable for use with Sodium Hypochlorite.

Features

- Mobile trolley design with all terrain flat-free wheels
- Durable stainless steel frame
- Built-in booster pump and lithium-ion battery (5 hour run time)
- Holds two 5-litre chemical containers
- Dosatron metering valve for accurate chemical dosing
- Stainless quick release hosesock-type inlet and outlet connections

Dimensions & Weights

Height



1207mm

Length



404mm

Width



498mm

Weight / Dry



16.5kg



Scan Here
to shop online
for the latest prices



New for
2022



Softwash Systems

PART NO	ITEM
SW-DT070-02	MOBI' Dose Mobile Trolley Dosing Unit with Booster Pump



FILTERPLUS®
Filter Vessel

Complete with riser and head standard 3/4" Female ports.

PART NO	ITEM
FP0613-01	FILTERPLUS® 6 x 13 Filter Vessel Complete (5.0 litre)
FP0618-01	FILTERPLUS® 6 x 18 Filter Vessel Complete (6.9 litre)
FP0817-01	FILTERPLUS® 8 x 17 Filter Vessel Complete (11.0 litre)
FP0835-01	FILTERPLUS® 8 x 35 Filter Vessel Complete (25.7 litre)

➔ See pages 272 for full specification

Resin & Filter Housings



FILTERPLUS®
300GPD Membrane Housing

PART NO	ITEM
R-MH2	Single Housing



Refillable Cartridge

PART NO	ITEM
FH2C-10-F	10" ECO Housing
FH2C-20-F	20" ECO Housing



De-Mineralising Resin

Tulsion Resins are virgin resins. As a guide, at 100 ppm, one 6x18 filter vessel can treat up to 2,000 litres of water. Sold in 25 litre sacks.

PART NO	ITEM
MB111	Tulsion Demineralising Resin 25 Litre
MB115	Tulsion High Grade Demineralising Resin 25 Litre

➔ See pages 274 for full specification



Plastic Filter Vessel Clamps

PART NO	ITEM
PCLIP4	Plastic 'pop' in clip for Filter Vessels with diameter of 4"
PCLIP6	Plastic 'pop' in clip for Filter Vessels with diameter of 6"




Metal Filter Vessel Clamps

PART NO	ITEM
PCLMP04	Metal Clamp with back nut, for Filter Vessels with diameter of 4"
PCLMP06	Metal Clamp with back nut, for Filter Vessels with diameter of 6"
PCLMP08	Metal Clamp with back nut, for Filter Vessels with diameter of 8"



Filtration & Resin

Find us on



For the latest prices visit: www.streamline.systems



Merlin Replacement Prefilter

17" Carbon block Filter

PART NO
M-CF20-F



Carbon for Big Blue Block

Cartridge for Big Blue Housing


PART NO	ITEM
T-CF10-F	10" Big Blue Carbon Filter
T-CF20-F	20" Big Blue Carbon Filter



Sediment for Big Blue

Cartridge for Big Blue Housing

PART NO	ITEM
T-DF10-F	10" Big Blue Sediment Filter
T-DF20-F	20" Big Blue Sediment Filter



Eco Housing Refillable Cartridge for Big Blue

Cartridge for Big Blue Housing

Resin cartridge for **STREAMFLO** Trolley Systems ('-042' versions only).


PART NO	ITEM
FH2C-BB10	10" Big Blue Refillable Cartridge
FH2C-BB20	20" Big Blue Refillable Cartridge



Stainless Steel RO Housing

High quality Stainless Steel RO Housing for 4040 membranes.

PART NO
S-MH1-4040
S-MH1-4021



Filmtec RO Membranes

- Low pressure required
- Excellent performance

PART NO	ITEM
R-MR050	10" RO Membrane 50 gpd
R-MR075	10" RO Membrane 75 gpd
R-MR100	10" RO Membrane 100 gpd
R-MR150	10" RO Membrane 150 gpd
R-MR300	12" RO Membrane 300 gpd



STREAMLINE[®] RO Membranes

- Low pressure required
- Excellent performance

PART NO	ITEM
S-MRO-4021-F	STREAMLINE [®] 21" RO Membrane
S-MRO-4040-F	STREAMLINE [®] 40" RO Membrane



10" and 20" Filter Housings

Big Blue filter housing with 1" ports.

PART NO	ITEM
FH2BB-10	10" Blue Filter Housing
FH2BB-10-CB	10" Clear Filter Housing
FH2BB-20	20" Blue Filter Housing
FH2BB-20-CB	20" Clear Filter Housing



Section 5

Waterfed Pole Accessories

STREAMLINE® includes a large range of hose reels, hose and couplings, pumps and controllers and many other parts, suitable for the window cleaning industry.

Waterfed Pole Accessories

STREAMLINE® includes a large range of hose reels, hose and couplings, pumps and controllers and many other parts, suitable for the window cleaning industry.

Quality professional equipment available, ensuring all our valued customers can focus on 'getting the job done!'



Hose Reels, Hose & Accessories

A wide range of hose reels are available, including freestanding hose reels, wheeled hose reels and bolt down hose reels. **STREAMLINE®** also offers a variety of hose specifications to suit the needs of the window cleaner. Check out the best seller - **STREAMLINE®** 8mm High-Visibility hot water hose.



Pumps and Controllers

STREAMFLO®, the new name for reliable, on-demand positive displacement diaphragm pumps with pressure switch protection, including the features self-priming, corrosion resistant built-in check valve, silent running and smooth operation. View the full range on pages 230-233.



Warning signs & protective Wear

Are you making the general public aware of the possible dangers while you are window cleaning? View our sturdy stackable stand-alone signs that don't blow over in the wind, Ideal for outdoor use. Furthermore, reduce your physical workload by over 50% with the **STREAMLINE®** GTM pole harness.



Metal Hose Reels
HRM100-6 / 8 HRM150-6 / 8

Free standing metal hose reel complete with 100m Microbore Hose.

PART NO	ITEM
HRM100-6-UA	with 100m x 6mm Microbore
HRM100-6-AS	Assembled
HRM100-8-UA	with 100m x 8mm Microbore
HRM100-8-AS	Assembled
HRM150-6-UA	with 50m x 6mm Microbore
HRM150-6-AS	Assembled
HRM150-8-UA	with 50m x 8mm Microbore
HRM150-8-AS	Assembled



Metal Hose Reel
HRM1

Free standing metal hose reel includes wall brackets

PART NO	ITEM
HRM1-UA	Unasssembled
HRM1-AS	Assembled



Metal Hose Reel
HRM2

Robust metal freestanding Hose Reel suitable for 60 metre of 12mm re-inforced hose or 100 metre of 6mm Microbore or 8mm Minibore hose.

PART NO	ITEM
HRM2-GP	Unassembled
HRM2-AS	Assembled



Stainless Steel Hose Reel
HRM2-SS

Robust stainless steel freestanding Hose Reel suitable for 60 metre of 12mm re-inforced hose or 100 metre of 6mm Microbore or 8mm Minibore hose.

PART NO	ITEM
HRM2-SS-GP	Unassembled
HRM2-SS-AS	Assembled
HRM200-SS-6-AS-PRO-HIVIZ	100mtr 6mm STREAMLINE® HIVIZ Minibore Hose & Fittings Kit - assembled



Metal Hose Reels
HRM200-6 / HRM200-8

Free standing metal hose reel complete with 100 meter of 6mm or 8mm hose, coupling included. Pro reels include our premium STREAMLINE® hose available in Yellow or HI-VIZ

PART NO	ITEM
HRM200-6-UA	With 100m of 6mm Microbore
HRM200-6-UA-PRO-HIVIZ	100mtr 6mm Streamline® HIVIZ Minibore Hose & Fittings Kit - assembled
HRM200-6-AS-PRO	With 100m of 6mm Microbore
HRM200-6-AS-PRO-HIVIZ	With 100m of 6mm HIVIZ Microbore
HRM200-8-UA	With 100m of 8mm Minibore
HRM200-8-AS	Assembled
HRM200-8-AS-PRO	With 100m of 8mm Minibore



Metal Hose Reel HRM3

Robust metal wheeled Hose Reel suitable for 100 metre of 12mm I.D. re-inforced hose.

PART NO	ITEM
HRM3-UA	Unassembled
HRM3-AS	Assembled
HRM300-T12-UA	Unassembled
HRM300-T12-AS	Assembled



Metal Hose Reel HRM4

Robust metal wheeled Hose Reel suitable for 60 metre of 12mm I.D. Re-inforced hose, or 100 metre of 6mm Microbore or 8mm Minibore hose.

PART NO	ITEM
HRM4-GP	Unassembled
HRM4-AS	Assembled



Stainless Steel Hose Reel HRM4-SS

Robust metal stainless steel metal wheeled Hose Reel suitable for 60 metre of 12mm I.D. re-inforced hose, or 100 metre of 6mm Microbore or 8mm Minibore hose.


PART NO	ITEM
HRM4-SS-GP	Unassembled
HRM4-SS-AS	Assembled
HRM400-SS-6-AS-PRO-HIVIZ	with 100mtr 6mm HIVIZ Hose - Assembled
HRM400-SS-6-UA-PRO -HVIZ	with 100mtr 6mm HIVIZ Hose - Unassembled



**Metal Hose Reels
HRM400-6 / HRM400-8**

Sturdy metal wheeled hose reel complete with 100 metre of 6mm or 8mm hose, couplings included. PRO reels include our premium STREAMLINE hose available in Yellow or HI-VIZ

PART NO	ITEM
HRM400-6-UA	With 100m of 6mm Microbore
HRM400-6-UA-PRO-HIVIZ	With 100m of 6mm STREAMLINE® HIVIZ
HRM400-6-AS	Assembled
HRM400-6-AS-PRO	With 100m of 6mm Microbore
HRM400-6-AS-PRO-HIVIZ	With 100m of 6mm STREAMLINE® HIVIZ Assembled
HRM400-8-UA	With 100m of 8mm Minibore
HRM400-8-AS	Assembled
HRM400-8-AS-PRO	With 100m of 8mm Minibore



Scan Here to shop online for the latest prices



Stainless Metal Hose Reel Wheeled

With 50m of 12mm Extraflex Hose

PART NO	ITEM
HRM450-T12-AS	Metal Hose Reel - Wheeled - c/w 50m of 12mm Extraflex Hose - assembled
HRM450-SS-T12-AS	50m of 12mm Extraflex Hose - assembled
HRM450-SS-T12-UA	50m of 12mm Extraflex Hose - unassembled



Hose Reel HP-HRM150A

Fixed Metal Hose Reel, suitable to take 100 metre of microbore hose: Metal rewind handle Locking device mounted on bearings.

PART NO	ITEM
HRM150A	
HRM150A-6-100-AS-HIVIZ	With 100mtr of 6mm Hose
HRM150A-8-100-AS-HIVIZ	With 100mtr of 8mm Hose



Electric Powerdrive Hose Reel

The STREAMLINE® Electric Hose Reel is simple solution to rewinding your hose pipe effortlessly.

- Snag detection with stall cutout.
- Speed Control.
- Roller guide to stop hose running over the side discs.
- Multiple fixing points.
- Stainless steel drive shaft and water inlet shaft.
- Can be used with 6mm or 8mm hose up to 100m.
- Winds in 100m of hose in around 45 seconds, effortless and strainless!
- Hot water compatible.
- Securing kit included.

Footprint:

- Width - 380mm
- Height - 440mm

Dimensions:

- Width - 500mm
- Height - 510mm
- Depth - 520mm
- Weight - 1kg without hose, 34kg with hose

PART NO	ITEM
PR1	Powerdrive Hose Reel
PR16002-AS	c/w 100m of 6mm STREAMLINE® HIVIZ Hose
PR18002-AS	c/w 100m of 8mm STREAMLINE® HIVIZ Hose



New for 2022

Powerdrive Hose Reel Stacking Kit


to suit PR1 Powerdrive Reels

PART NO	ITEM
PR1-KIT0001	Powerdrive Hose Reel Stacking Kit

Don't forget,
for the latest prices shop online at
www.streamline.systems



Contact us on
+44 (0)1626 830 830



Metal Hose Reel Joiner for HRM3

PART NO
RM011



Centre Joiner

PART NO
RM006



Brass Swivel Inlet Connector 3/4" F

PART NO
BHC-90



Replacement Handle

PART NO
RM008



Inlet Manifold

PART NO	ITEM
RM007-HRM4-5	Inlet Manifold for HRM2+4+5 Hose Reels
RM009	Inlet Manifold for HRM3+6 Hose Reels



Brass Male Adapter 3/4" F

PART NO
BHA-TA34



Brass Hosetails

Fits Part No. RM004

PART NO	ITEM
BHT1814	For 6mm hose
BHT1808	For 8mm hose



Output Elbow & Flynut

PART NO	ITEM
RM004	Brass Output Elbow & Flynut



Leather Holster for Microbore Type Coupling

PART NO	ITEM
LH2	Excludes tap and fittings

Pole Tubing

In our continued desire to strive for excellence, by listening to our customers needs and by working closely with our suppliers we have developed a range of tube and hose products (some of which are unique to us) which deliver high performance whilst being technically superior to competitor products and market specific.

By specifying **STREAMLINE**® hose you are receiving a product with the following features:

- Abrasion resistance – excellent
- Anti-ageing – outstanding
- Resistant to pure water
- Flexibility – good to excellent
- FDA and ROHS compliant, low toxic and free from hazardous substances
- Silicone and cadmium free
- Service temperatures from -15°C to +60°C

By insisting on only the highest quality hoses, free of heavy metals and other hazardous substances, you can be confident of success in delivering a 'crystal clear' finish to your windows.



Pole Tubing PVCT8-5 Clear Tubing

- Outstanding resistance to ageing and with good flexibility, this is the most popular pole tubing choice.
- Inside diameter 5mm
- Operating Temperature -15°C to +60°C
- Available in a multitude of lengths to suit standard pole sizes.

PART NO	ITEM
PVCT8-5-050-CL	50 metre Clear Tubing
PVCT8-050-BK	50 metre Black Tubing



Pole Tubing *STREAMLINE*® LITE-5®

Excellent high quality pole hose

- Super light weight, highly flexible, visible yellow hose
- Good abrasion and kink resistance
- Inside diameter 5mm
- Maximum working pressure at 23°C - 14.0 Bar
- Operating Temperature -15°C to +60°C

PART NO	ITEM
LITE-5-001	1 metre
LITE-5-030	30 metre
LITE-5-050	50 metre
LITE-5-100	100 metre





Hot Water
Hose



Cold Water
Hose

ECOLINE™

Microbore & Minibore

- Standard re-enforced Microbore hose with excellent abrasion resistance
- Good kink resistance and flexibility
- Inside diameter 6mm and 8mm
- Outside diameters up to 12mm
- Maximum working pressure at 20°C - 10 Bar
- Operating Temperature -15°C to +40°C



6mm / 8mm (inside)

6mm	
PVCT12-6-100-ECO	100 metre - Yellow

8mm	
PVCT14-8-100-ECO-Y	100 metre - Yellow

STREAMLINE

Microbore & Minibore

- Standard re-inforced Microbore hose with excellent abrasion resistance
- Good kink resistance and flexibility
- Inside diameters 6mm and 8mm
- Outside diameters up to 14mm
- Maximum working pressure at 20°C - 10 Bar
- Operating Temperature -15°C to +80°C



6mm / 8mm (inside)

6mm	
PVCT12-6-100-HIVIZ	100 metre - HIVIZ

8mm	
PVCT14-8-100-HIVIZ	100 metre - HIVIZ

STREAMLINE

Extraflex


- Multipurpose dragline hoses for commercial and industrial use



12mm / 19mm / 25mm (inside)

PART NO	ITEM
TYH12-001	STREAMLINE® Extraflex 12mm Non Torsion Hose 5m - priced per 1m
TYH12-050	STREAMLINE® Extraflex 12mm Non Torsion Hose 50m - priced per 50m
TYH12-100	STREAMLINE® Extraflex 12mm Non Torsion Hose 100m - priced per 100m

STREAMLINE
Delivery Hose



12mm / 19mm / 25mm (inside)

12mm	
SH12-30	Delivery Hose 12mm, 30m (priced per m)

19mm	
SH19-30	Delivery Hose 19mm 30m (priced per m)

25mm	
SH25-30	Delivery Hose 25mm 30m (priced per m)

STREAMLINE

Reinforced Hose

- Standard reinforced hose with excellent abrasion resistance
- Good kink resistance and flexibility
- Inside diameter 12.5mm (1/2")
- Maximum burst pressure - 48 Bar
- Operating Temperature -15°C to +60°C



PART NO	ITEM
PVCT18-13-030-R	Red - per 30 metre
PVCT18-13-030-B	Blue - per 30 metre
PVCT18-13-030-BK	Black - per 30 metre

STREAMLINE

Flexi 5

- Extremely flexible
- Operating Temperature -20°C to +80°C
- Excellent kink resistance
- Compatible with the Univalve
- Super lightweight



5mm / 8mm (inside)

PART NO	ITEM
FLEXI-5-010-PL	Flexi-5™ Pole Tubing 10m Purple, priced per 10m
FLEXI-5-013-PL	Flexi-5™ Pole Tubing 13m Purple, priced per 13m
FLEXI-5-016-PL	Flexi-5™ Pole Tubing 16m Purple, priced per 16m
FLEXI-5-020-PL	Flexi-5™ Pole Tubing 20m Purple, priced per 20m
FLEXI-5-030-PL	Flexi-5™ Pole Tubing 30m Purple, priced per 30m
FLEXI-5-050-PL	Flexi-5™ Pole Tubing 50m Purple, priced per 50m
FLEXI-5-100-PL	Flexi-5™ Pole Tubing 100m Purple, priced per 100m

Shurflo™ Pumps



Available in 3 models:

PART NO	VOLTAGE (V)	PRESSURE (PSI)	LITRES PER MINUTE (LPM)	PORTS
8000-946-138	12	100	5.2	1/2" Male
8000-441-138	12	100	3.8	1/2" Male
8002-793-238	12	100	6.5	3/8" Female

Shurflo™ Pump Prefilter

PART NO
ILF2W (Wingnut)



Shurflo™ Pump Elbow

PART NO
NSNE1212



Shurflo™ Pump Hose Tail

PART NO
NSNS1212



Pressure Switches

PART NO ITEM
94-375-18 100 PSI



Shurflo™ Diaphragm Kit

PART NO ITEM
94-390-06 Valve Assembly Kit



Shurflo™ Elbow Nylon 1/2 inch M x 1/2 inch F

PART NO ITEM
NENE1212 Shurflo Elbow Nylon 1/2 inch M x 1/2 inch F



WFP Accessories



For the latest prices visit: www.streamline.systems

The new name for reliable, on-demand, positive displacement diaphragm pumps with pressure switch protection.

Key Features:

- Self priming
- Corrosion resistant built-in check valve
- Silent running and smooth operation
- Can run dry for short periods of time without damage



Available in 4 models:

PART NO	VOLTAGE (V)	PRESSURE (PSI)	LITRES PER MINUTE (LPM)	PORTS
SF-DP22-012-100-238	12	100	4.5	3/8" Female
SF-DP33-035-045	12	45	13.2	1/2" Male
SF-DP34-016-100	12	100	6.0	1/2" Male
SF-DP51-005-060	12	60	20.8	1/2" Male

Inline Filter and Hose Tails:

SF-ILF2	Inlet Filter for STREAMFLO® Pumps	1/2" Fe/Male
SF-NSNE1212	STREAMFLO® Pump Elbow Nylon	1/C" F x 12mm



STREAMFLO®
Pump 12v 100psi 5.5lpm 3/8F
Threaded Ports

PART NO	ITEM
SF-DP30-014-100	Streamflo® Pump 12v 100psi 5.5lpm 3/8F Threaded Ports



Inline Filter for STREAMFLO® Pumps 1/2" F - 1/2" M

Will only fit STREAMFLO® pumps

PART NO
SF-ILF2



Nylon Elbow

3/8" Male thread - 12mm hose barb

PART NO
NEL3812



Nylon Hose Tail

3/8" Male thread - 12mm hose barb

PART NO
NHT3812



STREAMBOARD™ Pump Kit 100psi with V16 Digital Flow Controller

STREAMBOARD™ Pump Kit 100psi. Available with SFC4 Dial Controller or SFC5 Digital Controller. Handy pump and controller mounted on a board including pump prefilter and hose tails.

PART NO	ITEM
SB100-SFC16	StreamBoard Pump Kit 100psi with V16 Digital Flow Controller

Controllers & Accessories



STREAMLINE
Digital Controller

Digital version with battery voltage read-out.

PART NO
SFC05
SFC05-B Back Entry Controller



STREAMLINE
Frostat Controller

Features, as SFC05 with temperature display. For use with **HEATWAVE™** water heater.

PART NO
SFC06



STREAMLINE
Digital Controller

Features, as SFC05 with solenoid valve and float switch.

PART NO
SFC08



STREAMLINE
Flexiflo Remote Control Controller

A three button fob that not only allows the user to turn the pump on and off but also to adjust the flow rate up and down (0-99). It gives the user complete control of their pump without having to walk back to the vehicle/controller.

PART NO
SFC09



New for 2022

STREAMLINE
Digital Controller, 240v with Flow meter and TDS

PART NO
SFC16-240




STREAMLINE
Digital Variable Controller V16

This V16 controller helps reduce both the energy and the water consumption of your system by allowing you to choose the correct flow of your water, this protects the usage of the system, as well as offering faster and more accurate dead-end detection. Being kitted with new advanced technology, the V16 controller now runs smoother, quieter and has expanded its lifetime. One of the key features of the V16 controller is that it will not be damaged if it is wired incorrectly, it simply will not work. However, once it is wired correctly, the unit will recover and will work normally. This benefit will only work on the V16 controller.


Features

- Offers faster and more accurate dead-end detection.
- Pressure switch shutdown
- Over Current Detection
- Short-Circuit Detection
- Designed to save power and water.
- The pump runs smoother and quieter.
- The pump can be driven slower, faster, and harder than before.

PART NO
SFC16
SFC16-B Back Entry Controller




On / Off Button




Polarity Protect

This feature means that the V16 will not be damaged if it is wired incorrectly, it simply will not work. Once it has been wired correctly, the unit will recover and work normally.




Higher Current




Pump Smooth

The advanced pump drive system runs the pump much more smoothly and quietly, and extends its life. With the V16 pumps can be driven slower, faster and harder than ever before.



Pump Precision

Thanks to the new pump control technology, the pump is monitored with far greater precision, saving water and energy and offering faster and more accurate dead end detection.



Pump Protect

Incorporating features such as dead end protection, pressure switch shutdown, over current detection and short circuit detection, the V16 protects the whole system and helps save power and water.

WFP Accessories



Brass Flow Controller

PART NO	ITEM
BBV12MF	1/2" Male to Female Thread
BBV14MF	1/4" Male to Female Thread



Brass Flow Controller

PART NO	ITEM
BBV12FF	1/2" Female to Female Thread
BBV14FF	1/4" Female to Female Thread



Microbore Fitting Kit

Tap Kit for the end of your Hose Reel
Available in 6mm or 8mm

PART NO	ITEM
MBK2-6	6mm Microbore Fittings Kit
MBK2-8	8mm Minibore Fittings Kit



MBK3 Microbore Tap Kit

PART NO
MBK3



Crimp Tool

PART NO
SIL918533



Norc Clips

Stainless steel, re-usable


PART NO	ITEM
NORC10	10mm
NORC11	11mm
NORC13	13mm
NORC15	15mm
NORC16	16mm
NORC17	17mm
NORC18	18mm
NORC20	20mm
NORC24	24mm



Jubilee Clamps

Stainless Steel Band and Worm To suit hose OD
To suit hose OD


PART NO	ITEM
JUB16	16mm
JUB20	20mm
JUB32	32mm



Crimp Clamps

Plated Steel Hose Clamps
To suit hose OD

PART NO	ITEM	USED FOR
O-07-09	9mm	5mm Flexi 5™ Pole Tubing
O-09-11	11mm	5mm Lite 5™ Pole Tubing
O-11-13	13mm	6mm Microbore Hose
O-13-15	15mm	8mm Minibore Hose



Protecta-Ball™

PART NO	ITEM
RB-S	Rubber Ball - Small
RB-B	Rubber Ball - Large



Male Hosetail Adapter

PART NO	ITEM
Q21MH-06-G	Plated Brass 6mm Male Coupling
Q21MSS-06	Stainless steel 6mm Male Coupling
Q21MH-08	Male adaptor with 8mm hose tail

Q21 Couplings

Minibore and Microbore hose couplings are relied on every day by thousands of window cleaners throughout the world. With this in mind, STREAMLINE® has created a Premium range of Quick Release Streamline® 21 couplings with increased strength and durability.

Key Points:

- Durable, quality components you can rely on
- Affordable prices
- Compatible with all Rectus® 21 Series Couplings
- Constructed from Nickel Plated Brass



Male Adaptor 6mm Hose Tail

PART NO
Q21MH-06-G



Female Connector 4mm Hose Tail

PART NO
Q21FH-04-G



Female Connector 6mm/8mm Hose Tail

PART NO
Q21FH-06-G
Q21FH-08-G



Female Connector 10mm Hose Tail

PART NO
Q21FH-10-G



Female Connector 1/4" M Thread

PART NO
Q21FM-14-G



Female Connector 1/4" F Thread

PART NO
Q21FF-14-G



Brass Stop Connector

PART NO	ITEM
BHC	12mm Brass Stop Connector



Brass Tap Adapters

PART NO	ITEM
BHA-TA12	1/2" Female
BHA-TA34	3/4" Female
BHA-M12	1/2" Male
BHA-M34	3/4" Male



Female Brass Connectors

PART NO	ITEM
BHC1414	6mm
BHC1408	8mm
BHC34	12mm




Brass Hose Repairers

PART NO	ITEM
BHR05	5mm
BHR06	6mm
BHR08	8mm
BHR12	12mm
BHR1206	12mm
BHR1208	12mm



Nylon Hose Repairers

PART NO	ITEM
NHR5	5mm Hose Mender
NHR6	6mm Hose Mender
NHR8	8mm Hose Mender
NHR12	12mm Hose Mender
NHR1206	6mm Hose Mender
NHR1208	8mm Hose Mender
NHR25	25mm Hose Mender



Brass Hosetails

PART NO	ITEM
BHT1414	1/4" M - 6mm Tail
BHT1408	1/4" M - 8mm Tail
BHT1410	1/4" M - 10mm Tail
BHT1412	1/4" M - 12mm Tail
BHT1814	1/8" M - 6mm Tail
BHT1808	1/8" M - 8mm Tail



Aluminium Anti-slag Male Adapter with 6mm and 8mm hose tail
 PART NO
AHA-H6



Nylon Tap Adapter 1/2" & 3/4" F
 PART NO
NHA-TA



Aluminium Anti-slag Male Adapter with Male thread
 PART NO
AHA-M38 3/8" Male Thread



Nylon Triple Male Adapter
 PART NO
NHA-TM-001



Aluminium Male Adaptor with Q21 Female Coupling
 PART NO
AHA-Q21F



Nylon Double Male Adapter
 PART NO
NHA-DM-001



Aluminium Male Adaptor with Q21 Male Coupling
 PART NO
AHA-Q21M



Nylon Tap Connector - 3/4" M
 PART NO
NHA-M34-001



Aluminium Anti-slag Male Adapter with Female thread
 PART NO
AHA-F14 1/4" Female Thread
AHA-F38 3/8" Female Thread



Nylon Double Male Adapter with Valve
 PART NO
NHA-TA4-001



Nylon Quick Connector

PART NO	ITEM
NHC08	8mm Connector
NHC08-N	8mm Aquastop Connector



Nylon Stop Connector

PART NO	ITEM
NHC12	12mm Hose Connector
NHC12-N	12mm Stop Connector



Nylon Tap Connector

PART NO	ITEM
NHC-T	12mm Tap



Hozelock Stop Connector

PART NO	ITEM
2185	12mm Hozelock Stop Connector



Nylon 12mm Hose Mender

PART NO	ITEM
NHC-M12	12mm Hose Mender



Scan Here
to shop online
for the latest prices

Visit our website
www.streamline.systems



Find us on



For the latest prices visit: www.streamline.systems



Handheld Meter with Temperature Function

PART NO
TDS1



TDS 2 TDS 6

Inline TDS Meter

With standard John Guest 1/4" fittings.

PART NO
TDS2
TDS6



Inline TDS Meter

With standard John Guest 1/4" fittings.

PART NO
TDS3



3/8" Push Fit - 1/4" Push Fit Reducing Tee

PART NO	ITEM
PI301208S	To suit TDS Metre probes



3/8" Push Fit Stem - 1/2" Hosetail Insert

PART NO	ITEM
PI251216S	To convert T-piece to 1/2" hose



Tap Inline 12mm Push Fit 12mm Push Fit

PART NO	ITEM
PFBV1212	Tap Inline 12mm Push Fit



Filling Nozzles

Filling Nozzles (for use with SH25 & LF32 Hoses) with Trigger Lock

PART NO	ITEM
15-0001-23	Filling Nozzle, 1" Male Hosetail
15-0001-27	Filling Nozzle, 1" Female Hosetail




3/4" Nylon Float Valve

PART NO
290150



1/2" Nylon Float Valve

PART NO
290151



3/4" Brass Float Valve

PART NO
290161

Batteries & Accessories

Our new Lithium-Ion battery is a new addition to our products, such as our STREAMFLO 25 trolleys. The Li-Ion batteries are extremely handy for when you're on the go, and are there to make everything more swift and easy.



Key Features:

- Battery is easily removeable
- Can charge it anywhere
- 5 hour charge time/12 hour run time
- Built in USB port for on the go phone charging
- Spare batteries can be purchased separately and easily swapped over

Compatible with **STREAMFLO 25**



PART NO	ITEM
BC4L-TR-ES	Lithium Ion Trolley Battery Charger
LB16AH-L	Lithium Ion Trolley Battery to suit SF-TR25 and SF-TR50 Trolley Range w/ Charger
VO00013	Holdall for Lithium Battery- printed Streamline

STREAMBOX™ Mini



PART NO	ITEM
SB100-26V-LBC	STREAMBOX™ Mini Pump Kit 100psi with flow controller, lithium battery and charger



4A Battery Charger

PART NO
BC4A 4A Battery Charger



Multi Stage Fully Automatic Battery Charger

The smartest battery charger in the world. For all types of 12V lead acid batteries.

PART NO
BC00011

Split Charge Relays

Charge up your battery on the move.



30AR Smart Relay

- Automatically switches when changing voltage is detected
- Suited to single use leisure battery

PART NO
30AR



100AR Smart Relay

- Automatically switches when changing voltage is detected
- Suited to multi use leisure battery

PART NO
100AR
100AR-PRO



Leisure Batteries

PART NO	ITEM
LB026AH	AGM Battery, 12V/26 Ah
LB28AH	Lead Acid Leisure Battery 12V/26 Ah
LB85AH	Lead Acid Leisure Battery 12V/75 Ah
LB110AH	Lead Acid Leisure Battery 12V/100 Ah
LB004AH	Leisure Battery To Suit Streamflo® 12, 16, 22 Backpacks



Battery Boxes

Black Battery Box for LB110AH battery, with internal compartment securing straps

PART NO
LH110-BK



Safe Enclosure for 85 Ah Leisure Battery

PART NO
LH28



Safe Enclosure for 110 Ah Leisure Battery

PART NO
LH110

Warning Signs

Are you making the general public aware of the possible dangers while you are window cleaning?

Sturdy, stackable, stand-alone signs that don't blow over in the wind! Ideal for outdoor use.



PART NO	ITEM
MINICONE	Blank
MINICONE-0102	Minicone with MS1 / MS2 messages
MINICONE-0404	Minicone with MS4 / MS4 messages

Available with the following message options:



Caution Window Cleaning in Progress

PART NO
MS1



Caution Trip Hazard Trailing Hoses

PART NO
MS2



Caution Trip Hazard

PART NO
MS3



Caution Cleaning in Progress

PART NO
MS4



Caution Men Working Overhead

PART NO
MS5



Caution Risk of Ice

PART NO
MS6



Caution Sanitising in Progress

PART NO
MS9



Scan Here
to shop online
for the latest prices



Section 10

Traditional Cleaning Tools


LEWI™ enables cleaning tasks to be completed safely and quickly because everything is compatible with everything in the range

LEWI™

LEWI™ enables cleaning tasks to be completed safely and quickly as all products within the range are compatible with one another. Demand value...insist on LEWI™. Another great brand from the **STREAMLINE®** range.

LEWI™ Approved Quality range of window cleaning tools

LEWI™ wash coverings come with press studs which have double-locked ends. Coverings available in a variety of sizes, namely 10", 14" and 18" (25, 35 and 45cm).



Traditional Tools

WHITE STAR is a conventional sleeve and suitable for daily work.

BLUE STAR is made from PES and special microfibres and has therefore very good water absorption. The run-in pad strip allows easy removal of small smudges.

PAD STRIP is equipped with a non-scratching pad strip on one side for coarse dirt. On the other side is normal push.

All coverings are washable at 60°C. With the **LEWI™** T-bar made from aluminium, an ideal connection between the telescopic pole and the T-bar is made. The flexible T-bar is continuously adjustable and can be fixed by a screw. The plastic T-bar is made from dimensionally stable plastics and equipped with water wells.

Starter Kits

13 Litre Bucket with 10" hand tools and scraper

13 Litre Bucket with 14" hand tools and scraper

22 Litre Bucket with 18" hand tools and scraper

PART NO
Z2110

PART NO
Z2114

PART NO
Z2218



Safety from the ground

LEWI™ have equipped telescopic poles with a new union nut, a new anti-trap protection and new cone in order to obtain a firm connection. The external section is rolled, structured and welded providing high stability. The inner tube is equipped with a sliding block. Therefore distorting is impossible even if pressure is applied when the tool is attached. Working is therefore safe and fast.

Telescopic Pole Aluminium 2 Section

with end cone, ensures a firm connection



PART NO	ITEM
Z2250-001	Telescopic Pole Aluminium 2 section 2 x 125 - 250cm
Z2300-001	Telescopic Pole Aluminium 2 section 2x150 - 300cm

Telescopic Pole Aluminium 3 Section

with end cone, ensures a firm connection



PART NO	ITEM
Z3450-001	Telescopic Pole Aluminium 3 section 3 x 150 - 450cm

Telescopic Pole Aluminium 4 Section

with end cone, ensures a firm connection



PART NO	ITEM
Z4600-001	Telescopic Pole Aluminium 4 section 4 x 150 - 600cm
Z4800-001	Telescopic Pole Aluminium 4 section 4 x 200 - 800cm

LEWI™ Rubbers

LEWI™ rubbers are manufactured from vulcanised rubber with exact cutting edge, guaranteeing streak free glass cleaning in any season. Available in soft or hard rubber.




Replacement Hard Rubbers

PART NO	ITEM
Z1010-001	10" / 25cm (Hard)
Z1014-001	14" / 35cm (Hard)
Z1018-001	18" / 45cm (Hard)
Z1036-001	36" / 92cm (Hard)



Replacement Soft Rubbers

PART NO	ITEM
Z1110-001	10" / 25cm (Soft)
Z1114-001	14" / 35cm (Soft)
Z1118-001	18" / 45cm (Soft)
Z1136-001	36" / 92cm (Soft)



Stainless Steel Channels with Soft Rubber

LEWI™ channels are made of stainless steel and equipped with v-notch for clips on the squeegee handles to grip securely.


PART NO	ITEM
Z8006-001	6" / 15cm
Z8010-001	10" / 25cm
Z8012-001	12" / 30cm
Z8014-001	14" / 35cm
Z8018-001	18" / 35cm



Sleeve "White Star"

- With press studs
- Standard sleeve


PART NO	ITEM
Z4010-001	10" / 25cm
Z4014-001	14" / 35cm
Z4018-001	18" / 45cm



Sleeve "Pad Strip"

- With press studs
- Extra pad on the side

PART NO	ITEM
Z4110-001	10" / 25cm
Z4114-001	14" / 35cm
Z4118-001	18" / 45cm



Sleeve "Blue Star"

- With press studs
- With PES & microfibre
- Extra pad on the end

PART NO	ITEM
Z4210-001	10" / 25cm
Z4214-001	14" / 35cm
Z4218-001	18" / 45cm



Plastic T-bar with Water Wells

PART NO	ITEM
Z3110-001	10" / 25cm
Z3114-001	14" / 35cm
Z3118-001	18" / 45cm



Fixed Aluminium T-Bar

PART NO	ITEM
Z3010-001	10" / 25cm
Z3014-001	14" / 35cm
Z3018-001	18" / 45cm



Swivelling Aluminium T-bar

PART NO	ITEM
Z3214-001	14" / 35cm
Z3218-001	18" / 45cm



LEWI™ Duo

PART NO	ITEM
Z9010-001	Double Plastic T-Bar 25cm - 10 inch c/w channel and soft rubber
Z9014-001	Double Plastic T-Bar 35cm - 14 inch c/w channel and soft rubber
Z9018-001	Double Plastic T-Bar 45cm - 18 inch c/w channel and soft rubber

The 10cm scraper is suitable for windows and floors and it can be hand-held or fitted on to a LEWI™ telescopic pole. The hand-held 4cm safety scraper is indispensable for daily work. Its interlocking system avoids the blade sliding out. Replacement blades are available for both scrapers.



10cm scraper

With handle and protective cover

PART NO
Z5001-001



4cm hand scraper

With retractable blade

PART NO
Z5002-001



Spare blades for Z5001

10 pack

PART NO
Z5003-001



Spare blades for Z5002

Comes with a handy plastic dispenser - 5 pack

PART NO
Z5004-001



Double Pocket with Belt

PART NO
Z7003-001



Single Pocket for use with Belt

PART NO
Z7004-001



LEWI™ Squeegee Handle

The two component handle is made of slip proof rubber and guarantees comfortable working. Handle allows for connection to LEWI™ telescopic poles.

PART NO
Z8001-001



Mini Hip Bucket

PART NO
Z2006-001

The LEWI™ rectangle buckets are available in 13 litre and 22 litre capacity. The window wiper and the coverings up to a width of 14" (35cm) can be dipped completely in the 13 litre bucket. The window wiper and the coverings up to a width of 18" (45cm) can be dipped completely in the 22 litre bucket.




13L/22L

PART NO	ITEM
Z2013-001	13 Litre Capacity
Z2022-001	22 Litre Capacity



Foam Ladder Mitts

PART NO
Z0900-01



Microfibre General Purpose Cloths

PART NO	ITEM
MFC1-01	30 x 30cm - Singles
MFC1-10	30 x 30cm - 10 Pack
MFC2-01	40 x 40cm - Singles
MFC2-10	40 x 40cm - 10 Pack



Microfibre Glass Finishing Cloths

PART NO	ITEM
MFC3-01	40 x 40cm - Singles
MFC3-10	40 x 40cm - 10 Pack
MFC4-01	60 x 80cm - Singles
MFC4-05	60 x 80cm - 5 Pack



Washed Scrim

PART NO	ITEM
MFC5-01	91 x 88cm - Singles
MFC5-10	91 x 88cm - 10 Pack

Don't forget,
you can shop online at
www.streamline.systems

A large white rectangular area on the left side of the page, containing 25 horizontal dotted lines for writing.

A large white rectangular area on the right side of the page, containing 25 horizontal dotted lines for writing.



If you are looking for an item not featured in this product overview then give us a call - we may be able to source it for you.

**Hamilton House, 8 Fairfax Road,
Heathfield Industrial Estate,
Newton Abbot, Devon TQ12 6UD, UK**

**T: +44 (0)1626 830 830
E: sales@streamline.systems
W: www.streamline.systems**

CATALOGUE REF CODE: PO2022/V1

ALL PRICES SHOWN EXCLUDE VAT E&OE